

## SOIL INFORMATION

## TRIAL INFORMATION

TEXTURE: SIL  
PH: 6.4  
%OM: 4.6  
PREV.CROP: GLXMA - SOYBEAN  
%RESIDUE: 0  
PLOT WIDTH: 7.5 X 30 FEET  
PLOT AREA: 225 FEET

DESIGN: RCB  
REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	06	12	
TYPE	LIQMIX	LIQMIX	
APPLICATION DATE	05/02/14	06/13/14	AME
AIR TEMPERATURE	50	72	F
% REL.HUMIDITY	72	47	
WIND DIRECTION	WEST	NORTHWEST	
WIND SPEED	4.0	5.0	M/H
CLOUD COVER	CLOUDY	CLEAR	
DEW	YES	NO	
SOIL MOISTURE	MOIST/MOI	MOIST/MOI	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION			
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE			
SCREEN SZ DESC	NA	NA	
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
FOLIAGE HEIGHT			FT
FOLIAGE WIDTH			FT
ROW WIDTH			FT
SPRAY VOL LWA/TRV			
S VOL LWA/TRV UNIT			
LEAF WALL AREA			M2H
TREE ROW VOLUME			M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *			
P, CORN, DENT	---/00	---/15	
DKC63-33RRL1	0.00/0.00	15.0/15.0	IN
(PLANTED) 05/07/2014	-5 DAP	37 DAP	
PEST *			
P, WATERHEMP, COMMO	---/00 /	---/19 2.00/6.00	IN
P, LAMBSQUARTERS, C	---/17 1.00/2.00	---/19 2.00/8.00	IN
P, HORSEWEED / MARE	---/19 1.00/3.00	---/19 2.00/8.00	IN
P, HENBIT	---/19 1.00/4.00	---/19 2.00/6.00	IN
P, FOXTAIL, GIANT	---/00 /	---/14 2.00/6.00	IN
P, CHICKWEED, COMMO	---/18 1.00/2.00	---/19 2.00/4.00	IN

**\* TIMING CODES**

06 = ----- / EPP 7DBP  
12 = ----- / POST

**\* STAGE CODE**

00 = DRY SEED (CARYOPSIS)  
00 = DRY SEED (CARYOPSIS)  
00 = DRY SEED; DORMANCY  
14 = 4 LEAVES UNFOLDED  
15 = 5 LEAVES UNFOLDED  
17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

**TITLE:** No-till Weed Control Systems in RR/LL Corn I. N-100  
**CREATED:** 04/13/2014 **REVISED:** 07/31/2014 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		STEME CON % 05/09/14	LAMAM CON % 05/09/14	ERICA CON % 05/09/14	ZEAMD CON % 05/26/14	STEME CON % 05/26/14	LAMAM CON % 05/26/14
		RATE	UNIT TM						
1A	HARROW 75WG	0.023	LAA 6	50	40	77	0	99	99
B	GLYFOS EXTRA 3	0.75	LAA 6						
C	CLARITY	0.50	LAA 6						
D	ACTIVATOR 90	0.25	PMV 6						
E	GLYFOS EXTRA 3	1.00	LAA 12						
F	LIQUID AMS	2.50	PMV 12						
2A	BASIS BLEND 30	0.023	LAA 6	57	43	80	0	99	99
B	GLYFOS EXTRA 3	0.75	LAA 6						
C	CLARITY	0.50	LAA 6						
D	ACTIVATOR 90	0.25	PMV 6						
E	GLYFOS EXTRA 3	1.00	LAA 12						
F	LIQUID AMS	2.50	PMV 12						
3A	CRUSHER 50WG	0.031	LAA 6	58	48	73	0	99	99
B	GLYFOS EXTRA 3	0.75	LAA 6						
C	CLARITY	0.50	LAA 6						
D	ACTIVATOR 90	0.25	PMV 6						
E	GLYFOS EXTRA 3	1.00	LAA 12						
F	LIQUID AMS	2.50	PMV 12						
4A	LEADOFF 33.4WG	0.031	LAA 6	55	43	75	0	99	99
B	GLYFOS EXTRA 3	0.75	LAA 6						
C	CLARITY	0.50	LAA 6						
D	ACTIVATOR 90	0.25	PMV 6						
E	GLYFOS EXTRA 3	1.00	LAA 12						
F	LIQUID AMS	2.50	PMV 12						
5A	CORVUS 2.6SC	0.114	LAA 6	94	94	93	0	99	99
B	ATRAZINE DF	1.00	LAA 6						
C	LIBERTY 2.34L	0.53	LAA 6						
D	COC	1.00	PMV 6						
E	GLYFOS EXTRA 3	1.00	LAA 12						
F	LIQUID AMS	2.50	PMV 12						
6A	LUMAX EZ 3.67S	2.96	LAA 6	78	68	88	0	99	99
B	TOUCHDN TOTAL	0.78	LAA 6						
C	LIQUID AMS	2.50	PMV 6						
D	GLYFOS EXTRA 3	1.00	LAA 12						
E	LIQUID AMS	2.50	PMV 12						
7A	VERDICT 5.57L	0.78	LAA 6	99	99	99	0	99	99
B	ATRAZINE DF	1.00	LAA 6						
C	RNDUP POWERMAX	0.77	LAA 6						
D	LIQUID AMS	2.50	PMV 6						
E	GLYFOS EXTRA 3	1.00	LAA 12						
F	LIQUID AMS	2.50	PMV 12						
8A	CHECK	0.00	NA 0	0	0	0	0	0	0
9A	FIERCE 76WG	0.14	LAA 6	58	53	75	0	99	99
B	ATRAZINE DF	1.00	LAA 6						
C	RNDUP POWERMAX	0.77	LAA 6						
D	LIQUID AMS	2.50	PMV 6						
E	GLYFOS EXTRA 3	1.00	LAA 12						
F	LIQUID AMS	2.50	PMV 12						
10A	GRAMOXONE SL 2	0.75	LAA 6	99	99	99	0	99	99
B	2,4-D LVE	0.50	LAA 6						
C	ATRAZINE DF	1.00	LAA 6						
D	ACTIVATOR 90	0.25	PMV 6						
E	GLYFOS EXTRA 3	1.00	LAA 12						
F	LIQUID AMS	2.50	PMV 12						
11A	GRAMOXONE SL 2	0.75	LAA 6	99	99	99	0	99	99
B	2,4-D LVE	0.50	LAA 6						
C	LEXAR EZ 3.7SC	2.78	LAA 6						
D	ACTIVATOR 90	0.25	PMV 6						
E	GLYFOS EXTRA 3	1.00	LAA 12						

## TITLE: No-till Weed Control Systems in RR/LL Corn I. N-100

TRT NUM	TREATMENT COMPONENT	DOSAGE		STEME	LAMAM	ERICA	ZEAMD	STEME	LAMAM
		RATE	UNIT TM	CON % 05/09/14	CON % 05/09/14	CON % 05/09/14	CON % 05/26/14	CON % 05/26/14	CON % 05/26/14
	F»LIQUID AMS	2.50	PMV 12						
12A»	RNDUP POWERMAX	0.77	LAA 6	88	86	93	0	99	99
	B»2,4-D LVE	0.50	LAA 6						
	C HARNESS XTRA	3.50	LAA 6						
	D»ACTIVATOR 90	0.25	PMV 6						
	E»LIQUID AMS	2.50	PMV 6						
	F»GLYFOS EXTRA 3	1.00	LAA 12						
	G»LIQUID AMS	2.50	PMV 12						
			LSD (0.05)	6.83	7.63	4.54	0.00	0.00	0.00
			STANDARD DEVIATION	3.29	3.68	2.19	0.00	0.00	0.00

**TITLE:** No-till Weed Control Systems in RR/LL Corn I. N-100  
**CREATED:** 04/13/2014 **REVISED:** 07/31/2014 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ERICA	CHEAL	SETFA	ZEAMD	STEME	LAMAM
		RATE	UNIT		CON % 05/26/14	CON % 05/26/14	CON % 05/26/14	CON % 06/03/14	CON % 06/03/14	CON % 06/03/14
1A	HARROW 75WG	0.023	LAA	6	99	99	87	0	99	99
B	GLYFOS EXTRA 3	0.75	LAA	6						
C	CLARITY	0.50	LAA	6						
D	ACTIVATOR 90	0.25	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
2A	BASIS BLEND 30	0.023	LAA	6	99	99	89	0	99	99
B	GLYFOS EXTRA 3	0.75	LAA	6						
C	CLARITY	0.50	LAA	6						
D	ACTIVATOR 90	0.25	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
3A	CRUSHER 50WG	0.031	LAA	6	99	99	87	0	99	99
B	GLYFOS EXTRA 3	0.75	LAA	6						
C	CLARITY	0.50	LAA	6						
D	ACTIVATOR 90	0.25	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
4A	LEADOFF 33.4WG	0.031	LAA	6	99	99	93	0	99	99
B	GLYFOS EXTRA 3	0.75	LAA	6						
C	CLARITY	0.50	LAA	6						
D	ACTIVATOR 90	0.25	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
5A	CORVUS 2.6SC	0.114	LAA	6	99	99	98	0	99	99
B	ATRAZINE DF	1.00	LAA	6						
C	LIBERTY 2.34L	0.53	LAA	6						
D	COC	1.00	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
6A	LUMAX EZ 3.67S	2.96	LAA	6	99	99	99	0	99	99
B	TOUCHDN TOTAL	0.78	LAA	6						
C	LIQUID AMS	2.50	PMV	6						
D	GLYFOS EXTRA 3	1.00	LAA	12						
E	LIQUID AMS	2.50	PMV	12						
7A	VERDICT 5.57L	0.78	LAA	6	99	99	99	0	99	99
B	ATRAZINE DF	1.00	LAA	6						
C	RNDUP POWERMAX	0.77	LAA	6						
D	LIQUID AMS	2.50	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
8A	CHECK	0.00	NA	0	0	0	0	0	0	0
9A	FIERCE 76WG	0.14	LAA	6	99	99	97	0	99	99
B	ATRAZINE DF	1.00	LAA	6						
C	RNDUP POWERMAX	0.77	LAA	6						
D	LIQUID AMS	2.50	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
10A	GRAMOXONE SL 2	0.75	LAA	6	99	99	76	0	99	99
B	2,4-D LVE	0.50	LAA	6						
C	ATRAZINE DF	1.00	LAA	6						
D	ACTIVATOR 90	0.25	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
11A	GRAMOXONE SL 2	0.75	LAA	6	99	99	99	0	99	99
B	2,4-D LVE	0.50	LAA	6						
C	LEXAR EZ 3.7SC	2.78	LAA	6						
D	ACTIVATOR 90	0.25	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						

## TITLE: No-till Weed Control Systems in RR/LL Corn I. N-100

TRT	TREATMENT	DOSAGE		ERICA	CHEAL	SETFA	ZEAMD	STEME	LAMAM
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				05/26/14	05/26/14	05/26/14	06/03/14	06/03/14	06/03/14
	F»LIQUID AMS	2.50	PMV 12						
12A»	RNDUP POWERMAX	0.77	LAA 6	99	99	99	0	99	99
	B»2,4-D LVE	0.50	LAA 6						
	C HARNESS XTRA	3.50	LAA 6						
	D»ACTIVATOR 90	0.25	PMV 6						
	E»LIQUID AMS	2.50	PMV 6						
	F»GLYFOS EXTRA 3	1.00	LAA 12						
	G»LIQUID AMS	2.50	PMV 12						
			LSD (0.05)	0.00	0.00	7.88	0.00	0.00	0.00
			STANDARD DEVIATION	0.00	0.00	3.80	0.00	0.00	0.00

**TITLE:** No-till Weed Control Systems in RR/LL Corn I. N-100  
**CREATED:** 04/13/2014 **REVISED:** 07/31/2014 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ERICA	CHEAL	SETFA	AMATA	ZEAMD	STEME
		RATE	UNIT		CON % 06/03/14	CON % 06/03/14	CON % 06/03/14	CON % 06/03/14	CON % 06/13/14	CON % 06/13/14
1A	HARROW 75WG	0.023	LAA	6	99	99	84	79	0	99
B	GLYFOS EXTRA 3	0.75	LAA	6						
C	CLARITY	0.50	LAA	6						
D	ACTIVATOR 90	0.25	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
2A	BASIS BLEND 30	0.023	LAA	6	99	99	85	79	0	99
B	GLYFOS EXTRA 3	0.75	LAA	6						
C	CLARITY	0.50	LAA	6						
D	ACTIVATOR 90	0.25	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
3A	CRUSHER 50WG	0.031	LAA	6	99	99	84	81	0	99
B	GLYFOS EXTRA 3	0.75	LAA	6						
C	CLARITY	0.50	LAA	6						
D	ACTIVATOR 90	0.25	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
4A	LEADOFF 33.4WG	0.031	LAA	6	99	99	83	77	0	99
B	GLYFOS EXTRA 3	0.75	LAA	6						
C	CLARITY	0.50	LAA	6						
D	ACTIVATOR 90	0.25	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
5A	CORVUS 2.6SC	0.114	LAA	6	99	99	97	99	0	99
B	ATRAZINE DF	1.00	LAA	6						
C	LIBERTY 2.34L	0.53	LAA	6						
D	COC	1.00	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
6A	LUMAX EZ 3.67S	2.96	LAA	6	99	99	99	99	0	99
B	TOUCHDN TOTAL	0.78	LAA	6						
C	LIQUID AMS	2.50	PMV	6						
D	GLYFOS EXTRA 3	1.00	LAA	12						
E	LIQUID AMS	2.50	PMV	12						
7A	VERDICT 5.57L	0.78	LAA	6	99	99	99	99	0	99
B	ATRAZINE DF	1.00	LAA	6						
C	RNDUP POWERMAX	0.77	LAA	6						
D	LIQUID AMS	2.50	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
8A	CHECK	0.00	NA	0	0	0	0	0	0	0
9A	FIERCE 76WG	0.14	LAA	6	99	99	93	99	0	99
B	ATRAZINE DF	1.00	LAA	6						
C	RNDUP POWERMAX	0.77	LAA	6						
D	LIQUID AMS	2.50	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
10A	GRAMOXONE SL 2	0.75	LAA	6	99	99	72	68	0	99
B	2,4-D LVE	0.50	LAA	6						
C	ATRAZINE DF	1.00	LAA	6						
D	ACTIVATOR 90	0.25	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
11A	GRAMOXONE SL 2	0.75	LAA	6	99	99	99	99	0	99
B	2,4-D LVE	0.50	LAA	6						
C	LEXAR EZ 3.7SC	2.78	LAA	6						
D	ACTIVATOR 90	0.25	PMV	6						
E	GLYFOS EXTRA 3	1.00	LAA	12						

## TITLE: No-till Weed Control Systems in RR/LL Corn I. N-100

TRT NUM	TREATMENT COMPONENT	DOSAGE		ERICA	CHEAL	SETFA	AMATA	ZEAMD	STEME
		RATE	UNIT TM	CON % 06/03/14	CON % 06/03/14	CON % 06/03/14	CON % 06/03/14	CON % 06/13/14	CON % 06/13/14
	F»LIQUID AMS	2.50	PMV 12						
12A»	RNDUP POWERMAX	0.77	LAA 6	99	99	99	99	0	99
	B»2,4-D LVE	0.50	LAA 6						
	C HARNESS XTRA	3.50	LAA 6						
	D»ACTIVATOR 90	0.25	PMV 6						
	E»LIQUID AMS	2.50	PMV 6						
	F»GLYFOS EXTRA 3	1.00	LAA 12						
	G»LIQUID AMS	2.50	PMV 12						
		LSD (0.05)		0.00	0.00	5.31	6.64	0.00	0.00
		STANDARD DEVIATION		0.00	0.00	2.56	3.20	0.00	0.00

**TITLE:** No-till Weed Control Systems in RR/LL Corn I. N-100  
**CREATED:** 04/13/2014 **REVISED:** 07/31/2014 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	LAMAM	ERICA	CHEAL	SETFA	AMATA
		RATE	UNIT		CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14
1A	HARROW 75WG	0.023	LAA	6	99	99	99	80	73
B	GLYFOS EXTRA 3	0.75	LAA	6					
C	CLARITY	0.50	LAA	6					
D	ACTIVATOR 90	0.25	PMV	6					
E	GLYFOS EXTRA 3	1.00	LAA	12					
F	LIQUID AMS	2.50	PMV	12					
2A	BASIS BLEND 30	0.023	LAA	6	99	99	99	82	75
B	GLYFOS EXTRA 3	0.75	LAA	6					
C	CLARITY	0.50	LAA	6					
D	ACTIVATOR 90	0.25	PMV	6					
E	GLYFOS EXTRA 3	1.00	LAA	12					
F	LIQUID AMS	2.50	PMV	12					
3A	CRUSHER 50WG	0.031	LAA	6	99	99	99	83	76
B	GLYFOS EXTRA 3	0.75	LAA	6					
C	CLARITY	0.50	LAA	6					
D	ACTIVATOR 90	0.25	PMV	6					
E	GLYFOS EXTRA 3	1.00	LAA	12					
F	LIQUID AMS	2.50	PMV	12					
4A	LEADOFF 33.4WG	0.031	LAA	6	99	99	99	80	68
B	GLYFOS EXTRA 3	0.75	LAA	6					
C	CLARITY	0.50	LAA	6					
D	ACTIVATOR 90	0.25	PMV	6					
E	GLYFOS EXTRA 3	1.00	LAA	12					
F	LIQUID AMS	2.50	PMV	12					
5A	CORVUS 2.6SC	0.114	LAA	6	99	99	99	96	99
B	ATRAZINE DF	1.00	LAA	6					
C	LIBERTY 2.34L	0.53	LAA	6					
D	COC	1.00	PMV	6					
E	GLYFOS EXTRA 3	1.00	LAA	12					
F	LIQUID AMS	2.50	PMV	12					
6A	LUMAX EZ 3.67S	2.96	LAA	6	99	99	99	99	99
B	TOUCHDN TOTAL	0.78	LAA	6					
C	LIQUID AMS	2.50	PMV	6					
D	GLYFOS EXTRA 3	1.00	LAA	12					
E	LIQUID AMS	2.50	PMV	12					
7A	VERDICT 5.57L	0.78	LAA	6	99	99	99	98	99
B	ATRAZINE DF	1.00	LAA	6					
C	RNDUP POWERMAX	0.77	LAA	6					
D	LIQUID AMS	2.50	PMV	6					
E	GLYFOS EXTRA 3	1.00	LAA	12					
F	LIQUID AMS	2.50	PMV	12					
8A	CHECK	0.00	NA	0	0	0	0	0	0
9A	FIERCE 76WG	0.14	LAA	6	99	99	99	90	99
B	ATRAZINE DF	1.00	LAA	6					
C	RNDUP POWERMAX	0.77	LAA	6					
D	LIQUID AMS	2.50	PMV	6					
E	GLYFOS EXTRA 3	1.00	LAA	12					
F	LIQUID AMS	2.50	PMV	12					
10A	GRAMOXONE SL 2	0.75	LAA	6	99	99	99	67	63
B	2,4-D LVE	0.50	LAA	6					
C	ATRAZINE DF	1.00	LAA	6					
D	ACTIVATOR 90	0.25	PMV	6					
E	GLYFOS EXTRA 3	1.00	LAA	12					
F	LIQUID AMS	2.50	PMV	12					
11A	GRAMOXONE SL 2	0.75	LAA	6	99	99	99	99	99
B	2,4-D LVE	0.50	LAA	6					
C	LEXAR EZ 3.7SC	2.78	LAA	6					
D	ACTIVATOR 90	0.25	PMV	6					
E	GLYFOS EXTRA 3	1.00	LAA	12					

TITLE: No-till Weed Control Systems in RR/LL Corn I. N-100

TRT TREATMENT NUM COMPONENT	DOSAGE		LAMAM	ERICA	CHEAL	SETFA	AMATA
	RATE	UNIT	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14
F»LIQUID AMS	2.50	PMV	12				
12A»RNDUP POWERMAX	0.77	LAA	6	99	99	99	99
B»2,4-D LVE	0.50	LAA	6				
C HARNESS XTRA	3.50	LAA	6				
D»ACTIVATOR 90	0.25	PMV	6				
E»LIQUID AMS	2.50	PMV	6				
F»GLYFOS EXTRA 3	1.00	LAA	12				
G»LIQUID AMS	2.50	PMV	12				
	LSD (0.05)		0.00	0.00	0.00	5.41	6.27
	STANDARD DEVIATION		0.00	0.00	0.00	2.61	3.00

>> = SUPPLEMENTAL CHEMICAL

\* TIMING CODES

00 = ----- / UNTREATED TIMING  
06 = ----- / EPP 7DBP 05/02/2014(1)  
12 = ----- / POST 06/13/2014(2)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	STEME	CON %	05/09/2014	02	P	STEME		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
002	LAMAM	CON %	05/09/2014	03	P	LAMAM		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
003	ERICA	CON %	05/09/2014	04	P	ERICA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
004	ZEAMD	CON %	05/26/2014	01	P	ZEAMD		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
005	STEME	CON %	05/26/2014	02	P	STEME		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
006	LAMAM	CON %	05/26/2014	03	P	LAMAM		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
007	ERICA	CON %	05/26/2014	04	P	ERICA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
008	CHEAL	CON %	05/26/2014	05	P	CHEAL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
009	SETFA	CON %	05/26/2014	06	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
010	ZEAMD	CON %	06/03/2014	01	P	ZEAMD		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
011	STEME	CON %	06/03/2014	02	P	STEME		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
012	LAMAM	CON %	06/03/2014	03	P	LAMAM		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
013	ERICA	CON %	06/03/2014	04	P	ERICA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
014	CHEAL	CON %	06/03/2014	05	P	CHEAL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
015	SETFA	CON %	06/03/2014	06	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
016	AMATA	CON %	06/03/2014	07	P	AMATA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
017	ZEAMD	CON %	06/13/2014	01	P	ZEAMD	15	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
018	STEME	CON %	06/13/2014	02	P	STEME	19	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
019	LAMAM	CON %	06/13/2014	03	P	LAMAM	19	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
020	ERICA	CON %	06/13/2014	04	P	ERICA	19	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
021	CHEAL	CON %	06/13/2014	05	P	CHEAL	19	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
022	SETFA	CON %	06/13/2014	06	P	SETFA	14	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
023	AMATA	CON %	06/13/2014	07	P	AMATA	19	RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N

\* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = DKC63-33RRL

\* STAGE CODE

14 = 4 LEAVES UNFOLDED  
15 = 5 LEAVES UNFOLDED  
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED