

SOIL INFORMATION

TEXTURE: SIL
 PH: 6.4
 %OM: 4.6
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 7.5 X 30 FEET
 PLOT AREA: 225 FEET

TRIAL INFORMATION

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	05	12	
TYPE	LIQMI	LIQMI	
APPLICATION DATE	04/22/14	06/06/14	AME
AIR TEMPERATURE	68	76	F
% REL.HUMIDITY	52	48	
WIND DIRECTION	NORTH	EAST	
WIND SPEED	7.0	3.0	M/H
CLOUD COVER	CLEAR	CLEAR	
DEW	NO	NO	
SOIL MOISTURE	DRY/MOIST	MOIST/MOI	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION			
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE			
SCREEN SZ DESC	NA	NA	
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
FOLIAGE HEIGHT			FT
FOLIAGE WIDTH			FT
ROW WIDTH			FT
SPRAY VOL LWA/TRV			
S VOL LWA/TRV UNIT			
LEAF WALL AREA			M2H
TREE ROW VOLUME			M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *			
P, CORN, DENT DKC63-33RRL (PLANTED) 06/06/2014		---/15 15.0/15.0 0 DAP	IN
PEST *			
P, WATERHEMP, COMMO	---/00 /	---/19 2.00/14.0	IN
P, LAMBSQUARTERS, C	---/12 0.25/0.25	---/19 2.00/10.0	IN
P, HENBIT	---/17 1.00/3.00	---/19 2.00/6.00	IN
P, MORNINGGLORY, TA	---/00 /	---/18 2.00/6.00	IN
P, FOXTAIL, GIANT	---/00 /	---/17 2.00/14.0	IN
P, CHICKWEED, COMMO	---/16 1.00/3.00	---/19 2.00/6.00	IN

*** TIMING CODES**

05 = ----- / EPP 15DBP
12 = ----- / POST

*** STAGE CODE**

00 = DRY SEED (CARYOPSIS)
00 = DRY SEED; DORMANCY
12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
15 = 5 LEAVES UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
17 = 7 LEAVES UNFOLDED
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Dicamba and 2,4-D no-till Weed Control Systems. N-100
CREATED: 04/13/2014 **REVISED:** 10/10/2014 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE	STEME	LAMAM	CHEAL	SETFA	AMATA	PHBPU		
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %	
					06/05/14	06/05/14	06/05/14	06/05/14	06/05/14	
1A	CLARITY	0.50	LAA	5	99	99	82	50	40	37
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
	D CLARITY	0.50	LAA	12						
	E»RNDUP POWERMAX	1.13	LAA	12						
	F»ACTIVATOR 90	0.25	PMV	12						
2A	CLARITY	0.50	LAA	5	99	99	99	96	99	88
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»FIERCE 76WG	0.14	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E CLARITY	0.50	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						
	G»ACTIVATOR 90	0.25	PMV	12						
3A	CLARITY	0.50	LAA	5	99	99	68	33	23	20
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
	D CLARITY	0.50	LAA	12						
	E»RNDUP POWERMAX	1.13	LAA	12						
	F COBRA 2EC	0.195	LAA	12						
	G»COC	1.00	PMV	12						
4A	CLARITY	0.50	LAA	5	99	99	99	90	98	85
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»FIERCE 76WG	0.14	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E CLARITY	0.50	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						
	G COBRA 2EC	0.195	LAA	12						
	H»COC	1.00	PMV	12						
5A»	ENGENIA 5L	0.50	LAA	5	99	99	89	82	93	71
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»WARRANT 3L	1.125	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E»ENGENIA 5L	0.50	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						
	G»ACTIVATOR 90	0.25	PMV	12						
6A»	2,4-D CHOLINE	0.71	LAA	5	99	99	20	17	10	10
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
	D»2,4-D CHOLINE	0.71	LAA	12						
	E»RNDUP POWERMAX	1.13	LAA	12						
	F»ACTIVATOR 90	0.25	PMV	12						
7A»	2,4-D CHOLINE	0.71	LAA	5	99	99	93	84	96	78
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»FIERCE 76WG	0.14	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E»2,4-D CHOLINE	0.71	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						
	G»ACTIVATOR 90	0.25	PMV	12						
8A»	2,4-D CHOLINE	0.71	LAA	5	99	99	37	30	23	20
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
	D»2,4-D CHOLINE	0.71	LAA	12						
	E»RNDUP POWERMAX	1.13	LAA	12						
	F COBRA 2EC	0.195	LAA	12						
	G»COC	1.00	PMV	12						
9A»	2,4-D CHOLINE	0.71	LAA	5	99	99	99	94	98	83
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»FIERCE 76WG	0.14	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E»2,4-D CHOLINE	0.71	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						

TITLE: Dicamba and 2,4-D no-till Weed Control Systems. N-100

TRT	TREATMENT	DOSAGE	STEME	LAMAM	CHEAL	SETFA	AMATA	PHBPU		
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %		
					06/05/14	06/05/14	06/05/14	06/05/14		
	G COBRA 2EC	0.195	LAA	12						
	H»COC	1.00	PMV	12						
10A»	2,4-D CHOLINE	0.71	LAA	5	99	99	68	60	75	48
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»WARRANT 3L	1.125	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E»2,4-D CHOLINE	0.71	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						
	G»ACTIVATOR 90	0.25	PMV	12						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
12A»	ENGENIA 5L	0.50	LAA	5	99	99	58	40	27	20
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»2,4-D CHOLINE	1.00	LAA	12						
	E»LIBERTY 2.34L	0.40	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
		LSD (0.05)			0.00	0.00	7.16	12.15	10.57	9.90
		STANDARD DEVIATION			0.00	0.00	3.45	5.86	5.10	4.77

TITLE: Dicamba and 2,4-D no-till Weed Control Systems. N-100
CREATED: 04/13/2014 **REVISED:** 10/10/2014 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	STEME	LAMAM	CHEAL	SETFA	AMATA	PHBPU
		RATE	UNIT		CON %	CON %	CON %	CON %	CON %	CON %
					06/16/14	06/16/14	06/16/14	06/16/14	06/16/14	06/16/14
1A	CLARITY	0.50	LAA	5	99	99	99	99	99	99
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
	D CLARITY	0.50	LAA	12						
	E»RNDUP POWERMAX	1.13	LAA	12						
	F»ACTIVATOR 90	0.25	PMV	12						
2A	CLARITY	0.50	LAA	5	99	99	99	99	99	99
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»FIERCE 76WG	0.14	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E CLARITY	0.50	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						
	G»ACTIVATOR 90	0.25	PMV	12						
3A	CLARITY	0.50	LAA	5	99	99	98	98	99	99
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
	D CLARITY	0.50	LAA	12						
	E»RNDUP POWERMAX	1.13	LAA	12						
	F COBRA 2EC	0.195	LAA	12						
	G»COC	1.00	PMV	12						
4A	CLARITY	0.50	LAA	5	99	99	99	98	99	99
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»FIERCE 76WG	0.14	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E CLARITY	0.50	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						
	G COBRA 2EC	0.195	LAA	12						
	H»COC	1.00	PMV	12						
5A»	ENGENIA 5L	0.50	LAA	5	99	99	99	99	99	99
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»WARRANT 3L	1.125	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E»ENGENIA 5L	0.50	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						
	G»ACTIVATOR 90	0.25	PMV	12						
6A»	2,4-D CHOLINE	0.71	LAA	5	99	99	98	98	97	98
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
	D»2,4-D CHOLINE	0.71	LAA	12						
	E»RNDUP POWERMAX	1.13	LAA	12						
	F»ACTIVATOR 90	0.25	PMV	12						
7A»	2,4-D CHOLINE	0.71	LAA	5	99	99	99	99	99	99
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»FIERCE 76WG	0.14	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E»2,4-D CHOLINE	0.71	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						
	G»ACTIVATOR 90	0.25	PMV	12						
8A»	2,4-D CHOLINE	0.71	LAA	5	99	99	99	99	99	99
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
	D»2,4-D CHOLINE	0.71	LAA	12						
	E»RNDUP POWERMAX	1.13	LAA	12						
	F COBRA 2EC	0.195	LAA	12						
G»COC	1.00	PMV	12							
9A»	2,4-D CHOLINE	0.71	LAA	5	99	99	99	99	99	99
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»FIERCE 76WG	0.14	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E»2,4-D CHOLINE	0.71	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						

TITLE: Dicamba and 2,4-D no-till Weed Control Systems. N-100

TRT	TREATMENT	DOSAGE	STEME	LAMAM	CHEAL	SETFA	AMATA	PHBPU
NUM	COMPONENT	RATE	UNIT TM	CON % 06/16/14	CON % 06/16/14	CON % 06/16/14	CON % 06/16/14	CON % 06/16/14
G	COBRA 2EC	0.195	LAA 12					
H»	COC	1.00	PMV 12					
10A»	2,4-D CHOLINE	0.71	LAA 5	99	99	99	99	99
B»	RNDUP POWERMAX	1.13	LAA 5					
C»	WARRANT 3L	1.125	LAA 5					
D»	ACTIVATOR 90	0.25	PMV 5					
E»	2,4-D CHOLINE	0.71	LAA 12					
F»	RNDUP POWERMAX	1.13	LAA 12					
G»	ACTIVATOR 90	0.25	PMV 12					
11A	CHECK	0.00	NA 0	0	0	0	0	0
12A»	ENGENIA 5L	0.50	LAA 5	99	99	93	96	98
B»	RNDUP POWERMAX	1.13	LAA 5					
C»	LIQUID AMS	2.50	PMV 5					
D»	2,4-D CHOLINE	1.00	LAA 12					
E»	LIBERTY 2.34L	0.40	LAA 12					
F»	LIQUID AMS	2.50	PMV 12					
		LS D (0.05)		0.00	0.00	2.00	1.76	1.81
		STANDARD DEVIATION		0.00	0.00	0.947	0.849	0.544

TITLE: Dicamba and 2,4-D no-till Weed Control Systems. N-100
CREATED: 04/13/2014 **REVISED:** 10/10/2014 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	STEME	LAMAM	CHEAL	SETFA	AMATA	PHBPU
		RATE	UNIT		CON %	CON %	CON %	CON %	CON %	CON %
					06/30/14	06/30/14	06/30/14	06/30/14	06/30/14	06/30/14
1A	CLARITY	0.50	LAA	5	99	99	99	99	99	96
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
	D CLARITY	0.50	LAA	12						
	E»RNDUP POWERMAX	1.13	LAA	12						
	F»ACTIVATOR 90	0.25	PMV	12						
2A	CLARITY	0.50	LAA	5	99	99	99	99	99	97
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»FIERCE 76WG	0.14	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E CLARITY	0.50	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						
	G»ACTIVATOR 90	0.25	PMV	12						
3A	CLARITY	0.50	LAA	5	99	99	99	99	98	98
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
	D CLARITY	0.50	LAA	12						
	E»RNDUP POWERMAX	1.13	LAA	12						
	F COBRA 2EC	0.195	LAA	12						
	G»COC	1.00	PMV	12						
4A	CLARITY	0.50	LAA	5	99	99	99	98	99	96
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»FIERCE 76WG	0.14	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E CLARITY	0.50	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						
	G COBRA 2EC	0.195	LAA	12						
	H»COC	1.00	PMV	12						
5A	»ENGENIA 5L	0.50	LAA	5	99	99	99	98	98	96
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»WARRANT 3L	1.125	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E»ENGENIA 5L	0.50	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						
	G»ACTIVATOR 90	0.25	PMV	12						
6A	»2,4-D CHOLINE	0.71	LAA	5	99	99	99	98	96	96
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
	D»2,4-D CHOLINE	0.71	LAA	12						
	E»RNDUP POWERMAX	1.13	LAA	12						
	F»ACTIVATOR 90	0.25	PMV	12						
7A	»2,4-D CHOLINE	0.71	LAA	5	99	99	99	98	98	95
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»FIERCE 76WG	0.14	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E»2,4-D CHOLINE	0.71	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						
	G»ACTIVATOR 90	0.25	PMV	12						
8A	»2,4-D CHOLINE	0.71	LAA	5	99	99	99	99	99	95
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
	D»2,4-D CHOLINE	0.71	LAA	12						
	E»RNDUP POWERMAX	1.13	LAA	12						
	F COBRA 2EC	0.195	LAA	12						
G»COC	1.00	PMV	12							
9A	»2,4-D CHOLINE	0.71	LAA	5	99	99	99	98	99	97
	B»RNDUP POWERMAX	1.13	LAA	5						
	C»FIERCE 76WG	0.14	LAA	5						
	D»ACTIVATOR 90	0.25	PMV	5						
	E»2,4-D CHOLINE	0.71	LAA	12						
	F»RNDUP POWERMAX	1.13	LAA	12						

TITLE: Dicamba and 2,4-D no-till Weed Control Systems. N-100

TRT TREATMENT NUM COMPONENT	DOSAGE RATE UNIT	STEME CON % 06/30/14	LAMAM CON % 06/30/14	CHEAL CON % 06/30/14	SETFA CON % 06/30/14	AMATA CON % 06/30/14	PHBPU CON % 06/30/14
G COBRA 2EC	0.195 LAA 12						
H»COC	1.00 PMV 12						
10A»2,4-D CHOLINE	0.71 LAA 5	99	99	99	99	97	97
B»RNDUP POWERMAX	1.13 LAA 5						
C»WARRANT 3L	1.125 LAA 5						
D»ACTIVATOR 90	0.25 PMV 5						
E»2,4-D CHOLINE	0.71 LAA 12						
F»RNDUP POWERMAX	1.13 LAA 12						
G»ACTIVATOR 90	0.25 PMV 12						
11A CHECK	0.00 NA 0	0	0	0	0	0	0
12A»ENGENIA 5L	0.50 LAA 5	99	99	99	94	98	96
B»RNDUP POWERMAX	1.13 LAA 5						
C»LIQUID AMS	2.50 PMV 5						
D»2,4-D CHOLINE	1.00 LAA 12						
E»LIBERTY 2.34L	0.40 LAA 12						
F»LIQUID AMS	2.50 PMV 12						
LSD (0.05)		0.00	0.00	0.00	3.00	3.53	2.80
STANDARD DEVIATION		0.00	0.00	0.00	1.45	1.70	1.35

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING

05 = ----- / EPP 15DBP 04/22/2014(1)

12 = ----- / POST 06/06/2014(2)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	STEME	CON %	06/05/2014	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	LAMAM	CON %	06/05/2014	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	06/05/2014	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	SETFA	CON %	06/05/2014	05	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	AMATA	CON %	06/05/2014	06	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	PHBPU	CON %	06/05/2014	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	STEME	CON %	06/16/2014	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	LAMAM	CON %	06/16/2014	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	CHEAL	CON %	06/16/2014	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	SETFA	CON %	06/16/2014	05	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	AMATA	CON %	06/16/2014	06	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	PHBPU	CON %	06/16/2014	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	STEME	CON %	06/30/2014	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	LAMAM	CON %	06/30/2014	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	CHEAL	CON %	06/30/2014	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	SETFA	CON %	06/30/2014	05	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	AMATA	CON %	06/30/2014	06	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	PHBPU	CON %	06/30/2014	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N