

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.6
%OM: 4.7
PREV.CROP: GLXMA - SOYBEAN
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET
PLOT AREA: 225 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	04/23/14	05/21/14	05/30/14	AME
AIR TEMPERATURE	48	80	82	F
% REL.HUMIDITY	42	38	39	
WIND DIRECTION	EAST	WEST	EAST	
WIND SPEED	6.0	6.0	6.0	M/H
CLOUD COVER	CLEAR	CLEAR	CLEAR	
DEW	NO	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	MOIST/MOI	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION				
NOZZLE NUMBER	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	7.5	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	30.00	30.00	30.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
FOLIAGE HEIGHT				FT
FOLIAGE WIDTH				FT
ROW WIDTH				FT
SPRAY VOL LWA/TRV				
S VOL LWA/TRV UNIT				
LEAF WALL AREA				M2H
TREE ROW VOLUME				M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *				
P, CORN, DENT DKC63-33RRL (PLANTED) 04/22/2014		---/13 5.00/6.00 29 DAP	---/15 10.0/12.0 38 DAP	IN
PEST *				
P, VELVETLEAF		---/13 1.00/3.00	---/15 2.00/4.00	IN
P, WATERHEMP, COMMO		---/17 1.00/2.00	---/19 2.00/6.00	IN
P, LAMBSQUARTERS, C		---/18 1.00/2.00	---/19 2.00/5.00	IN
P, MORNINGGLORY, TA		---/12 1.00/2.00	---/15 2.00/4.00	IN
P, FOXTAIL, GIANT		---/13 1.00/3.00	---/15 10.0/12.0	IN
P, COCKLEBUR, COMMO		---/12 1.00/4.00	---/16 2.00/8.00	IN

*** TIMING CODES**

09 = ----- / PREEMERGENCE
11 = ----- / EPOST
12 = ----- / POST

*** STAGE CODE**

12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
13 = 3 LEAVES UNFOLDED
13 = 3 LEAVES UNFOLDED
13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
15 = 5 LEAVES UNFOLDED
15 = 5 LEAVES UNFOLDED
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100
CREATED: 04/14/2014 **REVISED:** 07/18/2014 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	CHEAL	AMATA	ABUTH	PHBPU
		RATE	UNIT		CON % 05/18/14	CON % 05/18/14	CON % 05/18/14	CON % 05/18/14	CON % 05/18/14	CON % 05/18/14
1A	»ANTHEM 2.15SE	0.134	LAA	9	0	88	86	87	53	40
B	»RNDUP POWERMAX	1.125	LAA	12						
C	»CADET 0.91EC	0.005	LAA	12						
D	»LIQUID AMS	2.50	PMV	12						
2A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	91	93	92	67	58
B	»RNDUP POWERMAX	1.125	LAA	12						
C	»CADET 0.91EC	0.005	LAA	12						
D	»LIQUID AMS	2.50	PMV	12						
3A	»ANTHEM 2.15SE	0.134	LAA	9	0	89	86	89	53	43
B	»SOLSTICE 4L	0.098	LAA	12						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»LIQUID AMS	2.50	PMV	12						
4A	»ANTHEM 2.15SE	0.134	LAA	9	0	85	80	85	47	40
B	»SOLSTICE 4L	0.078	LAA	12						
C	»ATRAZINE DF	0.50	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
5A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	94	93	92	62	57
B	»SOLSTICE 4L	0.098	LAA	12						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»LIQUID AMS	2.50	PMV	12						
6A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	92	91	92	68	62
B	»SOLSTICE 4L	0.098	LAA	12						
C	»ATRAZINE DF	0.50	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
7A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	95	94	94	68	63
B	»STANZA 68.5WDG	0.128	LAA	9						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»LIQUID AMS	2.50	PMV	12						
8A	»ANTHEM 2.15SE	0.134	LAA	9	0	89	85	88	57	45
B	»STANZA 68.5WDG	0.086	LAA	9						
C	»CADET 0.91EC	0.005	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
9A	»SURESTART II 4	1.04	LAA	9	0	97	98	99	79	58
B	»RNDUP POWERMAX	1.125	LAA	12						
C	»LIQUID AMS	2.50	PMV	12						
10A	»LUMAX EZ 3.67S	2.75	LAA	9	0	98	99	99	99	87
B	»RNDUP POWERMAX	1.125	LAA	12						
C	»LIQUID AMS	2.50	PMV	12						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
12A	»CORVUS 2.6SC	0.114	LAA	9	0	85	99	99	99	78
B	»RNDUP POWERMAX	1.125	LAA	12						
C	»LIQUID AMS	2.50	PMV	12						
13A	»ANTHEM ATZ 4.5	1.125	LAA	11	0	C	C	C	C	C
B	»RNDUP POWERMAX	1.125	LAA	11						
C	»LIQUID AMS	2.50	PMV	11						
14A	»ANTHEM 2.15SE	0.134	LAA	11	0	C	C	C	C	C
B	»STANZA 68.5WDG	0.086	LAA	11						
C	»RNDUP POWERMAX	1.125	LAA	11						
D	»LIQUID AMS	2.50	PMV	11						
E	»COC	1.00	PMV	11						

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	SETFA	CHEAL	AMATA	ABUTH	PHBPU
		RATE	UNIT TM	CON % 05/18/14	CON % 05/18/14	CON % 05/18/14	CON % 05/18/14	CON % 05/18/14	CON % 05/18/14
15A»	ANTHEM ATZ 4.5	1.125	LAA 11	0	C	C	C	C	C
B»	STANZA 68.5WDG	0.086	LAA 11						
C»	RNDUP POWERMAX	1.125	LAA 11						
D»	LIQUID AMS	2.50	PMV 11						
E»	COC	1.00	PMV 11						
16A»	HALEX GT 4.38L	1.97	LAA 11	0	C	C	C	C	C
B»	ACTIVATOR 90	0.25	PMV 11						
C»	LIQUID AMS	2.50	PMV 11						
			LSD (0.05)	0.00	4.39	4.40	4.61	6.00	10.28
			STANDARD DEVIATION	0.00	2.15	2.16	2.26	2.92	5.00

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100
CREATED: 04/14/2014 **REVISED:** 07/18/2014 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	CHEAL	AMATA	ABUTH	PHBPU
		RATE	UNIT		CON % 05/29/14	CON % 05/29/14	CON % 05/29/14	CON % 05/29/14	CON % 05/29/14	CON % 05/29/14
1A	»ANTHEM 2.15SE	0.134	LAA	9	0	90	72	78	43	47
B	»RNDUP POWERMAX	1.125	LAA	12						
C	»CADET 0.91EC	0.005	LAA	12						
D	»LIQUID AMS	2.50	PMV	12						
2A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	94	93	95	65	63
B	»RNDUP POWERMAX	1.125	LAA	12						
C	»CADET 0.91EC	0.005	LAA	12						
D	»LIQUID AMS	2.50	PMV	12						
3A	»ANTHEM 2.15SE	0.134	LAA	9	0	92	83	88	53	52
B	»SOLSTICE 4L	0.098	LAA	12						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»LIQUID AMS	2.50	PMV	12						
4A	»ANTHEM 2.15SE	0.134	LAA	9	0	93	84	89	55	55
B	»SOLSTICE 4L	0.078	LAA	12						
C	»ATRAZINE DF	0.50	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
5A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	96	89	93	72	73
B	»SOLSTICE 4L	0.098	LAA	12						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»LIQUID AMS	2.50	PMV	12						
6A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	97	94	96	67	68
B	»SOLSTICE 4L	0.098	LAA	12						
C	»ATRAZINE DF	0.50	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
7A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	95	96	96	73	79
B	»STANZA 68.5WDG	0.128	LAA	9						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»LIQUID AMS	2.50	PMV	12						
8A	»ANTHEM 2.15SE	0.134	LAA	9	0	93	95	95	70	68
B	»STANZA 68.5WDG	0.086	LAA	9						
C	»CADET 0.91EC	0.005	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
9A	»SURESTART II 4	1.04	LAA	9	0	96	95	96	70	53
B	»RNDUP POWERMAX	1.125	LAA	12						
C	»LIQUID AMS	2.50	PMV	12						
10A	»LUMAX EZ 3.67S	2.75	LAA	9	0	99	99	99	99	91
B	»RNDUP POWERMAX	1.125	LAA	12						
C	»LIQUID AMS	2.50	PMV	12						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
12A	»CORVUS 2.6SC	0.114	LAA	9	0	91	99	98	99	88
B	»RNDUP POWERMAX	1.125	LAA	12						
C	»LIQUID AMS	2.50	PMV	12						
13A	»ANTHEM ATZ 4.5	1.125	LAA	11	0	98	99	99	99	97
B	»RNDUP POWERMAX	1.125	LAA	11						
C	»LIQUID AMS	2.50	PMV	11						
14A	»ANTHEM 2.15SE	0.134	LAA	11	0	98	99	99	99	98
B	»STANZA 68.5WDG	0.086	LAA	11						
C	»RNDUP POWERMAX	1.125	LAA	11						
D	»LIQUID AMS	2.50	PMV	11						
E	»COC	1.00	PMV	11						

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	SETFA	CHEAL	AMATA	ABUTH	PHBPU
		RATE	UNIT TM	CON % 05/29/14	CON % 05/29/14	CON % 05/29/14	CON % 05/29/14	CON % 05/29/14	CON % 05/29/14
15A	»ANTHEM ATZ 4.5	1.125	LAA 11	1	96	99	99	99	99
	B»STANZA 68.5WDG	0.086	LAA 11						
	C»RNDUP POWERMAX	1.125	LAA 11						
	D»LIQUID AMS	2.50	PMV 11						
	E»COC	1.00	PMV 11						
16A	»HALEX GT 4.38L	1.97	LAA 11	0	98	99	99	99	94
	B»ACTIVATOR 90	0.25	PMV 11						
	C»LIQUID AMS	2.50	PMV 11						
		LSD (0.05)		0.722	4.39	6.82	6.90	8.72	7.24
		STANDARD DEVIATION		0.354	2.15	3.34	3.38	4.27	3.54

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100
CREATED: 04/14/2014 **REVISED:** 07/18/2014 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			TM	XANST	ZEAMD	SETFA	CHEAL	AMATA	ABUTH
		RATE	UNIT	CON %		CON %	CON %	CON %	CON %	CON %	
					05/29/14	06/04/14	06/04/14	06/04/14	06/04/14	06/04/14	06/04/14
1A»	ANTHEM 2.15SE	0.134	LAA	9	37	5	99	99	99	99	99
B»	RNDUP POWERMAX	1.125	LAA	12							
C»	CADET 0.91EC	0.005	LAA	12							
D»	LIQUID AMS	2.50	PMV	12							
2A»	ANTHEM ATZ 4.5	1.125	LAA	9	53	5	99	99	99	99	99
B»	RNDUP POWERMAX	1.125	LAA	12							
C»	CADET 0.91EC	0.005	LAA	12							
D»	LIQUID AMS	2.50	PMV	12							
3A»	ANTHEM 2.15SE	0.134	LAA	9	43	2	99	99	99	99	99
B»	SOLSTICE 4L	0.098	LAA	12							
C»	RNDUP POWERMAX	1.125	LAA	12							
D»	LIQUID AMS	2.50	PMV	12							
4A»	ANTHEM 2.15SE	0.134	LAA	9	43	1	99	99	99	99	99
B»	SOLSTICE 4L	0.078	LAA	12							
C	ATRAZINE DF	0.50	LAA	12							
D»	RNDUP POWERMAX	1.125	LAA	12							
E»	LIQUID AMS	2.50	PMV	12							
5A»	ANTHEM ATZ 4.5	1.125	LAA	9	63	3	99	99	99	99	99
B»	SOLSTICE 4L	0.098	LAA	12							
C»	RNDUP POWERMAX	1.125	LAA	12							
D»	LIQUID AMS	2.50	PMV	12							
6A»	ANTHEM ATZ 4.5	1.125	LAA	9	57	1	99	99	99	99	99
B»	SOLSTICE 4L	0.098	LAA	12							
C	ATRAZINE DF	0.50	LAA	12							
D»	RNDUP POWERMAX	1.125	LAA	12							
E»	LIQUID AMS	2.50	PMV	12							
7A»	ANTHEM ATZ 4.5	1.125	LAA	9	65	0	99	99	99	99	99
B»	STANZA 68.5WDG	0.128	LAA	9							
C»	RNDUP POWERMAX	1.125	LAA	12							
D»	LIQUID AMS	2.50	PMV	12							
8A»	ANTHEM 2.15SE	0.134	LAA	9	62	6	99	99	99	99	99
B»	STANZA 68.5WDG	0.086	LAA	9							
C»	CADET 0.91EC	0.005	LAA	12							
D»	RNDUP POWERMAX	1.125	LAA	12							
E»	LIQUID AMS	2.50	PMV	12							
9A»	SURESTART II 4	1.04	LAA	9	50	0	99	99	99	99	98
B»	RNDUP POWERMAX	1.125	LAA	12							
C»	LIQUID AMS	2.50	PMV	12							
10A»	LUMAX EZ 3.67S	2.75	LAA	9	96	0	99	99	99	99	99
B»	RNDUP POWERMAX	1.125	LAA	12							
C»	LIQUID AMS	2.50	PMV	12							
11A	CHECK	0.00	NA	0	0	0	0	0	0	0	0
12A»	CORVUS 2.6SC	0.114	LAA	9	88	0	98	99	99	99	99
B»	RNDUP POWERMAX	1.125	LAA	12							
C»	LIQUID AMS	2.50	PMV	12							
13A»	ANTHEM ATZ 4.5	1.125	LAA	11	98	0	98	99	99	99	99
B»	RNDUP POWERMAX	1.125	LAA	11							
C»	LIQUID AMS	2.50	PMV	11							
14A»	ANTHEM 2.15SE	0.134	LAA	11	99	0	96	99	98	99	99
B»	STANZA 68.5WDG	0.086	LAA	11							
C»	RNDUP POWERMAX	1.125	LAA	11							
D»	LIQUID AMS	2.50	PMV	11							
E»	COC	1.00	PMV	11							

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100

TRT NUM	TREATMENT COMPONENT	DOSAGE		XANST	ZEAMD	SETFA	CHEAL	AMATA	ABUTH
		RATE	UNIT TM	CON % 05/29/14	CON % 06/04/14	CON % 06/04/14	CON % 06/04/14	CON % 06/04/14	CON % 06/04/14
15A	»ANTHEM ATZ 4.5	1.125	LAA 11	99	0	95	99	99	99
	B»STANZA 68.5WDG	0.086	LAA 11						
	C»RNDUP POWERMAX	1.125	LAA 11						
	D»LIQUID AMS	2.50	PMV 11						
	E»COC	1.00	PMV 11						
16A	»HALEX GT 4.38L	1.97	LAA 11	98	0	98	99	99	99
	B»ACTIVATOR 90	0.25	PMV 11						
	C»LIQUID AMS	2.50	PMV 11						
		LSD (0.05)		9.06	1.00	1.43	0.00	0.481	0.481
		STANDARD DEVIATION		4.44	0.503	0.699	0.00	0.236	0.236

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100
CREATED: 04/14/2014 **REVISED:** 07/18/2014 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	PHBPU	XANST	ZEAMD	SETFA	CHEAL	AMATA
		RATE	UNIT		CON % 06/04/14	CON % 06/04/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14
1A	»ANTHEM 2.15SE	0.134	LAA	9	97	97	2	99	99	99
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»CADET 0.91EC	0.005	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
2A	»ANTHEM ATZ 4.5	1.125	LAA	9	98	98	0	99	99	99
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»CADET 0.91EC	0.005	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
3A	»ANTHEM 2.15SE	0.134	LAA	9	99	98	0	99	99	99
	B»SOLSTICE 4L	0.098	LAA	12						
	C»RNDUP POWERMAX	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
4A	»ANTHEM 2.15SE	0.134	LAA	9	99	98	0	99	99	99
	B»SOLSTICE 4L	0.078	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»RNDUP POWERMAX	1.125	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	»ANTHEM ATZ 4.5	1.125	LAA	9	98	98	0	99	99	99
	B»SOLSTICE 4L	0.098	LAA	12						
	C»RNDUP POWERMAX	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
6A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	99	0	99	99	99
	B»SOLSTICE 4L	0.098	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»RNDUP POWERMAX	1.125	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
7A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	98	0	99	99	99
	B»STANZA 68.5WDG	0.128	LAA	9						
	C»RNDUP POWERMAX	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
8A	»ANTHEM 2.15SE	0.134	LAA	9	99	98	1	99	99	99
	B»STANZA 68.5WDG	0.086	LAA	9						
	C»CADET 0.91EC	0.005	LAA	12						
	D»RNDUP POWERMAX	1.125	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
9A	»SURESTART II 4	1.04	LAA	9	85	92	3	99	99	98
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
10A	»LUMAX EZ 3.67S	2.75	LAA	9	98	98	0	99	99	99
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
12A	»CORVUS 2.6SC	0.114	LAA	9	91	96	0	99	99	99
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
13A	»ANTHEM ATZ 4.5	1.125	LAA	11	95	97	0	92	96	86
	B»RNDUP POWERMAX	1.125	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
14A	»ANTHEM 2.15SE	0.134	LAA	11	96	95	0	94	99	99
	B»STANZA 68.5WDG	0.086	LAA	11						
	C»RNDUP POWERMAX	1.125	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
	E»COC	1.00	PMV	11						

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100

TRT NUM	TREATMENT COMPONENT	DOSAGE		PHBPU	XANST	ZEAMD	SETFA	CHEAL	AMATA
		RATE	UNIT TM	CON % 06/04/14	CON % 06/04/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14
15A	»ANTHEM ATZ 4.5	1.125	LAA 11	98	98	0	93	99	98
	B»STANZA 68.5WDG	0.086	LAA 11						
	C»RNDUP POWERMAX	1.125	LAA 11						
	D»LIQUID AMS	2.50	PMV 11						
	E»COC	1.00	PMV 11						
16A	»HALEX GT 4.38L	1.97	LAA 11	97	98	0	97	99	99
	B»ACTIVATOR 90	0.25	PMV 11						
	C»LIQUID AMS	2.50	PMV 11						
		LSD (0.05)		2.63	1.64	1.90	2.90	1.27	6.08
		STANDARD DEVIATION		1.29	0.801	0.93	1.42	0.624	3.00

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100
CREATED: 04/14/2014 **REVISED:** 07/18/2014 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ABUTH	PHBPU	XANST	ZEAMD	SETFA	CHEAL
		RATE	UNIT		CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/21/14	CON % 06/21/14	CON % 06/21/14
1A	»ANTHEM 2.15SE	0.134	LAA	9	99	93	94	0	99	99
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»CADET 0.91EC	0.005	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
2A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	98	99	0	99	99
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»CADET 0.91EC	0.005	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
3A	»ANTHEM 2.15SE	0.134	LAA	9	99	99	99	0	99	99
	B»SOLSTICE 4L	0.098	LAA	12						
	C»RNDUP POWERMAX	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
4A	»ANTHEM 2.15SE	0.134	LAA	9	99	98	99	0	99	99
	B»SOLSTICE 4L	0.078	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»RNDUP POWERMAX	1.125	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	98	98	0	99	99
	B»SOLSTICE 4L	0.098	LAA	12						
	C»RNDUP POWERMAX	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
6A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	99	99	0	99	99
	B»SOLSTICE 4L	0.098	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»RNDUP POWERMAX	1.125	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
7A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	97	97	0	99	99
	B»STANZA 68.5WDG	0.128	LAA	9						
	C»RNDUP POWERMAX	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
8A	»ANTHEM 2.15SE	0.134	LAA	9	99	98	96	0	99	99
	B»STANZA 68.5WDG	0.086	LAA	9						
	C»CADET 0.91EC	0.005	LAA	12						
	D»RNDUP POWERMAX	1.125	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
9A	»SURESTART II 4	1.04	LAA	9	99	81	83	0	98	99
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
10A	»LUMAX EZ 3.67S	2.75	LAA	9	99	96	98	0	99	99
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
12A	»CORVUS 2.6SC	0.114	LAA	9	99	95	96	0	97	99
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
13A	»ANTHEM ATZ 4.5	1.125	LAA	11	94	82	81	0	95	99
	B»RNDUP POWERMAX	1.125	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
14A	»ANTHEM 2.15SE	0.134	LAA	11	99	85	86	0	94	99
	B»STANZA 68.5WDG	0.086	LAA	11						
	C»RNDUP POWERMAX	1.125	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
	E»COC	1.00	PMV	11						

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100

TRT NUM	TREATMENT COMPONENT	DOSAGE		ABUTH	PHBPU	XANST	ZEAMD	SETFA	CHEAL
		RATE	UNIT TM	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/21/14	CON % 06/21/14	CON % 06/21/14
15A»	ANTHEM ATZ 4.5	1.125	LAA 11	99	93	93	0	98	99
	B»STANZA 68.5WDG	0.086	LAA 11						
	C»RNDUP POWERMAX	1.125	LAA 11						
	D»LIQUID AMS	2.50	PMV 11						
	E»COC	1.00	PMV 11						
16A»	HALEX GT 4.38L	1.97	LAA 11	99	96	96	0	98	99
	B»ACTIVATOR 90	0.25	PMV 11						
	C»LIQUID AMS	2.50	PMV 11						
		LSD (0.05)		1.91	5.78	4.16	0.00	2.39	0.00
		STANDARD DEVIATION		0.935	2.83	2.00	0.00	1.17	0.00

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100
CREATED: 04/14/2014 **REVISED:** 07/18/2014 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMATA CON % 06/21/14	ABUTH CON % 06/21/14	PHBPU CON % 06/21/14	XANST CON % 06/21/14	ZEAMD CON % 07/15/14	SETFA CON % 07/15/14
		RATE	UNIT	TM						
1A	»ANTHEM 2.15SE	0.134	LAA	9	99	99	89	88	0	99
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»CADET 0.91EC	0.005	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
2A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	99	96	97	0	99
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»CADET 0.91EC	0.005	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
3A	»ANTHEM 2.15SE	0.134	LAA	9	99	99	99	99	0	99
	B»SOLSTICE 4L	0.098	LAA	12						
	C»RNDUP POWERMAX	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
4A	»ANTHEM 2.15SE	0.134	LAA	9	99	99	99	99	0	99
	B»SOLSTICE 4L	0.078	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»RNDUP POWERMAX	1.125	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	99	99	99	0	99
	B»SOLSTICE 4L	0.098	LAA	12						
	C»RNDUP POWERMAX	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
6A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	99	99	99	0	99
	B»SOLSTICE 4L	0.098	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»RNDUP POWERMAX	1.125	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
7A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	99	97	98	0	99
	B»STANZA 68.5WDG	0.128	LAA	9						
	C»RNDUP POWERMAX	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
8A	»ANTHEM 2.15SE	0.134	LAA	9	99	99	96	97	0	99
	B»STANZA 68.5WDG	0.086	LAA	9						
	C»CADET 0.91EC	0.005	LAA	12						
	D»RNDUP POWERMAX	1.125	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
9A	»SURESTART II 4	1.04	LAA	9	99	99	87	89	0	98
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
10A	»LUMAX EZ 3.67S	2.75	LAA	9	99	99	96	97	0	99
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
12A	»CORVUS 2.6SC	0.114	LAA	9	99	99	93	95	0	96
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
13A	»ANTHEM ATZ 4.5	1.125	LAA	11	96	99	80	79	0	94
	B»RNDUP POWERMAX	1.125	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
14A	»ANTHEM 2.15SE	0.134	LAA	11	99	99	84	85	0	92
	B»STANZA 68.5WDG	0.086	LAA	11						
	C»RNDUP POWERMAX	1.125	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
	E»COC	1.00	PMV	11						

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100

TRT NUM	TREATMENT COMPONENT	DOSAGE		AMATA	ABUTH	PHBPU	XANST	ZEAMD	SETFA
		RATE	UNIT TM	CON % 06/21/14	CON % 06/21/14	CON % 06/21/14	CON % 06/21/14	CON % 07/15/14	CON % 07/15/14
15A	»ANTHEM ATZ 4.5	1.125	LAA 11	98	99	93	95	0	97
	B»STANZA 68.5WDG	0.086	LAA 11						
	C»RNDUP POWERMAX	1.125	LAA 11						
	D»LIQUID AMS	2.50	PMV 11						
	E»COC	1.00	PMV 11						
16A	»HALEX GT 4.38L	1.97	LAA 11	99	99	89	92	0	98
	B»ACTIVATOR 90	0.25	PMV 11						
	C»LIQUID AMS	2.50	PMV 11						
		LSD (0.05)		1.55	0.00	5.11	5.17	0.00	3.60
		STANDARD DEVIATION		0.758	0.00	2.50	2.53	0.00	1.76

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100
CREATED: 04/14/2014 **REVISED:** 07/18/2014 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			CHEAL	AMATA	ABUTH	PHBPU	XANST
		RATE	UNIT	TM	CON % 07/15/14	CON % 07/15/14	CON % 07/15/14	CON % 07/15/14	CON % 07/15/14
1A	»ANTHEM 2.15SE	0.134	LAA	9	99	99	99	86	88
	B»RNDUP POWERMAX	1.125	LAA	12					
	C»CADET 0.91EC	0.005	LAA	12					
	D»LIQUID AMS	2.50	PMV	12					
2A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	99	99	94	96
	B»RNDUP POWERMAX	1.125	LAA	12					
	C»CADET 0.91EC	0.005	LAA	12					
	D»LIQUID AMS	2.50	PMV	12					
3A	»ANTHEM 2.15SE	0.134	LAA	9	99	99	99	98	99
	B»SOLSTICE 4L	0.098	LAA	12					
	C»RNDUP POWERMAX	1.125	LAA	12					
	D»LIQUID AMS	2.50	PMV	12					
4A	»ANTHEM 2.15SE	0.134	LAA	9	99	99	99	98	99
	B»SOLSTICE 4L	0.078	LAA	12					
	C ATRAZINE DF	0.50	LAA	12					
	D»RNDUP POWERMAX	1.125	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
5A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	99	99	98	99
	B»SOLSTICE 4L	0.098	LAA	12					
	C»RNDUP POWERMAX	1.125	LAA	12					
	D»LIQUID AMS	2.50	PMV	12					
6A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	99	99	97	99
	B»SOLSTICE 4L	0.098	LAA	12					
	C ATRAZINE DF	0.50	LAA	12					
	D»RNDUP POWERMAX	1.125	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
7A	»ANTHEM ATZ 4.5	1.125	LAA	9	99	99	99	95	96
	B»STANZA 68.5WDG	0.128	LAA	9					
	C»RNDUP POWERMAX	1.125	LAA	12					
	D»LIQUID AMS	2.50	PMV	12					
8A	»ANTHEM 2.15SE	0.134	LAA	9	99	99	99	93	95
	B»STANZA 68.5WDG	0.086	LAA	9					
	C»CADET 0.91EC	0.005	LAA	12					
	D»RNDUP POWERMAX	1.125	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
9A	»SURESTART II 4	1.04	LAA	9	99	99	99	80	88
	B»RNDUP POWERMAX	1.125	LAA	12					
	C»LIQUID AMS	2.50	PMV	12					
10A	»LUMAX EZ 3.67S	2.75	LAA	9	99	99	99	95	97
	B»RNDUP POWERMAX	1.125	LAA	12					
	C»LIQUID AMS	2.50	PMV	12					
11A	CHECK	0.00	NA	0	0	0	0	0	0
12A	»CORVUS 2.6SC	0.114	LAA	9	99	99	99	91	94
	B»RNDUP POWERMAX	1.125	LAA	12					
	C»LIQUID AMS	2.50	PMV	12					
13A	»ANTHEM ATZ 4.5	1.125	LAA	11	99	95	99	78	83
	B»RNDUP POWERMAX	1.125	LAA	11					
	C»LIQUID AMS	2.50	PMV	11					
14A	»ANTHEM 2.15SE	0.134	LAA	11	99	99	99	83	89
	B»STANZA 68.5WDG	0.086	LAA	11					
	C»RNDUP POWERMAX	1.125	LAA	11					
	D»LIQUID AMS	2.50	PMV	11					
	E»COC	1.00	PMV	11					

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-100

TRT	TREATMENT	DOSAGE	CHEAL	AMATA	ABUTH	PHBPU	XANST		
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %
					07/15/14	07/15/14	07/15/14	07/15/14	07/15/14
15A	»ANTHEM ATZ 4.5	1.125	LAA	11	99	97	99	90	93
	B»STANZA 68.5WDG	0.086	LAA	11					
	C»RNDUP POWERMAX	1.125	LAA	11					
	D»LIQUID AMS	2.50	PMV	11					
	E»COC	1.00	PMV	11					
16A	»HALEX GT 4.38L	1.97	LAA	11	99	99	99	89	92
	B»ACTIVATOR 90	0.25	PMV	11					
	C»LIQUID AMS	2.50	PMV	11					
	STANDARD DEVIATION	LSD (0.05)			0.00	2.30	0.00	8.25	8.32
					0.00	1.13	0.00	4.00	4.07

» = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 04/23/2014(1)
- 11 = ----- / EPOST 05/21/2014(2)
- 12 = ----- / POST 05/30/2014(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	CON %	05/18/2014	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/18/2014	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	05/18/2014	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	AMATA	CON %	05/18/2014	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	ABUTH	CON %	05/18/2014	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	PHBPU	CON %	05/18/2014	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	ZEAMD	CON %	05/29/2014	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	SETFA	CON %	05/29/2014	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	CHEAL	CON %	05/29/2014	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	AMATA	CON %	05/29/2014	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ABUTH	CON %	05/29/2014	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	PHBPU	CON %	05/29/2014	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	XANST	CON %	05/29/2014	07	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	ZEAMD	CON %	06/04/2014	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	SETFA	CON %	06/04/2014	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	CHEAL	CON %	06/04/2014	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	AMATA	CON %	06/04/2014	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	ABUTH	CON %	06/04/2014	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	PHBPU	CON %	06/04/2014	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	XANST	CON %	06/04/2014	07	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	ZEAMD	CON %	06/13/2014	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	SETFA	CON %	06/13/2014	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	CHEAL	CON %	06/13/2014	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
024	AMATA	CON %	06/13/2014	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
025	ABUTH	CON %	06/13/2014	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
026	PHBPU	CON %	06/13/2014	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
027	XANST	CON %	06/13/2014	07	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
028	ZEAMD	CON %	06/21/2014	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
029	SETFA	CON %	06/21/2014	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
030	CHEAL	CON %	06/21/2014	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
031	AMATA	CON %	06/21/2014	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
032	ABUTH	CON %	06/21/2014	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
033	PHBPU	CON %	06/21/2014	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
034	XANST	CON %	06/21/2014	07	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
035	ZEAMD	CON %	07/15/2014	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
036	SETFA	CON %	07/15/2014	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
037	CHEAL	CON %	07/15/2014	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
038	AMATA	CON %	07/15/2014	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
039	ABUTH	CON %	07/15/2014	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
040	PHBPU	CON %	07/15/2014	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
041	XANST	CON %	07/15/2014	07	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = DKC63-33RRL