

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL  
 PH: 6.7  
 %OM: 1.5  
 PREV.CROP: GLXMA - SOYBEAN  
 %RESIDUE: 0  
 PLOT WIDTH: 7.5 X 30 FEET  
 PLOT AREA: 225 FEET

DESIGN: RCB  
 REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQUID MI	LIQUID MI	LIQUID MI	
APPLICATION DATE	04/29/15	05/22/15	06/03/15	AME
AIR TEMPERATURE	61	65	71	F
% REL.HUMIDITY	46	50	69	
WIND DIRECTION	NORTH	NORTHEAST	SOUTHEAST	
WIND SPEED	7.0	2.0		M/H
CLOUD COVER	CLEAR-0%	PAR.CLOUD	CLEAR-0%	
DEW	NO	NO	NO	
SOIL MOISTURE	DRY/MOIST	MOIST/MOI	DRY/MOIST	
SOIL CONDITION	TO BE SEL	TO BE SEL	TO BE SEL	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION				
NOZZLE NUMBER	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	7.5	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	30.00	30.00	30.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	TO BE SEL	TO BE SEL	TO BE SEL	
FOLIAGE HEIGHT				FT
FOLIAGE WIDTH				FT
ROW WIDTH				FT
SPRAY VOL LWA/TRV				
S VOL LWA/TRV UNIT				
LEAF WALL AREA				M2H
TREE ROW VOLUME				M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *				
P, CORN, DENT DKC63-33RRL (PLANTED) 04/28/2015		---/13 5.00/6.00 24 DAP	---/15 12.0/16.0 36 DAP	IN
PEST *				
P, WATERHEMP, COMMO		---/15 2.00/2.00	---/19 4.00/6.00	IN
P, RAGWEED, COMMON		---/13 2.00/3.00	---/16 4.00/6.00	IN
P, PANICUM, FALL		---/13 2.00/4.00	---/16 4.00/8.00	IN
P, MORNINGGLORY, TA		---/12 1.00/2.00	---/15 2.00/4.00	IN

\* TIMING CODES

09 = --- / PREEMERGENCE  
 11 = --- / EPOST  
 12 = --- / POST

\* STAGE CODE

12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

## \* STAGE CODE

13 = 3 LEAVES UNFOLDED  
13 = 3 LEAVES UNFOLDED  
13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
15 = 5 LEAVES UNFOLDED  
16 = 6 LEAVES UNFOLDED  
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

**TITLE:** Weed Control Systems in RR/LL Corn. 800  
**CREATED:** 04/27/2015 **REVISED:** 09/25/2015 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Brownstown **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD CON % 06/03/15	PANDI CON % 06/03/15	AMATA CON % 06/03/15	AMBEL CON % 06/03/15	PHBPU CON % 06/03/15	ZEAMD CON % 06/12/15
		RATE	UNIT	TM						
1A	»ACURON 3.44 ZC	2.14	LAA	9	0	92	99	99	98	0
2A	»ACURON 3.44 ZC	2.14	LAA	9	0	95	99	99	98	0
	B ATRAZINE DF	1.00	LAA	9						
3A	»ACURON 3.44 ZC	2.14	LAA	9	0	95	99	99	99	0
	B»TOUCHDN TOTAL	0.98	LAA	12						
	C»STATUS 56DG	0.175	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
4A	»ANTHEM ATZ 4.5	1.55	LAA	9	0	97	99	99	98	0
5A	»SURESTART II 4	1.56	LAA	9	0	98	99	99	99	0
	B ATRAZINE DF	1.00	LAA	9						
6A	»VERDICT 5.57L	0.696	LAA	9	0	80	99	99	96	0
7A	»VERDICT 5.57L	0.78	LAA	9	0	98	99	99	98	0
	B ATRAZINE DF	1.00	LAA	9						
8A	»CORVUS 2.6SC	0.114	LAA	9	0	78	93	98	97	0
	B ATRAZINE DF	1.00	LAA	9						
9A	»ACURON 3.44 ZC	1.07	LAA	9	0	98	99	99	98	0
	B ATRAZINE DF	0.50	LAA	9						
	C»HALEX GT 4.38L	1.97	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»ACTIVATOR 90	0.25	PMV	12						
	F»LIQUID AMS	2.50	PMV	12						
10A	»ACURON 3.44 ZC	1.07	LAA	9	0	98	99	99	99	0
	B ATRAZINE DF	0.50	LAA	9						
	C»ACURON 3.44 ZC	1.07	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»ACTIVATOR 90	0.25	PMV	12						
11A	CINCH ATZ	2.06	LAA	9	0	90	99	99	98	0
	B»REALM Q	4.00	OMA	0						
	C RESOLVE 25DF	0.0188	LAA	12						
	D»MESOTRIONE 50W	0.078	LAA	12						
	E»ISOXADIFEN-ETH	0.0094	LAA	12						
	F ATRAZINE DF	1.00	LAA	12						
	G»ABUNDIT EXTRA	0.75	LAA	12						
	H»APROACH 2.08L	0.049	LAA	12						
12A	»BKFREE NXT ATZ	3.50	LAA	9	0	97	99	99	99	0
	B»REALM Q	4.00	OMA	0						
	C RESOLVE 25DF	0.0188	LAA	12						
	D»MESOTRIONE 50W	0.078	LAA	12						
	E»ISOXADIFEN-ETH	0.0094	LAA	12						
	F ATRAZINE DF	1.00	LAA	12						
	G»ABUNDIT EXTRA	0.75	LAA	12						
	H»APROACH 2.08L	0.049	LAA	12						
13A	»KEYSTONE NXT 5	2.80	LAA	9	0	97	99	99	99	0
	B»HORNET 68.5WG	0.171	LAA	9						
	C»DURANGO 4AE	1.00	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
14A	»SURESTART II 4	1.04	LAA	9	0	97	99	99	99	0
	B ATRAZINE DF	1.00	LAA	9						
	C»DURANGO 4AE	1.00	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
15A	»ACURON 3.44 ZC	1.72	LAA	11	0	96	99	99	99	0
	B ATRAZINE DF	0.50	LAA	11						
	C»TOUCHDN TOTAL	0.98	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						

## TITLE: Weed Control Systems in RR/LL Corn. 800

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	PANDI	AMATA	AMBEL	PHBPU	ZEAMD
		RATE	UNIT	TM	CON % 06/03/15	CON % 06/03/15	CON % 06/03/15	CON % 06/03/15	CON % 06/03/15	CON % 06/12/15
16A	CHECK	0.00	NA	0	0	0	0	0	0	0
17A	»HALEX GT 4.38L	1.97	LAA	11	0	93	96	91	96	0
	B ATRAZINE DF	0.50	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
18A	»CALLISTO GT 4.	1.05	LAA	11	0	96	99	99	99	0
	B ATRAZINE DF	0.50	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
19A	»RNDUP POWERMAX	1.125	LAA	11	0	98	99	99	99	0
	B»STATUS 56DG	0.088	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
20A	»RNDUP POWERMAX	1.125	LAA	11	0	98	99	99	99	0
	B IMPACT 2.8SC	0.016	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			0.00	7.48	4.52	5.14	3.33	0.00
		STANDARD DEVIATION			0.00	3.70	2.24	2.54	1.65	0.00

**TITLE:** Weed Control Systems in RR/LL Corn. 800  
**CREATED:** 04/27/2015 **REVISED:** 09/25/2015 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Brownstown **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			PANDI CON % 06/12/15	AMATA CON % 06/12/15	AMBEL CON % 06/12/15	PHBPU CON % 06/12/15	ZEAMD CON % 06/22/15	PANDI CON % 06/22/15
		RATE	UNIT	TM						
1A	»ACURON 3.44 ZC	2.14	LAA	9	98	99	99	98	0	96
2A	»ACURON 3.44 ZC	2.14	LAA	9	99	99	99	99	0	99
	B ATRAZINE DF	1.00	LAA	9						
3A	»ACURON 3.44 ZC	2.14	LAA	9	99	99	99	99	0	99
	B»TOUCHDN TOTAL	0.98	LAA	12						
	C»STATUS 56DG	0.175	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
4A	»ANTHEM ATZ 4.5	1.55	LAA	9	99	99	99	99	0	99
5A	»SURESTART II 4	1.56	LAA	9	99	99	99	99	0	98
	B ATRAZINE DF	1.00	LAA	9						
6A	»VERDICT 5.57L	0.696	LAA	9	85	99	99	99	0	87
7A	»VERDICT 5.57L	0.78	LAA	9	99	99	99	99	0	97
	B ATRAZINE DF	1.00	LAA	9						
8A	»CORVUS 2.6SC	0.114	LAA	9	67	86	99	88	0	70
	B ATRAZINE DF	1.00	LAA	9						
9A	»ACURON 3.44 ZC	1.07	LAA	9	99	99	99	99	0	99
	B ATRAZINE DF	0.50	LAA	9						
	C»HALEX GT 4.38L	1.97	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»ACTIVATOR 90	0.25	PMV	12						
	F»LIQUID AMS	2.50	PMV	12						
10A	»ACURON 3.44 ZC	1.07	LAA	9	99	99	99	99	0	99
	B ATRAZINE DF	0.50	LAA	9						
	C»ACURON 3.44 ZC	1.07	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»ACTIVATOR 90	0.25	PMV	12						
11A	CINCH ATZ	2.06	LAA	9	98	99	99	99	0	99
	B»REALM Q	4.00	OMA	0						
	C RESOLVE 25DF	0.0188	LAA	12						
	D»MESOTRIONE 50W	0.078	LAA	12						
	E»ISOXADIFEN-ETH	0.0094	LAA	12						
	F ATRAZINE DF	1.00	LAA	12						
	G»ABUNDIT EXTRA	0.75	LAA	12						
	H»APPROACH 2.08L	0.049	LAA	12						
12A	»BKFREE NXT ATZ	3.50	LAA	9	99	99	99	99	0	99
	B»REALM Q	4.00	OMA	0						
	C RESOLVE 25DF	0.0188	LAA	12						
	D»MESOTRIONE 50W	0.078	LAA	12						
	E»ISOXADIFEN-ETH	0.0094	LAA	12						
	F ATRAZINE DF	1.00	LAA	12						
	G»ABUNDIT EXTRA	0.75	LAA	12						
	H»APPROACH 2.08L	0.049	LAA	12						
13A	»KEYSTONE NXT 5	2.80	LAA	9	99	99	99	99	0	99
	B»HORNET 68.5WG	0.171	LAA	9						
	C»DURANGO 4AE	1.00	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
14A	»SURESTART II 4	1.04	LAA	9	99	99	99	99	0	99
	B ATRAZINE DF	1.00	LAA	9						
	C»DURANGO 4AE	1.00	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
15A	»ACURON 3.44 ZC	1.72	LAA	11	99	99	99	99	0	99
	B ATRAZINE DF	0.50	LAA	11						
	C»TOUCHDN TOTAL	0.98	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						

## TITLE: Weed Control Systems in RR/LL Corn. 800

TRT NUM	TREATMENT COMPONENT	DOSAGE			PANDI	AMATA	AMBEL	PHBPU	ZEAMD	PANDI
		RATE	UNIT	TM	CON % 06/12/15	CON % 06/12/15	CON % 06/12/15	CON % 06/12/15	CON % 06/22/15	CON % 06/22/15
16A	CHECK	0.00	NA	0	0	0	0	0	0	0
17A	»HALEX GT 4.38L	1.97	LAA	11	99	99	99	99	0	97
	B ATRAZINE DF	0.50	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
18A	»CALLISTO GT 4.	1.05	LAA	11	97	99	99	99	0	96
	B ATRAZINE DF	0.50	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
19A	»RNDUP POWERMAX	1.125	LAA	11	96	99	99	98	0	96
	B»STATUS 56DG	0.088	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
20A	»RNDUP POWERMAX	1.125	LAA	11	93	99	99	98	0	93
	B IMPACT 2.8SC	0.016	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			22.38	21.66	21.37	21.64	0.00	21.48
		STANDARD DEVIATION			11.07	10.72	10.58	10.71	0.00	10.63

**TITLE:** Weed Control Systems in RR/LL Corn. 800  
**CREATED:** 04/27/2015 **REVISED:** 09/25/2015 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Brownstown **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMATA	AMBEL	PHBPU	ZEAMD	PANDI	AMATA
		RATE	UNIT	TM	CON % 06/22/15	CON % 06/22/15	CON % 06/22/15	CON % 07/01/15	CON % 07/01/15	CON % 07/01/15
1A	»ACURON 3.44 ZC	2.14	LAA	9	99	99	96	0	99	98
2A	»ACURON 3.44 ZC	2.14	LAA	9	99	99	99	0	99	99
	B ATRAZINE DF	1.00	LAA	9						
3A	»ACURON 3.44 ZC	2.14	LAA	9	99	99	99	0	99	99
	B»TOUCHDN TOTAL	0.98	LAA	12						
	C»STATUS 56DG	0.175	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
4A	»ANTHEM ATZ 4.5	1.55	LAA	9	99	99	99	0	99	99
5A	»SURESTART II 4	1.56	LAA	9	99	99	96	0	99	99
	B ATRAZINE DF	1.00	LAA	9						
6A	»VERDICT 5.57L	0.696	LAA	9	99	99	99	0	85	99
7A	»VERDICT 5.57L	0.78	LAA	9	99	99	99	0	99	99
	B ATRAZINE DF	1.00	LAA	9						
8A	»CORVUS 2.6SC	0.114	LAA	9	94	99	94	0	70	91
	B ATRAZINE DF	1.00	LAA	9						
9A	»ACURON 3.44 ZC	1.07	LAA	9	99	99	98	0	99	99
	B ATRAZINE DF	0.50	LAA	9						
	C»HALEX GT 4.38L	1.97	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»ACTIVATOR 90	0.25	PMV	12						
	F»LIQUID AMS	2.50	PMV	12						
10A	»ACURON 3.44 ZC	1.07	LAA	9	99	99	99	0	99	99
	B ATRAZINE DF	0.50	LAA	9						
	C»ACURON 3.44 ZC	1.07	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»ACTIVATOR 90	0.25	PMV	12						
11A	CINCH ATZ	2.06	LAA	9	99	99	99	0	99	99
	B»REALM Q	4.00	OMA	0						
	C RESOLVE 25DF	0.0188	LAA	12						
	D»MESOTRIONE 50W	0.078	LAA	12						
	E»ISOXADIFEN-ETH	0.0094	LAA	12						
	F ATRAZINE DF	1.00	LAA	12						
	G»ABUNDIT EXTRA	0.75	LAA	12						
	H»APPROACH 2.08L	0.049	LAA	12						
12A	»BKFREE NXT ATZ	3.50	LAA	9	99	99	99	0	99	99
	B»REALM Q	4.00	OMA	0						
	C RESOLVE 25DF	0.0188	LAA	12						
	D»MESOTRIONE 50W	0.078	LAA	12						
	E»ISOXADIFEN-ETH	0.0094	LAA	12						
	F ATRAZINE DF	1.00	LAA	12						
	G»ABUNDIT EXTRA	0.75	LAA	12						
	H»APPROACH 2.08L	0.049	LAA	12						
13A	»KEYSTONE NXT 5	2.80	LAA	9	99	99	99	0	99	99
	B»HORNET 68.5WG	0.171	LAA	9						
	C»DURANGO 4AE	1.00	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
14A	»SURESTART II 4	1.04	LAA	9	99	99	99	0	99	99
	B ATRAZINE DF	1.00	LAA	9						
	C»DURANGO 4AE	1.00	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
15A	»ACURON 3.44 ZC	1.72	LAA	11	99	99	99	0	99	99
	B ATRAZINE DF	0.50	LAA	11						
	C»TOUCHDN TOTAL	0.98	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						

## TITLE: Weed Control Systems in RR/LL Corn. 800

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMATA	AMBEL	PHBPU	ZEAMD	PANDI	AMATA
		RATE	UNIT	TM	CON % 06/22/15	CON % 06/22/15	CON % 06/22/15	CON % 07/01/15	CON % 07/01/15	CON % 07/01/15
16A	CHECK	0.00	NA	0	0	0	0	0	0	0
17A	»HALEX GT 4.38L	1.97	LAA	11	99	99	99	0	99	99
	B ATRAZINE DF	0.50	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
18A	»CALLISTO GT 4.	1.05	LAA	11	99	99	99	0	98	99
	B ATRAZINE DF	0.50	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
19A	»RNDUP POWERMAX	1.125	LAA	11	99	99	99	0	95	99
	B»STATUS 56DG	0.088	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
20A	»RNDUP POWERMAX	1.125	LAA	11	97	98	96	0	97	99
	B IMPACT 2.8SC	0.016	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			21.63	21.33	21.85	0.00	21.54	21.83
		STANDARD DEVIATION			10.70	10.56	10.81	0.00	10.66	10.80



TITLE: Weed Control Systems in RR/LL Corn. 800  
 CREATED: 04/27/2015 REVISED: 09/25/2015 COMPLETED: N  
 PROJECT TYPE: HERBICIDE  
 LOCATION: Brownstown RESEARCHED BY: UNIV. OF ILL  
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN  
 PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG  
 PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMBEL CON % 07/01/15	PHBPU CON % 07/01/15
		RATE	UNIT	TM		
1A	»ACURON 3.44 ZC	2.14	LAA	9	99	98
2A	»ACURON 3.44 ZC	2.14	LAA	9	99	99
	B ATRAZINE DF	1.00	LAA	9		
3A	»ACURON 3.44 ZC	2.14	LAA	9	99	99
	B»TOUCHDN TOTAL	0.98	LAA	12		
	C»STATUS 56DG	0.175	LAA	12		
	D»LIQUID AMS	2.50	PMV	12		
4A	»ANTHEM ATZ 4.5	1.55	LAA	9	99	99
5A	»SURESTART II 4	1.56	LAA	9	99	99
	B ATRAZINE DF	1.00	LAA	9		
6A	»VERDICT 5.57L	0.696	LAA	9	99	99
7A	»VERDICT 5.57L	0.78	LAA	9	99	99
	B ATRAZINE DF	1.00	LAA	9		
8A	»CORVUS 2.6SC	0.114	LAA	9	99	99
	B ATRAZINE DF	1.00	LAA	9		
9A	»ACURON 3.44 ZC	1.07	LAA	9	99	99
	B ATRAZINE DF	0.50	LAA	9		
	C»HALEX GT 4.38L	1.97	LAA	12		
	D ATRAZINE DF	0.50	LAA	12		
	E»ACTIVATOR 90	0.25	PMV	12		
	F»LIQUID AMS	2.50	PMV	12		
10A	»ACURON 3.44 ZC	1.07	LAA	9	99	99
	B ATRAZINE DF	0.50	LAA	9		
	C»ACURON 3.44 ZC	1.07	LAA	12		
	D ATRAZINE DF	0.50	LAA	12		
	E»ACTIVATOR 90	0.25	PMV	12		
11A	CINCH ATZ	2.06	LAA	9	99	99
	B»REALM Q	4.00	OMA	0		
	C RESOLVE 25DF	0.0188	LAA	12		
	D»MESOTRIONE 50W	0.078	LAA	12		
	E»ISOXADIFEN-ETH	0.0094	LAA	12		
	F ATRAZINE DF	1.00	LAA	12		
	G»ABUNDIT EXTRA	0.75	LAA	12		
	H»APROACH 2.08L	0.049	LAA	12		
12A	»BKFREE NXT ATZ	3.50	LAA	9	99	99
	B»REALM Q	4.00	OMA	0		
	C RESOLVE 25DF	0.0188	LAA	12		
	D»MESOTRIONE 50W	0.078	LAA	12		
	E»ISOXADIFEN-ETH	0.0094	LAA	12		
	F ATRAZINE DF	1.00	LAA	12		
	G»ABUNDIT EXTRA	0.75	LAA	12		
	H»APROACH 2.08L	0.049	LAA	12		
13A	»KEYSTONE NXT 5	2.80	LAA	9	99	99
	B»HORNET 68.5WG	0.171	LAA	9		
	C»DURANGO 4AE	1.00	LAA	12		
	D»LIQUID AMS	2.50	PMV	12		
14A	»SURESTART II 4	1.04	LAA	9	99	99
	B ATRAZINE DF	1.00	LAA	9		
	C»DURANGO 4AE	1.00	LAA	12		
	D»LIQUID AMS	2.50	PMV	12		
15A	»ACURON 3.44 ZC	1.72	LAA	11	99	99
	B ATRAZINE DF	0.50	LAA	11		
	C»TOUCHDN TOTAL	0.98	LAA	11		
	D»ACTIVATOR 90	0.25	PMV	11		
	E»LIQUID AMS	2.50	PMV	11		

TITLE: Weed Control Systems in RR/LL Corn. 800

TRT NUM	TREATMENT COMPONENT	DOSAGE		AMBEL CON %	PHBPU CON %
		RATE	UNIT TM	07/01/15	07/01/15
16A	CHECK	0.00	NA 0	0	0
17A	»HALEX GT 4.38L	1.97	LAA 11	99	99
	B ATRAZINE DF	0.50	LAA 11		
	C»ACTIVATOR 90	0.25	PMV 11		
	D»LIQUID AMS	2.50	PMV 11		
18A	»CALLISTO GT 4.	1.05	LAA 11	99	99
	B ATRAZINE DF	0.50	LAA 11		
	C»ACTIVATOR 90	0.25	PMV 11		
	D»LIQUID AMS	2.50	PMV 11		
19A	»RNDUP POWERMAX	1.125	LAA 11	99	99
	B»STATUS 56DG	0.088	LAA 11		
	C»ACTIVATOR 90	0.25	PMV 11		
	D»LIQUID AMS	2.50	PMV 11		
20A	»RNDUP POWERMAX	1.125	LAA 11	99	98
	B IMPACT 2.8SC	0.016	LAA 11		
	C ATRAZINE DF	0.50	LAA 11		
	D»LIQUID AMS	2.50	PMV 11		
LSD (0.05)				21.37	21.48
STANDARD DEVIATION				10.58	10.63

» = SUPPLEMENTAL CHEMICAL

\* TIMING CODES

00 = --- / UNTREATED TIMING  
 09 = --- / PREEMERGENCE 04/29/2015(1)  
 11 = --- / EPOST 05/22/2015(2)  
 12 = --- / POST 06/03/2015(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
001	ZEAMD	CON %	06/03/2015	01	P	ZEAMD	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	PANDI	CON %	06/03/2015	02	P	PANDI	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMATA	CON %	06/03/2015	03	P	AMATA	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	AMBEL	CON %	06/03/2015	04	P	AMBEL	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	PHBPU	CON %	06/03/2015	05	P	PHBPU	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	ZEAMD	CON %	06/12/2015	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	PANDI	CON %	06/12/2015	02	P	PANDI		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	AMATA	CON %	06/12/2015	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	AMBEL	CON %	06/12/2015	04	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	PHBPU	CON %	06/12/2015	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ZEAMD	CON %	06/22/2015	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	PANDI	CON %	06/22/2015	02	P	PANDI		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	AMATA	CON %	06/22/2015	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	AMBEL	CON %	06/22/2015	04	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	PHBPU	CON %	06/22/2015	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	ZEAMD	CON %	07/01/2015	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	PANDI	CON %	07/01/2015	02	P	PANDI		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	AMATA	CON %	07/01/2015	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	AMBEL	CON %	07/01/2015	04	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	PHBPU	CON %	07/01/2015	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

\* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)  
 01 = DKC63-33RRL

\* STAGE CODE

15 = 5 LEAVES UNFOLDED  
 15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 16 = 6 LEAVES UNFOLDED  
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED