

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: CL  
 PH: 6.1  
 %OM: 1.5  
 PREV.CROP: ZEAMD - CORN, DENT  
 %RESIDUE: 0  
 PLOT WIDTH: 7.5 X 30 FEET  
 PLOT AREA: 225 FEET

DESIGN: RCB  
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	09	12	
TYPE	LIQUID MI	LIQUID MI	
APPLICATION DATE	05/01/15	06/09/15	AME
AIR TEMPERATURE	65	82	F
% REL.HUMIDITY	26	64	
WIND DIRECTION	SOUTH	WEST	
WIND SPEED	5.0	3.0	M/H
CLOUD COVER	CLEAR-0%	CLEAR-0%	
DEW	TO BE SEL	NO	
SOIL MOISTURE	DRY/MOIST	MOIST/MOI	
SOIL CONDITION	TO BE SEL	TO BE SEL	
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION			
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE			
SCREEN SZ DESC	NA	NA	
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	TO BE SEL	TO BE SEL	
FOLIAGE HEIGHT			FT
FOLIAGE WIDTH			FT
ROW WIDTH			FT
SPRAY VOL LWA/TRV			
S VOL LWA/TRV UNIT			
LEAF WALL AREA			M2H
TREE ROW VOLUME			M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *			
P, SOYBEAN		---/16	
ASGROW 3832		8.00/12.0	IN
(PLANTED) 04/30/2015		40 DAP	
PEST *			
P, WATERHEMP, COMMO		---/18 2.00/4.00	IN
P, LAMBSQUARTERS, C		---/19 2.00/5.00	IN
P, MORNINGGLORY, IV		---/19 2.00/4.00	IN
P, FOXTAIL, GIANT		---/19 4.00/9.00	IN
P, COCKLEBUR, COMMO		---/17 3.00/5.00	IN

\* TIMING CODES

09 = --- / PREEMERGENCE

\* TIMING CODES

12 = --- / POST

\* STAGE CODE

16 = 6TH LEAF (4TH TRIFOLIATE LEAF) UNFOLDED, 5 NODES  
17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
19 = 9 OR MORE LEAVES UNFOLDED  
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

**TITLE:** Weed Control Systems in RR Soybean. 2404  
**CREATED:** 04/28/2015 **REVISED:** 10/22/2015 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Perry **RESEARCHED BY:** MAXWELL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA	SETFA	CHEAL	IPOHE	XANST	AMATA
		RATE	UNIT	TM	CON % 06/09/15	CON % 06/09/15	CON % 06/09/15	CON % 06/09/15	CON % 06/09/15	CON % 06/09/15
1A	BROADAXE XC 7L	1.09	LAA	9	0	98	97	62	76	99
2A	BROADAXE XC 7L	1.37	LAA	9	0	98	97	73	93	99
3A	BROADAXE XC 7L	1.09	LAA	9	7	97	99	68	99	99
	B CLASSIC 25WG	0.016	LAA	9						
4A	BROADAXE XC 7L	1.37	LAA	9	5	97	99	75	98	99
	B CLASSIC 25WG	0.016	LAA	9						
5A	VALOR XLT 40WG	3.50	OMA	0	22	96	99	75	97	99
	B CLASSIC 25WG	0.023	LAA	9						
	C VALOR SX 51WDG	0.065	LAA	9						
6A	AUTHORITY XL 7	0.197	LAA	9	9	75	99	89	98	97
7A	VALOR XLT 40WG	3.50	OMA	0	20	91	99	95	99	99
	B CLASSIC 25WG	0.023	LAA	9						
	C VALOR SX 51WDG	0.065	LAA	9						
	D RNDUP POWERMAX	1.125	LAA	12						
	E LIQUID AMS	2.50	PMV	12						
8A	CHECK	0.00	NA	0	0	0	0	0	0	0
9A	AUTHORITY XL 7	0.197	LAA	9	23	98	99	88	98	99
	B DUAL MAGNUM 7.	1.27	LAA	9						
	C RNDUP POWERMAX	1.125	LAA	12						
	D LIQUID AMS	2.50	PMV	12						
10A	BROADAXE XC 7L	1.09	LAA	9	2	99	97	57	86	99
	B FLEXSTAR GT 3.	1.23	LAA	12						
	C MSO	1.00	PMV	12						
	D LIQUID AMS	2.50	PMV	12						
11A	BROADAXE XC 7L	1.37	LAA	9	6	98	98	60	86	99
	B FLEXSTAR GT 3.	1.23	LAA	12						
	C MSO	1.00	PMV	12						
	D LIQUID AMS	2.50	PMV	12						
12A	FIERCE XLT	4.00	OMA	0	15	99	99	95	99	99
	B CLASSIC 25WG	0.017	LAA	9						
	C VALOR SX 51WDG	0.061	LAA	9						
	D ZIDUA 85WG	0.078	LAA	9						
	E RNDUP POWERMAX	1.125	LAA	12						
	F LIQUID AMS	2.50	PMV	12						
13A	AUTHOR. MAXX 6	0.25	LAA	9	11	95	99	63	99	99
	B RNDUP POWERMAX	1.125	LAA	12						
	C LIQUID AMS	2.50	PMV	12						
14A	SONIC 70DF	0.197	LAA	9	7	85	98	90	99	98
	B DURANGO 4AE	1.00	LAA	12						
	C LIQUID AMS	2.50	PMV	12						
15A	SONIC 70DF	0.131	LAA	9	2	79	98	77	99	88
	B FIRSTRATE 84WG	0.016	LAA	12						
	C DURANGO 4AE	1.00	LAA	12						
	D LIQUID AMS	2.50	PMV	12						
16A	SURVEIL 48WG	0.126	LAA	9	17	91	98	98	98	99
	B DURANGO 4AE	1.00	LAA	12						
	C LIQUID AMS	2.50	PMV	12						
17A	ENLITE 47.86WG	3.00	OMA	0	6	73	97	67	99	99
	B CLASSIC 25WG	0.0054	LAA	9						
	C HARMONY GT 50W	0.0165	LAA	9						
	D VALOR SX 51WDG	0.0678	LAA	9						
	E ABUNDIT EXTRA	0.75	LAA	12						
	F CINCH	0.96	LAA	12						

## TITLE: Weed Control Systems in RR Soybean. 2404

TRT NUM	TREATMENT COMPONENT	DOSAGE		GLXMA	SETFA	CHEAL	IPOHE	XANST	AMATA
		RATE	UNIT TM	CON % 06/09/15	CON % 06/09/15	CON % 06/09/15	CON % 06/09/15	CON % 06/09/15	CON % 06/09/15
G	COBRA 2EC	0.125	LAA 12						
H	LIQUID AMS	2.50	PMV 12						
18A	CANOPY 75WG	0.105	LAA 9	3	92	89	67	99	99
B	CINCH	0.96	LAA 9						
C	ABUNDIT EXTRA	0.75	LAA 12						
D	CINCH	0.96	LAA 12						
E	COBRA 2EC	0.125	LAA 12						
F	LIQUID AMS	2.50	PMV 12						
19A	SONIC 70DF	0.2625	LAA 9	6	60	90	70	99	91
B	DURANGO 4AE	1.00	LAA 12						
C	LIQUID AMS	2.50	PMV 12						
20A	OPTILL 68WG	0.085	LAA 9	6	98	93	83	99	99
B	ZIDUA 85WG	0.106	LAA 9						
C	RNDUP POWERMAX	1.125	LAA 12						
D	LIQUID AMS	2.50	PMV 12						
LSD (0.05)				4.86	13.62	8.40	23.00	13.58	6.00
STANDARD DEVIATION				2.40	6.74	4.16	11.36	6.72	3.00

**TITLE:** Weed Control Systems in RR Soybean. 2404  
**CREATED:** 04/28/2015 **REVISED:** 10/22/2015 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Perry **RESEARCHED BY:** MAXWELL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA	SETFA	CHEAL	IPOHE	XANST	AMATA
		RATE	UNIT	TM	CON % 06/18/15	CON % 06/18/15	CON % 06/18/15	CON % 06/18/15	CON % 06/18/15	CON % 06/18/15
1A	BROADAXE XC 7L	1.09	LAA	9	0	97	96	50	63	99
2A	BROADAXE XC 7L	1.37	LAA	9	0	97	96	66	89	99
3A	BROADAXE XC 7L	1.09	LAA	9	2	96	99	57	99	99
	B CLASSIC 25WG	0.016	LAA	9						
4A	BROADAXE XC 7L	1.37	LAA	9	0	94	99	67	98	99
	B CLASSIC 25WG	0.016	LAA	9						
5A	VALOR XLT 40WG	3.50	OMA	0	3	94	99	65	94	99
	B CLASSIC 25WG	0.023	LAA	9						
	C>VALOR SX 51WDG	0.065	LAA	9						
6A	AUTHORITY XL 7	0.197	LAA	9	0	65	98	77	96	93
7A	VALOR XLT 40WG	3.50	OMA	0	5	96	99	96	99	99
	B CLASSIC 25WG	0.023	LAA	9						
	C>VALOR SX 51WDG	0.065	LAA	9						
	D>RNDUP POWERMAX	1.125	LAA	12						
	E>LIQUID AMS	2.50	PMV	12						
8A	CHECK	0.00	NA	0	0	0	0	0	0	0
9A	AUTHORITY XL 7	0.197	LAA	9	8	99	99	91	99	99
	B>DUAL MAGNUM 7.	1.27	LAA	9						
	C>RNDUP POWERMAX	1.125	LAA	12						
	D>LIQUID AMS	2.50	PMV	12						
10A	BROADAXE XC 7L	1.09	LAA	9	15	99	99	91	99	99
	B>FLEXSTAR GT 3.	1.23	LAA	12						
	C>MSO	1.00	PMV	12						
	D>LIQUID AMS	2.50	PMV	12						
11A	BROADAXE XC 7L	1.37	LAA	9	19	99	99	92	96	99
	B>FLEXSTAR GT 3.	1.23	LAA	12						
	C>MSO	1.00	PMV	12						
	D>LIQUID AMS	2.50	PMV	12						
12A	FIERCE XLT	4.00	OMA	0	3	99	99	92	99	99
	B CLASSIC 25WG	0.017	LAA	9						
	C>VALOR SX 51WDG	0.061	LAA	9						
	D>ZIDUA 85WG	0.078	LAA	9						
	E>RNDUP POWERMAX	1.125	LAA	12						
	F>LIQUID AMS	2.50	PMV	12						
13A	AUTHOR. MAXX 6	0.25	LAA	9	4	99	99	82	99	99
	B>RNDUP POWERMAX	1.125	LAA	12						
	C>LIQUID AMS	2.50	PMV	12						
14A	SONIC 70DF	0.197	LAA	9	0	97	99	92	99	99
	B>DURANGO 4AE	1.00	LAA	12						
	C>LIQUID AMS	2.50	PMV	12						
15A	SONIC 70DF	0.131	LAA	9	0	97	96	86	99	93
	B FIRSTRATE 84WG	0.016	LAA	12						
	C>DURANGO 4AE	1.00	LAA	12						
	D>LIQUID AMS	2.50	PMV	12						
16A	SURVEIL 48WG	0.126	LAA	9	2	95	99	97	98	98
	B>DURANGO 4AE	1.00	LAA	12						
	C>LIQUID AMS	2.50	PMV	12						
17A	ENLITE 47.86WG	3.00	OMA	0	22	98	99	89	99	99
	B CLASSIC 25WG	0.0054	LAA	9						
	C>HARMONY GT 50W	0.0165	LAA	9						
	D>VALOR SX 51WDG	0.0678	LAA	9						
	E>ABUNDIT EXTRA	0.75	LAA	12						
	F CINCH	0.96	LAA	12						

## TITLE: Weed Control Systems in RR Soybean. 2404

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA	SETFA	CHEAL	IPOHE	XANST	AMATA
		RATE	UNIT	TM	CON % 06/18/15	CON % 06/18/15	CON % 06/18/15	CON % 06/18/15	CON % 06/18/15	CON % 06/18/15
	G COBRA 2EC	0.125	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
18A	CANOPY 75WG	0.105	LAA	9	22	99	99	87	98	99
	B CINCH	0.96	LAA	9						
	C»ABUNDIT EXTRA	0.75	LAA	12						
	D CINCH	0.96	LAA	12						
	E COBRA 2EC	0.125	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
19A»	SONIC 70DF	0.2625	LAA	9	0	93	99	83	99	98
	B»DURANGO 4AE	1.00	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
20A»	OPTILL 68WG	0.085	LAA	9	0	99	99	87	99	99
	B»ZIDUA 85WG	0.106	LAA	9						
	C»RNDUP POWERMAX	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
		LSD (0.05)			3.26	6.43	3.37	19.23	13.25	4.78
		STANDARD DEVIATION			1.61	3.18	1.67	9.51	6.56	2.37

**TITLE:** Weed Control Systems in RR Soybean. 2404  
**CREATED:** 04/28/2015 **REVISED:** 10/22/2015 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Perry **RESEARCHED BY:** MAXWELL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA	SETFA	CHEAL	IPOHE	XANST	AMATA
		RATE	UNIT	TM	CON % 07/09/15	CON % 07/09/15	CON % 07/09/15	CON % 07/09/15	CON % 07/09/15	CON % 07/09/15
1A	BROADAXE XC 7L	1.09	LAA	9	0	92	94	40	53	99
2A	BROADAXE XC 7L	1.37	LAA	9	0	94	94	47	89	99
3A	BROADAXE XC 7L	1.09	LAA	9	0	87	99	47	96	99
	B CLASSIC 25WG	0.016	LAA	9						
4A	BROADAXE XC 7L	1.37	LAA	9	0	90	99	62	97	99
	B CLASSIC 25WG	0.016	LAA	9						
5A	VALOR XLT 40WG	3.50	OMA	0	0	79	99	40	93	99
	B CLASSIC 25WG	0.023	LAA	9						
	C VALOR SX 51WDG	0.065	LAA	9						
6A	AUTHORITY XL 7	0.197	LAA	9	0	43	98	75	93	86
7A	VALOR XLT 40WG	3.50	OMA	0	0	85	99	95	99	99
	B CLASSIC 25WG	0.023	LAA	9						
	C VALOR SX 51WDG	0.065	LAA	9						
	D RNDUP POWERMAX	1.125	LAA	12						
	E LIQUID AMS	2.50	PMV	12						
8A	CHECK	0.00	NA	0	0	0	0	0	0	0
9A	AUTHORITY XL 7	0.197	LAA	9	0	99	99	94	98	99
	B DUAL MAGNUM 7.	1.27	LAA	9						
	C RNDUP POWERMAX	1.125	LAA	12						
	D LIQUID AMS	2.50	PMV	12						
10A	BROADAXE XC 7L	1.09	LAA	9	0	99	99	93	96	99
	B FLEXSTAR GT 3.	1.23	LAA	12						
	C MSO	1.00	PMV	12						
	D LIQUID AMS	2.50	PMV	12						
11A	BROADAXE XC 7L	1.37	LAA	9	0	99	99	87	93	99
	B FLEXSTAR GT 3.	1.23	LAA	12						
	C MSO	1.00	PMV	12						
	D LIQUID AMS	2.50	PMV	12						
12A	FIERCE XLT	4.00	OMA	0	0	99	99	92	99	99
	B CLASSIC 25WG	0.017	LAA	9						
	C VALOR SX 51WDG	0.061	LAA	9						
	D ZIDUA 85WG	0.078	LAA	9						
	E RNDUP POWERMAX	1.125	LAA	12						
	F LIQUID AMS	2.50	PMV	12						
13A	AUTHOR. MAXX 6	0.25	LAA	9	0	98	99	88	96	99
	B RNDUP POWERMAX	1.125	LAA	12						
	C LIQUID AMS	2.50	PMV	12						
14A	SONIC 70DF	0.197	LAA	9	0	93	99	95	99	97
	B DURANGO 4AE	1.00	LAA	12						
	C LIQUID AMS	2.50	PMV	12						
15A	SONIC 70DF	0.131	LAA	9	0	94	96	90	99	91
	B FIRSTRATE 84WG	0.016	LAA	12						
	C DURANGO 4AE	1.00	LAA	12						
	D LIQUID AMS	2.50	PMV	12						
16A	SURVEIL 48WG	0.126	LAA	9	0	88	99	89	95	93
	B DURANGO 4AE	1.00	LAA	12						
	C LIQUID AMS	2.50	PMV	12						
17A	ENLITE 47.86WG	3.00	OMA	0	0	96	99	70	99	99
	B CLASSIC 25WG	0.0054	LAA	9						
	C HARMONY GT 50W	0.0165	LAA	9						
	D VALOR SX 51WDG	0.0678	LAA	9						
	E ABUNDIT EXTRA	0.75	LAA	12						
	F CINCH	0.96	LAA	12						

## TITLE: Weed Control Systems in RR Soybean. 2404

TRT NUM	TREATMENT COMPONENT	DOSAGE		GLXMA	SETFA	CHEAL	IPOHE	XANST	AMATA
		RATE	UNIT TM	CON % 07/09/15	CON % 07/09/15	CON % 07/09/15	CON % 07/09/15	CON % 07/09/15	CON % 07/09/15
G	COBRA 2EC	0.125	LAA 12						
H	LIQUID AMS	2.50	PMV 12						
18A	CANOPY 75WG	0.105	LAA 9	0	99	99	68	99	99
B	CINCH	0.96	LAA 9						
C	ABUNDIT EXTRA	0.75	LAA 12						
D	CINCH	0.96	LAA 12						
E	COBRA 2EC	0.125	LAA 12						
F	LIQUID AMS	2.50	PMV 12						
19A	SONIC 70DF	0.2625	LAA 9	0	80	99	87	99	93
B	DURANGO 4AE	1.00	LAA 12						
C	LIQUID AMS	2.50	PMV 12						
20A	OPTILL 68WG	0.085	LAA 9	0	97	99	82	99	99
B	ZIDUA 85WG	0.106	LAA 9						
C	RNDUP POWERMAX	1.125	LAA 12						
D	LIQUID AMS	2.50	PMV 12						
		LSD (0.05)		0.00	11.30	4.76	21.29	16.84	9.41
		STANDARD DEVIATION		0.00	5.59	2.36	10.53	8.33	4.66



**TITLE:** Weed Control Systems in RR Soybean. 2404  
**CREATED:** 04/28/2015 **REVISED:** 10/22/2015 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Perry **RESEARCHED BY:** MAXWELL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			YIELD BU/A 10/01/15
		RATE	UNIT	TM	
1A	BROADAXE XC 7L	1.09	LAA	9	59.0
2A	BROADAXE XC 7L	1.37	LAA	9	62.4
3A	BROADAXE XC 7L	1.09	LAA	9	62.1
	B CLASSIC 25WG	0.016	LAA	9	
4A	BROADAXE XC 7L	1.37	LAA	9	65.8
	B CLASSIC 25WG	0.016	LAA	9	
5A	VALOR XLT 40WG	3.50	OMA	0	62.2
	B CLASSIC 25WG	0.023	LAA	9	
	C VALOR SX 51WDG	0.065	LAA	9	
6A	AUTHORITY XL 7	0.197	LAA	9	51.5
7A	VALOR XLT 40WG	3.50	OMA	0	71.0
	B CLASSIC 25WG	0.023	LAA	9	
	C VALOR SX 51WDG	0.065	LAA	9	
	D RNDUP POWERMAX	1.125	LAA	12	
	E LIQUID AMS	2.50	PMV	12	
8A	CHECK	0.00	NA	0	32.2
9A	AUTHORITY XL 7	0.197	LAA	9	58.8
	B DUAL MAGNUM 7.	1.27	LAA	9	
	C RNDUP POWERMAX	1.125	LAA	12	
	D LIQUID AMS	2.50	PMV	12	
10A	BROADAXE XC 7L	1.09	LAA	9	67.2
	B FLEXSTAR GT 3.	1.23	LAA	12	
	C MSO	1.00	PMV	12	
	D LIQUID AMS	2.50	PMV	12	
11A	BROADAXE XC 7L	1.37	LAA	9	64.7
	B FLEXSTAR GT 3.	1.23	LAA	12	
	C MSO	1.00	PMV	12	
	D LIQUID AMS	2.50	PMV	12	
12A	FIERCE XLT	4.00	OMA	0	64.4
	B CLASSIC 25WG	0.017	LAA	9	
	C VALOR SX 51WDG	0.061	LAA	9	
	D ZIDUA 85WG	0.078	LAA	9	
	E RNDUP POWERMAX	1.125	LAA	12	
	F LIQUID AMS	2.50	PMV	12	
13A	AUTHOR. MAXX 6	0.25	LAA	9	59.5
	B RNDUP POWERMAX	1.125	LAA	12	
	C LIQUID AMS	2.50	PMV	12	
14A	SONIC 70DF	0.197	LAA	9	61.9
	B DURANGO 4AE	1.00	LAA	12	
	C LIQUID AMS	2.50	PMV	12	
15A	SONIC 70DF	0.131	LAA	9	62.8
	B FIRSTRATE 84WG	0.016	LAA	12	
	C DURANGO 4AE	1.00	LAA	12	
	D LIQUID AMS	2.50	PMV	12	
16A	SURVEIL 48WG	0.126	LAA	9	65.7
	B DURANGO 4AE	1.00	LAA	12	
	C LIQUID AMS	2.50	PMV	12	
17A	ENLITE 47.86WG	3.00	OMA	0	68.9
	B CLASSIC 25WG	0.0054	LAA	9	
	C HARMONY GT 50W	0.0165	LAA	9	
	D VALOR SX 51WDG	0.0678	LAA	9	
	E ABUNDIT EXTRA	0.75	LAA	12	
	F CINCH	0.96	LAA	12	

TITLE: Weed Control Systems in RR Soybean. 2404

TRT NUM	TREATMENT COMPONENT	DOSAGE		YIELD	
		RATE	UNIT	TM	BU/A 10/01/15
G	COBRA 2EC	0.125	LAA	12	
H	LIQUID AMS	2.50	PMV	12	
18A	CANOPY 75WG	0.105	LAA	9	67.1
B	CINCH	0.96	LAA	9	
C	ABUNDIT EXTRA	0.75	LAA	12	
D	CINCH	0.96	LAA	12	
E	COBRA 2EC	0.125	LAA	12	
F	LIQUID AMS	2.50	PMV	12	
19A	SONIC 70DF	0.2625	LAA	9	63.1
B	DURANGO 4AE	1.00	LAA	12	
C	LIQUID AMS	2.50	PMV	12	
20A	OPTILL 68WG	0.085	LAA	9	62.0
B	ZIDUA 85WG	0.106	LAA	9	
C	RNDUP POWERMAX	1.125	LAA	12	
D	LIQUID AMS	2.50	PMV	12	
				LSD (0.05)	9.79
				STANDARD DEVIATION	4.84

>> = SUPPLEMENTAL CHEMICAL

\* TIMING CODES

00 = --- / UNTREATED TIMING  
09 = --- / PREEMERGENCE 05/01/2015(1)  
12 = --- / POST 06/09/2015(2)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
001	GLXMA	CON %	06/09/2015	01	P	GLXMA	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	06/09/2015	02	P	SETFA	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	06/09/2015	03	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	IPOHE	CON %	06/09/2015	04	P	IPOHE	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	XANST	CON %	06/09/2015	05	P	XANST	17	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	AMATA	CON %	06/09/2015	06	P	AMATA	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	GLXMA	CON %	06/18/2015	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	SETFA	CON %	06/18/2015	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	CHEAL	CON %	06/18/2015	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	IPOHE	CON %	06/18/2015	04	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	XANST	CON %	06/18/2015	05	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	AMATA	CON %	06/18/2015	06	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	GLXMA	CON %	07/09/2015	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	SETFA	CON %	07/09/2015	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	CHEAL	CON %	07/09/2015	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	IPOHE	CON %	07/09/2015	04	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	XANST	CON %	07/09/2015	05	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	AMATA	CON %	07/09/2015	06	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	YIELD	BU/A	10/01/2015	01	P	GLXMA		RAW	ALL	YLD	%	---	1.00 PL	NO	0001	0	N

\* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = ASGROW 3832

\* STAGE CODE

16 = 6TH LEAF (4TH TRIFOLIATE LEAF) UNFOLDED, 5 NODES  
17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
19 = 9 OR MORE LEAVES UNFOLDED  
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED