

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.6
%OM: 4.7
PREV.CROP: GLXMA - SOYBEAN
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET
PLOT AREA: 225 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQUID MI	LIQUID MI	LIQUID MI	
APPLICATION DATE	04/24/15	05/18/15	05/28/15	AME
AIR TEMPERATURE	52	65	79	F
% REL.HUMIDITY	35	71	41	
WIND DIRECTION	SOUTH	SOUTHWEST	EAST	
WIND SPEED	5.0	6.0	6.0	M/H
CLOUD COVER	PAR.CLOUD	PAR.CLOUD	CLEAR-0%	
DEW	TO BE SEL	NO	NO	
SOIL MOISTURE	DRY/MOIST	MOIST/MOI	DRY/MOIST	
SOIL CONDITION	TO BE SEL	TO BE SEL	TO BE SEL	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION				
NOZZLE NUMBER	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	7.5	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	30.00	30.00	30.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	TO BE SEL	TO BE SEL	TO BE SEL	
FOLIAGE HEIGHT				FT
FOLIAGE WIDTH				FT
ROW WIDTH				FT
SPRAY VOL LWA/TRV				
S VOL LWA/TRV UNIT				
LEAF WALL AREA				M2H
TREE ROW VOLUME				M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *				
P, CORN, DENT		---/13	---/15	
GH G10 D98-3122		6.00/7.00	12.0/12.0	IN
(PLANTED) 04/24/2015		24 DAP	34 DAP	
PEST *				
P, VELVETLEAF		---/13 1.00/3.00	---/16 3.00/5.00	IN
P, WATERHEMP, COMMO		---/14 1.00/3.00	---/19 2.00/4.00	IN
P, LAMBSQUARTERS, C		---/14 1.00/1.00	---/19 1.00/3.00	IN
P, MORNINGGLORY, TA		---/12 1.00/2.00	---/18 2.00/4.00	IN
P, FOXTAIL, GIANT		---/13 1.00/3.00	---/15 2.00/6.00	IN
P, COCKLEBUR, COMMO		---/12 2.00/4.00	---/16 3.00/6.00	IN

*** TIMING CODES**

09 = --- / PREEMERGENCE
11 = --- / EPOST
12 = --- / POST

*** STAGE CODE**

12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
13 = 3 LEAVES UNFOLDED
13 = 3 LEAVES UNFOLDED
13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
15 = 5 LEAVES UNFOLDED
15 = 5 LEAVES UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Monsanto Weed Control Systems in RR/LL Corn. AS-200
CREATED: 04/14/2015 **REVISED:** 10/22/2015 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	ZEAMD CON % 05/24/15	SETFA CON % 05/24/15	CHEAL CON % 05/24/15	AMATA CON % 05/24/15	ABUTH CON % 05/24/15	PHBPU CON % 05/24/15
1A»HARNESS EXTRA	3.85	LAA	9	0	99	99	99	65	78
B»RNDUP POWERMAX	1.125	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
2A DEGREE XTRA	3.00	LAA	9	0	99	99	99	45	38
B»RNDUP POWERMAX	1.125	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
3A»TRIPLEFLEXX II	1.60	LAA	9	0	99	99	99	72	73
B ATRAZINE DF	1.00	LAA	9						
C»RNDUP POWERMAX	1.125	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
4A»HARNESS EXTRA	3.85	LAA	9	0	99	99	99	97	86
B»BAL FLEXX 2L	0.047	LAA	9						
C»RNDUP POWERMAX	1.125	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
5A DEGREE XTRA	2.32	LAA	9	0	99	99	99	91	78
B»BAL FLEXX 2L	0.047	LAA	9						
C»RNDUP POWERMAX	1.125	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
6A»CORVUS 2.6SC	0.082	LAA	9	0	85	99	99	93	70
B ATRAZINE DF	1.00	LAA	9						
7A»LUMAX EZ 3.67S	2.76	LAA	9	0	98	99	99	98	81
8A»HALEX GT 4.38L	1.97	LAA	11	11	99	99	99	99	90
B»ACTIVATOR 90	0.25	PMV	11						
C»LIQUID AMS	2.50	PMV	11						
9A ATRAZINE DF	1.00	LAA	9	0	20	70	68	23	20
B»HALEX GT 4.38L	1.97	LAA	12						
C»ACTIVATOR 90	0.25	PMV	12						
D»LIQUID AMS	2.50	PMV	12						
10A CINCH ATZ	3.58	LAA	9	0	97	99	99	99	89
B»INSTIGATE	6.00	OMA	0						
C RESOLVE 25DF	0.0156	LAA	9						
D»MESOTRIONE 50W	0.156	LAA	9						
E ATRAZINE DF	0.50	LAA	9						
F»ABUNDIT EXTRA	1.10	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
11A DEGREE XTRA	2.53	LAA	9	0	96	99	99	43	30
B»RNDUP POWERMAX	1.125	LAA	12						
C IMPACT 2.8SC	0.016	LAA	12						
D»WARRANT 3L	1.125	LAA	12						
E»LIQUID AMS	2.50	PMV	12						
12A DEGREE XTRA	3.03	LAA	9	0	98	99	99	57	55
B»RNDUP POWERMAX	1.125	LAA	12						
C IMPACT 2.8SC	0.016	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
13A DEGREE XTRA	3.03	LAA	9	0	99	99	99	52	43
B»RNDUP POWERMAX	1.125	LAA	12						
C»STATUS 56DG	0.105	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
14A DEGREE XTRA	3.03	LAA	9	0	92	99	99	47	43
B»RNDUP POWERMAX	1.125	LAA	12						
C»TRIPLEFLEXX II	1.60	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
15A CHECK	0.00	NA	0	0	0	0	0	0	0

TITLE: Monsanto Weed Control Systems in RR/LL Corn. AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD CON % 05/24/15	SETFA CON % 05/24/15	CHEAL CON % 05/24/15	AMATA CON % 05/24/15	ABUTH CON % 05/24/15	PHBPU CON % 05/24/15
		RATE	UNIT							
16A»	ANTHEM MAXX 4.	0.134	LAA	9	0	84	99	99	52	43
B»	BAL FLEXX 2L	0.031	LAA	9						
C»	RNDUP POWERMAX	1.125	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
		LSD (0.05)			0.481	4.55	11.00	3.18	11.18	13.11
		STANDARD DEVIATION			0.236	2.23	5.40	1.56	5.48	6.42

TITLE: Monsanto Weed Control Systems in RR/LL Corn. AS-200
CREATED: 04/14/2015 **REVISED:** 10/22/2015 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		XANST	ZEAMD	SETFA	CHEAL	AMATA	ABUTH
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				05/24/15	06/09/15	06/09/15	06/09/15	06/09/15	06/09/15
1A»	HARNESS EXTRA	3.85	LAA 9	73	0	99	99	99	99
B»	RNDUP POWERMAX	1.125	LAA 12						
C»	LIQUID AMS	2.50	PMV 12						
2A	DEGREE XTRA	3.00	LAA 9	37	0	99	99	99	99
B»	RNDUP POWERMAX	1.125	LAA 12						
C»	LIQUID AMS	2.50	PMV 12						
3A»	TRIPLEFLEXX II	1.60	LAA 9	83	0	99	99	99	99
B	ATRAZINE DF	1.00	LAA 9						
C»	RNDUP POWERMAX	1.125	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
4A»	HARNESS EXTRA	3.85	LAA 9	92	0	99	99	99	99
B»	BAL FLEXX 2L	0.047	LAA 9						
C»	RNDUP POWERMAX	1.125	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
5A	DEGREE XTRA	2.32	LAA 9	80	0	99	99	99	99
B»	BAL FLEXX 2L	0.047	LAA 9						
C»	RNDUP POWERMAX	1.125	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
6A»	CORVUS 2.6SC	0.082	LAA 9	70	0	60	99	91	80
B	ATRAZINE DF	1.00	LAA 9						
7A»	LUMAX EZ 3.67S	2.76	LAA 9	83	0	75	99	99	89
8A»	HALEX GT 4.38L	1.97	LAA 11	95	3	95	99	99	99
B»	ACTIVATOR 90	0.25	PMV 11						
C»	LIQUID AMS	2.50	PMV 11						
9A	ATRAZINE DF	1.00	LAA 9	13	0	98	99	99	99
B»	HALEX GT 4.38L	1.97	LAA 12						
C»	ACTIVATOR 90	0.25	PMV 12						
D»	LIQUID AMS	2.50	PMV 12						
10A	CINCH ATZ	3.58	LAA 9	90	0	98	99	99	99
B»	INSTIGATE	6.00	OMA 0						
C	RESOLVE 25DF	0.0156	LAA 9						
D»	MESOTRIONE 50W	0.156	LAA 9						
E	ATRAZINE DF	0.50	LAA 9						
F»	ABUNDIT EXTRA	1.10	LAA 12						
G»	LIQUID AMS	2.50	PMV 12						
11A	DEGREE XTRA	2.53	LAA 9	30	1	99	99	99	99
B»	RNDUP POWERMAX	1.125	LAA 12						
C	IMPACT 2.8SC	0.016	LAA 12						
D»	WARRANT 3L	1.125	LAA 12						
E»	LIQUID AMS	2.50	PMV 12						
12A	DEGREE XTRA	3.03	LAA 9	53	0	99	99	99	99
B»	RNDUP POWERMAX	1.125	LAA 12						
C	IMPACT 2.8SC	0.016	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
13A	DEGREE XTRA	3.03	LAA 9	43	4	99	99	99	99
B»	RNDUP POWERMAX	1.125	LAA 12						
C»	STATUS 56DG	0.105	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
14A	DEGREE XTRA	3.03	LAA 9	38	6	99	99	99	99
B»	RNDUP POWERMAX	1.125	LAA 12						
C»	TRIPLEFLEXX II	1.60	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
15A	CHECK	0.00	NA 0	0	0	0	0	0	0

TITLE: Monsanto Weed Control Systems in RR/LL Corn. AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	XANST CON %	ZEAMD CON %	SETFA CON %	CHEAL CON %	AMATA CON %	ABUTH CON %
		RATE	UNIT		05/24/15	06/09/15	06/09/15	06/09/15	06/09/15	06/09/15
16A»	ANTHEM MAXX 4.	0.134	LAA	9	37	0	97	99	99	99
B»	BAL FLEXX 2L	0.031	LAA	9						
C»	RNDUP POWERMAX	1.125	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
LSD (0.05)					12.52	1.00	8.07	0.00	4.00	7.64
STANDARD DEVIATION					6.13	0.466	4.00	0.00	2.00	3.74

TITLE: Monsanto Weed Control Systems in RR/LL Corn. AS-200
CREATED: 04/14/2015 **REVISED:** 10/22/2015 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		PHBPU	XANST	ZEAMD	SETFA	CHEAL	AMATA
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				06/09/15	06/09/15	06/28/15	06/28/15	06/28/15	06/28/15
1A»	HARNESS EXTRA	3.85	LAA 9	85	87	0	99	99	99
B»	RNDUP POWERMAX	1.125	LAA 12						
C»	LIQUID AMS	2.50	PMV 12						
2A	DEGREE XTRA	3.00	LAA 9	75	84	0	98	99	99
B»	RNDUP POWERMAX	1.125	LAA 12						
C»	LIQUID AMS	2.50	PMV 12						
3A»	TRIPLEFLEXX II	1.60	LAA 9	83	85	0	98	99	99
B	ATRAZINE DF	1.00	LAA 9						
C»	RNDUP POWERMAX	1.125	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
4A»	HARNESS EXTRA	3.85	LAA 9	83	85	0	98	99	99
B»	BAL FLEXX 2L	0.047	LAA 9						
C»	RNDUP POWERMAX	1.125	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
5A	DEGREE XTRA	2.32	LAA 9	82	87	0	99	99	99
B»	BAL FLEXX 2L	0.047	LAA 9						
C»	RNDUP POWERMAX	1.125	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
6A»	CORVUS 2.6SC	0.082	LAA 9	43	47	0	50	99	81
B	ATRAZINE DF	1.00	LAA 9						
7A»	LUMAX EZ 3.67S	2.76	LAA 9	53	60	0	67	99	99
8A»	HALEX GT 4.38L	1.97	LAA 11	75	78	0	83	99	94
B»	ACTIVATOR 90	0.25	PMV 11						
C»	LIQUID AMS	2.50	PMV 11						
9A	ATRAZINE DF	1.00	LAA 9	70	88	0	96	99	98
B»	HALEX GT 4.38L	1.97	LAA 12						
C»	ACTIVATOR 90	0.25	PMV 12						
D»	LIQUID AMS	2.50	PMV 12						
10A	CINCH ATZ	3.58	LAA 9	85	83	0	97	99	99
B»	INSTIGATE	6.00	OMA 0						
C	RESOLVE 25DF	0.0156	LAA 9						
D»	MESOTRIONE 50W	0.156	LAA 9						
E	ATRAZINE DF	0.50	LAA 9						
F»	ABUNDIT EXTRA	1.10	LAA 12						
G»	LIQUID AMS	2.50	PMV 12						
11A	DEGREE XTRA	2.53	LAA 9	75	82	0	98	99	99
B»	RNDUP POWERMAX	1.125	LAA 12						
C	IMPACT 2.8SC	0.016	LAA 12						
D»	WARRANT 3L	1.125	LAA 12						
E»	LIQUID AMS	2.50	PMV 12						
12A	DEGREE XTRA	3.03	LAA 9	72	82	0	98	99	99
B»	RNDUP POWERMAX	1.125	LAA 12						
C	IMPACT 2.8SC	0.016	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
13A	DEGREE XTRA	3.03	LAA 9	77	87	0	98	99	99
B»	RNDUP POWERMAX	1.125	LAA 12						
C»	STATUS 56DG	0.105	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
14A	DEGREE XTRA	3.03	LAA 9	80	89	0	99	99	99
B»	RNDUP POWERMAX	1.125	LAA 12						
C»	TRIPLEFLEXX II	1.60	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
15A	CHECK	0.00	NA 0	0	0	0	0	0	0

TITLE: Monsanto Weed Control Systems in RR/LL Corn. AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	PHBPU	XANST	ZEAMD	SETFA	CHEAL	AMATA
		RATE	UNIT		CON % 06/09/15	CON % 06/09/15	CON % 06/28/15	CON % 06/28/15	CON % 06/28/15	CON % 06/28/15
16A»	ANTHEM MAXX 4.	0.134	LAA	9	78	85	0	95	99	99
B»	BAL FLEXX 2L	0.031	LAA	9						
C»	RNDUP POWERMAX	1.125	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
		LSD (0.05)			6.34	4.94	0.00	8.41	0.00	7.54
		STANDARD DEVIATION			3.10	2.42	0.00	4.12	0.00	3.69

TITLE: Monsanto Weed Control Systems in RR/LL Corn. AS-200
CREATED: 04/14/2015 **REVISED:** 10/22/2015 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	ABUTH CON % 06/28/15	PHBPU CON % 06/28/15	XANST CON % 06/28/15	YIELD BU/A 10/01/15
1A»HARNESS EXTRA	3.85	LAA	9	98	60	70	220.7
B»RNDUP POWERMAX	1.125	LAA	12				
C»LIQUID AMS	2.50	PMV	12				
2A DEGREE XTRA	3.00	LAA	9	96	58	63	237.6
B»RNDUP POWERMAX	1.125	LAA	12				
C»LIQUID AMS	2.50	PMV	12				
3A»TRIPLEFLEXX II	1.60	LAA	9	99	60	77	219.3
B ATRAZINE DF	1.00	LAA	9				
C»RNDUP POWERMAX	1.125	LAA	12				
D»LIQUID AMS	2.50	PMV	12				
4A»HARNESS EXTRA	3.85	LAA	9	99	57	63	227.2
B»BAL FLEXX 2L	0.047	LAA	9				
C»RNDUP POWERMAX	1.125	LAA	12				
D»LIQUID AMS	2.50	PMV	12				
5A DEGREE XTRA	2.32	LAA	9	99	60	70	221.4
B»BAL FLEXX 2L	0.047	LAA	9				
C»RNDUP POWERMAX	1.125	LAA	12				
D»LIQUID AMS	2.50	PMV	12				
6A»CORVUS 2.6SC	0.082	LAA	9	67	17	30	164.8
B ATRAZINE DF	1.00	LAA	9				
7A»LUMAX EZ 3.67S	2.76	LAA	9	86	17	40	177.9
8A»HALEX GT 4.38L	1.97	LAA	11	99	60	53	207.4
B»ACTIVATOR 90	0.25	PMV	11				
C»LIQUID AMS	2.50	PMV	11				
9A ATRAZINE DF	1.00	LAA	9	96	62	75	223.7
B»HALEX GT 4.38L	1.97	LAA	12				
C»ACTIVATOR 90	0.25	PMV	12				
D»LIQUID AMS	2.50	PMV	12				
10A CINCH ATZ	3.58	LAA	9	99	53	72	220.7
B»INSTIGATE	6.00	OMA	0				
C RESOLVE 25DF	0.0156	LAA	9				
D»MESOTRIONE 50W	0.156	LAA	9				
E ATRAZINE DF	0.50	LAA	9				
F»ABUNDIT EXTRA	1.10	LAA	12				
G»LIQUID AMS	2.50	PMV	12				
11A DEGREE XTRA	2.53	LAA	9	99	57	63	221.9
B»RNDUP POWERMAX	1.125	LAA	12				
C IMPACT 2.8SC	0.016	LAA	12				
D»WARRANT 3L	1.125	LAA	12				
E»LIQUID AMS	2.50	PMV	12				
12A DEGREE XTRA	3.03	LAA	9	98	55	65	219.5
B»RNDUP POWERMAX	1.125	LAA	12				
C IMPACT 2.8SC	0.016	LAA	12				
D»LIQUID AMS	2.50	PMV	12				
13A DEGREE XTRA	3.03	LAA	9	99	57	63	220.1
B»RNDUP POWERMAX	1.125	LAA	12				
C»STATUS 56DG	0.105	LAA	12				
D»LIQUID AMS	2.50	PMV	12				
14A DEGREE XTRA	3.03	LAA	9	99	65	82	220.5
B»RNDUP POWERMAX	1.125	LAA	12				
C»TRIPLEFLEXX II	1.60	LAA	12				
D»LIQUID AMS	2.50	PMV	12				
15A CHECK	0.00	NA	0	0	0	0	103.8

TITLE: Monsanto Weed Control Systems in RR/LL Corn. AS-200

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	ABUTH CON % 06/28/15	PHBPU CON % 06/28/15	XANST CON % 06/28/15	YIELD BU/A 10/01/15
16A»ANTHEM MAXX 4.	0.134	LAA	9	99	57	58	218.7
B»BAL FLEXX 2L	0.031	LAA	9				
C»RNDUP POWERMAX	1.125	LAA	12				
D»LIQUID AMS	2.50	PMV	12				
	LSA (0.05)			11.57	11.93	10.91	26.37
	STANDARD DEVIATION			5.66	5.84	5.34	12.92

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = --- / UNTREATED TIMING
 09 = --- / PREEMERGENCE 04/24/2015(1)
 11 = --- / EPOST 05/18/2015(2)
 12 = --- / POST 05/28/2015(3)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	CON %	05/24/2015	01	P	ZEAMD		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/24/2015	02	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	05/24/2015	03	P	CHEAL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
004	AMATA	CON %	05/24/2015	04	P	AMATA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
005	ABUTH	CON %	05/24/2015	05	P	ABUTH		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
006	PHBPU	CON %	05/24/2015	06	P	PHBPU		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
007	XANST	CON %	05/24/2015	07	P	XANST		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
008	ZEAMD	CON %	06/09/2015	01	P	ZEAMD		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
009	SETFA	CON %	06/09/2015	02	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
010	CHEAL	CON %	06/09/2015	03	P	CHEAL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
011	AMATA	CON %	06/09/2015	04	P	AMATA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
012	ABUTH	CON %	06/09/2015	05	P	ABUTH		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
013	PHBPU	CON %	06/09/2015	06	P	PHBPU		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
014	XANST	CON %	06/09/2015	07	P	XANST		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
015	ZEAMD	CON %	06/28/2015	01	P	ZEAMD		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
016	SETFA	CON %	06/28/2015	02	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
017	CHEAL	CON %	06/28/2015	03	P	CHEAL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
018	AMATA	CON %	06/28/2015	04	P	AMATA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
019	ABUTH	CON %	06/28/2015	05	P	ABUTH		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
020	PHBPU	CON %	06/28/2015	06	P	PHBPU		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
021	XANST	CON %	06/28/2015	07	P	XANST		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
022	YIELD	BU/A	10/01/2015	01	P	ZEAMD		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = GH G10 D98-3122