

SOIL INFORMATION

TEXTURE: SIL
 PH: 6.6
 %OM: 4.7
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 7.5 X 30 FEET
 PLOT AREA: 225 FEET

TRIAL INFORMATION

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	UNIT
TIMINGS	11	
TYPE	LIQUID MI	
APPLICATION DATE	05/18/15	AME
AIR TEMPERATURE	67	F
% REL.HUMIDITY	71	
WIND DIRECTION	SOUTHWEST	
WIND SPEED	6.0	M/H
CLOUD COVER	PAR.CLOUD	
DEW	NO	
SOIL MOISTURE	MOIST/MOI	
SOIL CONDITION	TO BE SEL	
METHOD	SPRAY	
EQUIPMENT	BACKPACK/	
PROPELLANT	COMPRESSE	
PLACEMENT	BROADCAST	
NOZZLE	FLATFAN	
NOZZLE DESCRIPTION		
NOZZLE NUMBER	5	
NOZZLE SPACING	18.000	IN
SCREEN SIZE		
SCREEN SZ DESC	NA	
SWATH WIDTH	7.5	FT
SPRAY VOLUME	20.00	
SPRAY VOLUME UNIT	GPA	
PRESSURE	30.00	PSI
DILUENT	WATER	
INC. DATE		AME
INC. START		24H
INC. END		24H
INC. DEPTH		IN
INC. EQUIPMENT	TO BE SEL	
FOLIAGE HEIGHT		FT
FOLIAGE WIDTH		FT
ROW WIDTH		FT
SPRAY VOL LWA/TRV		
S VOL LWA/TRV UNIT		
LEAF WALL AREA		M2H
TREE ROW VOLUME		M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	
CROP *		
P, CORN, DENT	---/13	
GH G10 D98-3122	6.00/7.00	IN
(PLANTED) 04/24/2015	24 DAP	
PEST *		
P, VELVETLEAF	---/13 1.00/3.00	IN
P, WATERHEMP, COMMO	---/15 1.00/3.00	IN
P, LAMBSQUARTERS, C	---/16 1.00/1.00	IN
P, MORNINGGLORY, TA	---/11 1.00/1.00	IN
P, FOXTAIL, GIANT	---/13 1.00/3.00	IN
P, COCKLEBUR, COMMO	---/12 2.00/4.00	IN

*** TIMING CODES**

11 = --- / EPOST

*** STAGE CODE**

11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED
12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
13 = 3 LEAVES UNFOLDED
13 = 3 LEAVES UNFOLDED
13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Armezon Pro (BAS 677) Comparisjons for Weed Control Systems in RR/LL Corn. AS-200
CREATED: 04/16/2015 **REVISED:** 08/27/2015 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	ZEAMD CON % 05/24/15	SETFA CON % 05/24/15	CHEAL CON % 05/24/15	AMATA CON % 05/24/15	ABUTH CON % 05/24/15	PHBPU CON % 05/24/15
1A»BAS 677 03H 5. B»MSO C»LIQUID AMS	0.67 1.00 2.50	LAA PMV PMV	11 11 11	4	82	93	96	99	77
2A»BAS 677 03H 5. B»MSO C»LIQUID AMS	0.84 1.00 2.50	LAA PMV PMV	11 11 11	3	87	97	98	96	82
3A»CAPRENO 3.45 S B»COC C»LIQUID AMS	0.081 1.00 2.50	LAA PMV PMV	11 11 11	1	77	91	92	88	72
4A»BAS 677 03H 5. B»RNDUP POWERMAX C»COC D»LIQUID AMS	0.67 0.56 1.00 2.50	LAA LAA PMV PMV	11 11 11 11	1	99	99	99	99	89
5A»BAS 677 03H 5. B»RNDUP POWERMAX C»COC D»LIQUID AMS	0.84 0.56 1.00 2.50	LAA LAA PMV PMV	11 11 11 11	3	99	99	99	99	95
6A»HALEX GT 4.38L B»ACTIVATOR 90 C»LIQUID AMS	1.97 0.25 2.50	LAA PMV PMV	11 11 11	3	99	99	99	99	90
7A»HALEX GT 4.38L B»ACTIVATOR 90 C»LIQUID AMS	2.19 0.25 2.50	LAA PMV PMV	11 11 11	3	99	99	99	99	90
8A»BAS 677 03H 5. B»RNDUP POWERMAX C ATRAZINE DF D»COC E»LIQUID AMS	0.67 0.56 0.50 1.00 2.50	LAA LAA LAA PMV PMV	11 11 11 11 11	10	99	99	99	99	99
9A»BAS 677 03H 5. B»RNDUP POWERMAX C ATRAZINE DF D»COC E»LIQUID AMS	0.84 0.56 0.50 1.00 2.50	LAA LAA LAA PMV PMV	11 11 11 11 11	14	99	99	99	99	99
10A»HALEX GT 4.38L B ATRAZINE DF C»ACTIVATOR 90 D»LIQUID AMS	1.97 0.50 0.25 2.50	LAA LAA PMV PMV	11 11 11 11	7	99	99	99	99	99
11A»HALEX GT 4.38L B ATRAZINE DF C»ACTIVATOR 90 D»LIQUID AMS	2.19 0.50 0.25 2.50	LAA LAA PMV PMV	11 11 11 11	10	99	99	99	99	99
12A CHECK	0.00	NA	0	0	0	0	0	0	0
13A»SOLSTICE 4L B»ANTHEM MAXX 4. C»RNDUP POWERMAX D ATRAZINE DF E»COC F»LIQUID AMS	0.078 0.067 0.56 0.50 1.00 2.50	LAA LAA LAA LAA PMV PMV	11 11 11 11 11 11	9	98	99	99	99	99
14A»SURESTART II 4 B»DURANGO 4AE C»LIQUID AMS	1.04 1.00 2.50	LAA LAA PMV	11 11 11	4	99	99	99	99	95

TITLE: Armezon Pro (BAS 677) Comparisions for Weed Control Systems in RR/LL Corn. AS-200

TRT	TREATMENT	DOSAGE		ZEAMD	SETFA	CHEAL	AMATA	ABUTH	PHBPU
NUM	COMPONENT	RATE	UNIT TM	CON % 05/24/15	CON % 05/24/15	CON % 05/24/15	CON % 05/24/15	CON % 05/24/15	CON % 05/24/15
15A»	LAUDIS FLEXX 1	0.41	LAA 11	1	99	99	99	99	98
	B»RNDUP POWERMAX	0.56	LAA 11						
	C»COC	1.00	PMV 11						
	D»LIQUID AMS	2.50	PMV 11						
16A»	LAUDIS FLEXX 1	0.41	LAA 11	4	99	99	99	99	99
	B»RNDUP POWERMAX	0.56	LAA 11						
	C ATRAZINE DF	0.50	LAA 11						
	D»COC	1.00	PMV 11						
	E»LIQUID AMS	2.50	PMV 11						
		LSD (0.05)		1.92	3.00	1.94	1.32	2.41	4.16
		STANDARD DEVIATION		0.942	1.45	0.949	0.646	1.18	2.00

TITLE: Armezon Pro (BAS 677) Comparisnions for Weed Control Systems in RR/LL Corn. AS-200
CREATED: 04/16/2015 **REVISED:** 08/27/2015 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		XANST	ZEAMD	SETFA	CHEAL	AMATA	ABUTH
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				05/24/15	05/31/15	05/31/15	05/31/15	05/31/15	05/31/15
1A»	BAS 677 03H 5.	0.67	LAA 11	75	0	97	99	99	99
B»	MISO	1.00	PMV 11						
C»	LIQUID AMS	2.50	PMV 11						
2A»	BAS 677 03H 5.	0.84	LAA 11	84	0	97	99	99	99
B»	MISO	1.00	PMV 11						
C»	LIQUID AMS	2.50	PMV 11						
3A»	CAPRENO 3.45 S	0.081	LAA 11	67	0	96	99	99	99
B»	COC	1.00	PMV 11						
C»	LIQUID AMS	2.50	PMV 11						
4A»	BAS 677 03H 5.	0.67	LAA 11	93	0	95	99	99	99
B»	RNDUP POWERMAX	0.56	LAA 11						
C»	COC	1.00	PMV 11						
D»	LIQUID AMS	2.50	PMV 11						
5A»	BAS 677 03H 5.	0.84	LAA 11	93	0	98	99	99	99
B»	RNDUP POWERMAX	0.56	LAA 11						
C»	COC	1.00	PMV 11						
D»	LIQUID AMS	2.50	PMV 11						
6A»	HALEX GT 4.38L	1.97	LAA 11	90	0	98	99	99	99
B»	ACTIVATOR 90	0.25	PMV 11						
C»	LIQUID AMS	2.50	PMV 11						
7A»	HALEX GT 4.38L	2.19	LAA 11	90	0	99	99	99	99
B»	ACTIVATOR 90	0.25	PMV 11						
C»	LIQUID AMS	2.50	PMV 11						
8A»	BAS 677 03H 5.	0.67	LAA 11	99	0	96	99	99	99
B»	RNDUP POWERMAX	0.56	LAA 11						
C	ATRAZINE DF	0.50	LAA 11						
D»	COC	1.00	PMV 11						
E»	LIQUID AMS	2.50	PMV 11						
9A»	BAS 677 03H 5.	0.84	LAA 11	99	0	94	99	99	99
B»	RNDUP POWERMAX	0.56	LAA 11						
C	ATRAZINE DF	0.50	LAA 11						
D»	COC	1.00	PMV 11						
E»	LIQUID AMS	2.50	PMV 11						
10A»	HALEX GT 4.38L	1.97	LAA 11	96	0	97	99	99	99
B	ATRAZINE DF	0.50	LAA 11						
C»	ACTIVATOR 90	0.25	PMV 11						
D»	LIQUID AMS	2.50	PMV 11						
11A»	HALEX GT 4.38L	2.19	LAA 11	99	0	99	99	99	99
B	ATRAZINE DF	0.50	LAA 11						
C»	ACTIVATOR 90	0.25	PMV 11						
D»	LIQUID AMS	2.50	PMV 11						
12A	CHECK	0.00	NA 0	0	0	0	0	0	0
13A»	SOLSTICE 4L	0.078	LAA 11	99	0	94	99	99	99
B»	ANTHEM MAXX 4.	0.067	LAA 11						
C»	RNDUP POWERMAX	0.56	LAA 11						
D	ATRAZINE DF	0.50	LAA 11						
E»	COC	1.00	PMV 11						
F»	LIQUID AMS	2.50	PMV 11						
14A»	SURESTART II 4	1.04	LAA 11	96	0	91	99	99	99
B»	DURANGO 4AE	1.00	LAA 11						
C»	LIQUID AMS	2.50	PMV 11						

TITLE: Armezon Pro (BAS 677) Comparisions for Weed Control Systems in RR/LL Corn. AS-200

TRT	TREATMENT	DOSAGE		XANST	ZEAMD	SETFA	CHEAL	AMATA	ABUTH
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				05/24/15	05/31/15	05/31/15	05/31/15	05/31/15	05/31/15
15A»	LAUDIS FLEXX 1	0.41	LAA 11	98	0	91	99	99	99
	B»RNDUP POWERMAX	0.56	LAA 11						
	C»COC	1.00	PMV 11						
	D»LIQUID AMS	2.50	PMV 11						
16A»	LAUDIS FLEXX 1	0.41	LAA 11	99	0	95	99	99	99
	B»RNDUP POWERMAX	0.56	LAA 11						
	C ATRAZINE DF	0.50	LAA 11						
	D»COC	1.00	PMV 11						
	E»LIQUID AMS	2.50	PMV 11						
		LSD (0.05)		7.72	0.00	5.00	0.00	0.00	0.00
		STANDARD DEVIATION		3.78	0.00	2.44	0.00	0.00	0.00

TITLE: Armezon Pro (BAS 677) Comparisnions for Weed Control Systems in RR/LL Corn. AS-200
CREATED: 04/16/2015 **REVISED:** 08/27/2015 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		PHBPU	XANST	ZEAMD	SETFA	CHEAL	AMATA
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				05/31/15	05/31/15	06/15/15	06/15/15	06/15/15	06/15/15
1A»	BAS 677 03H 5.	0.67	LAA 11	60	83	0	99	99	99
	B»MSO	1.00	PMV 11						
	C»LIQUID AMS	2.50	PMV 11						
2A»	BAS 677 03H 5.	0.84	LAA 11	79	91	0	99	99	99
	B»MSO	1.00	PMV 11						
	C»LIQUID AMS	2.50	PMV 11						
3A»	CAPRENO 3.45 S	0.081	LAA 11	95	95	0	88	99	99
	B»COC	1.00	PMV 11						
	C»LIQUID AMS	2.50	PMV 11						
4A»	BAS 677 03H 5.	0.67	LAA 11	90	91	0	99	99	99
	B»RNDUP POWERMAX	0.56	LAA 11						
	C»COC	1.00	PMV 11						
	D»LIQUID AMS	2.50	PMV 11						
5A»	BAS 677 03H 5.	0.84	LAA 11	93	94	0	99	99	99
	B»RNDUP POWERMAX	0.56	LAA 11						
	C»COC	1.00	PMV 11						
	D»LIQUID AMS	2.50	PMV 11						
6A»	HALEX GT 4.38L	1.97	LAA 11	96	96	0	98	99	99
	B»ACTIVATOR 90	0.25	PMV 11						
	C»LIQUID AMS	2.50	PMV 11						
7A»	HALEX GT 4.38L	2.19	LAA 11	95	96	0	99	99	99
	B»ACTIVATOR 90	0.25	PMV 11						
	C»LIQUID AMS	2.50	PMV 11						
8A»	BAS 677 03H 5.	0.67	LAA 11	89	88	0	99	99	99
	B»RNDUP POWERMAX	0.56	LAA 11						
	C ATRAZINE DF	0.50	LAA 11						
	D»COC	1.00	PMV 11						
	E»LIQUID AMS	2.50	PMV 11						
9A»	BAS 677 03H 5.	0.84	LAA 11	95	95	0	98	99	99
	B»RNDUP POWERMAX	0.56	LAA 11						
	C ATRAZINE DF	0.50	LAA 11						
	D»COC	1.00	PMV 11						
	E»LIQUID AMS	2.50	PMV 11						
10A»	HALEX GT 4.38L	1.97	LAA 11	96	96	0	99	99	99
	B ATRAZINE DF	0.50	LAA 11						
	C»ACTIVATOR 90	0.25	PMV 11						
	D»LIQUID AMS	2.50	PMV 11						
11A»	HALEX GT 4.38L	2.19	LAA 11	98	96	0	98	99	99
	B ATRAZINE DF	0.50	LAA 11						
	C»ACTIVATOR 90	0.25	PMV 11						
	D»LIQUID AMS	2.50	PMV 11						
12A	CHECK	0.00	NA 0	0	0	0	0	0	0
13A»	SOLSTICE 4L	0.078	LAA 11	92	90	0	90	99	99
	B»ANTHEM MAXX 4.	0.067	LAA 11						
	C»RNDUP POWERMAX	0.56	LAA 11						
	D ATRAZINE DF	0.50	LAA 11						
	E»COC	1.00	PMV 11						
	F»LIQUID AMS	2.50	PMV 11						
14A»	SURESTART II 4	1.04	LAA 11	86	87	0	99	99	99
	B»DURANGO 4AE	1.00	LAA 11						
	C»LIQUID AMS	2.50	PMV 11						

TITLE: Armezon Pro (BAS 677) Comparisions for Weed Control Systems in RR/LL Corn. AS-200

TRT	TREATMENT	DOSAGE		PHBPU	XANST	ZEAMD	SETFA	CHEAL	AMATA
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				05/31/15	05/31/15	06/15/15	06/15/15	06/15/15	06/15/15
15A»	LAUDIS FLEXX 1	0.41	LAA 11	93	93	0	70	99	99
	B»RNDUP POWERMAX	0.56	LAA 11						
	C»COC	1.00	PMV 11						
	D»LIQUID AMS	2.50	PMV 11						
16A»	LAUDIS FLEXX 1	0.41	LAA 11	96	96	0	80	99	99
	B»RNDUP POWERMAX	0.56	LAA 11						
	C ATRAZINE DF	0.50	LAA 11						
	D»COC	1.00	PMV 11						
	E»LIQUID AMS	2.50	PMV 11						
		LSD (0.05)		6.07	5.45	0.00	2.56	0.00	0.00
		STANDARD DEVIATION		3.00	2.67	0.00	1.25	0.00	0.00

TITLE: Armezon Pro (BAS 677) Comparisions for Weed Control Systems in RR/LL Corn. AS-200
CREATED: 04/16/2015 **REVISED:** 08/27/2015 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE	ABUTH	PHBPU	XANST
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %
				06/15/15	06/15/15
1A»	BAS 677 03H 5.	0.67	LAA 11	94	58
B»	MSO	1.00	PMV 11		53
C»	LIQUID AMS	2.50	PMV 11		
2A»	BAS 677 03H 5.	0.84	LAA 11	96	73
B»	MSO	1.00	PMV 11		68
C»	LIQUID AMS	2.50	PMV 11		
3A»	CAPRENO 3.45 S	0.081	LAA 11	99	81
B»	COC	1.00	PMV 11		80
C»	LIQUID AMS	2.50	PMV 11		
4A»	BAS 677 03H 5.	0.67	LAA 11	99	83
B»	RNDUP POWERMAX	0.56	LAA 11		77
C»	COC	1.00	PMV 11		
D»	LIQUID AMS	2.50	PMV 11		
5A»	BAS 677 03H 5.	0.84	LAA 11	99	77
B»	RNDUP POWERMAX	0.56	LAA 11		80
C»	COC	1.00	PMV 11		
D»	LIQUID AMS	2.50	PMV 11		
6A»	HALEX GT 4.38L	1.97	LAA 11	99	86
B»	ACTIVATOR 90	0.25	PMV 11		93
C»	LIQUID AMS	2.50	PMV 11		
7A»	HALEX GT 4.38L	2.19	LAA 11	99	85
B»	ACTIVATOR 90	0.25	PMV 11		89
C»	LIQUID AMS	2.50	PMV 11		
8A»	BAS 677 03H 5.	0.67	LAA 11	99	77
B»	RNDUP POWERMAX	0.56	LAA 11		73
C	ATRAZINE DF	0.50	LAA 11		
D»	COC	1.00	PMV 11		
E»	LIQUID AMS	2.50	PMV 11		
9A»	BAS 677 03H 5.	0.84	LAA 11	99	83
B»	RNDUP POWERMAX	0.56	LAA 11		84
C	ATRAZINE DF	0.50	LAA 11		
D»	COC	1.00	PMV 11		
E»	LIQUID AMS	2.50	PMV 11		
10A»	HALEX GT 4.38L	1.97	LAA 11	99	81
B	ATRAZINE DF	0.50	LAA 11		90
C»	ACTIVATOR 90	0.25	PMV 11		
D»	LIQUID AMS	2.50	PMV 11		
11A»	HALEX GT 4.38L	2.19	LAA 11	99	84
B	ATRAZINE DF	0.50	LAA 11		89
C»	ACTIVATOR 90	0.25	PMV 11		
D»	LIQUID AMS	2.50	PMV 11		
12A	CHECK	0.00	NA 0	0	0
13A»	SOLSTICE 4L	0.078	LAA 11	99	78
B»	ANTHEM MAXX 4.	0.067	LAA 11		81
C»	RNDUP POWERMAX	0.56	LAA 11		
D	ATRAZINE DF	0.50	LAA 11		
E»	COC	1.00	PMV 11		
F»	LIQUID AMS	2.50	PMV 11		
14A»	SURESTART II 4	1.04	LAA 11	98	72
B»	DURANGO 4AE	1.00	LAA 11		90
C»	LIQUID AMS	2.50	PMV 11		

TITLE: Armezon Pro (BAS 677) Comparisions for Weed Control Systems in RR/LL Corn. AS-200

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	ABUTH CON % 06/15/15	PHBPU CON % 06/15/15	XANST CON % 06/15/15
15A»LAUDIS FLEXX 1	0.41	LAA	11	99	74	88
B»RNDUP POWERMAX	0.56	LAA	11			
C»COC	1.00	PMV	11			
D»LIQUID AMS	2.50	PMV	11			
16A»LAUDIS FLEXX 1	0.41	LAA	11	99	85	94
B»RNDUP POWERMAX	0.56	LAA	11			
C ATRAZINE DF	0.50	LAA	11			
D»COC	1.00	PMV	11			
E»LIQUID AMS	2.50	PMV	11			
LSD (0.05)				4.00	8.08	6.26
STANDARD DEVIATION				2.00	4.00	3.07

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = --- / UNTREATED TIMING
 11 = --- / EPOST 05/18/2015(1)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	CON %	05/24/2015	01	P	ZEAMD		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/24/2015	02	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	05/24/2015	03	P	CHEAL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
004	AMATA	CON %	05/24/2015	04	P	AMATA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
005	ABUTH	CON %	05/24/2015	05	P	ABUTH		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
006	PHBPU	CON %	05/24/2015	06	P	PHBPU		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
007	XANST	CON %	05/24/2015	07	P	XANST		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
008	ZEAMD	CON %	05/31/2015	01	P	ZEAMD		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
009	SETFA	CON %	05/31/2015	02	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
010	CHEAL	CON %	05/31/2015	03	P	CHEAL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
011	AMATA	CON %	05/31/2015	04	P	AMATA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
012	ABUTH	CON %	05/31/2015	05	P	ABUTH		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
013	PHBPU	CON %	05/31/2015	06	P	PHBPU		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
014	XANST	CON %	05/31/2015	07	P	XANST		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
015	ZEAMD	CON %	06/15/2015	01	P	ZEAMD		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
016	SETFA	CON %	06/15/2015	02	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
017	CHEAL	CON %	06/15/2015	03	P	CHEAL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
018	AMATA	CON %	06/15/2015	04	P	AMATA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
019	ABUTH	CON %	06/15/2015	05	P	ABUTH		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
020	PHBPU	CON %	06/15/2015	06	P	PHBPU		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
021	XANST	CON %	06/15/2015	07	P	XANST		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = GH G10 D98-3122