

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.4
%OM: 4.6
PREV.CROP: ZEAMD - dent corn
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET
PLOT AREA: 225 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	05	09	12	
TYPE	LIQUID MI	LIQUID MI	LIQUID MI	
APPLICATION DATE	05/06/16	05/20/16	06/14/16	AME
TIME - BEGIN	12:15	09:50	14:00	24H
TIME - END	12:45	10:00	14:20	24H
AIR TEMPERATURE	65	62	83	F
% REL.HUMIDITY	30	50	77	
WIND DIRECTION	WEST	EAST	SOUTHEAST	
WIND SPEED	6.0	5.0	5.0	M/H
CLOUD COVER	PAR.CLOUD	CLOUDY~6	PAR.CLOUD	
DEW	NO	NO	NO	
SOIL MOISTURE	MOIST/MOI	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	TO BE SEL	TO BE SEL	TO BE SEL	
SOIL TEMP/DEPTH	58/4.00	60/4.00	82/4.00	F/IN
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION				
NOZZLE VOLUME	0.00	0.00	0.00	GPM
NOZZLE NUMBER	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	7.5	7.5	7.5	FT
BOOM HEIGHT	20.0	20.0	20.0	IN
SPEED	3.00	3.00	3.00	M/H
MIX SIZE	0.330	0.330	0.330	
MIX SIZE UNIT	GAL	GAL	GAL	
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	30.00	30.00	30.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	TO BE SEL	TO BE SEL	TO BE SEL	
FOLIAGE HEIGHT				FT
FOLIAGE WIDTH				FT
ROW WIDTH				FT
SPRAY VOL LWA/TRV				
S VOL LWA/TRV UNIT				
LEAF WALL AREA				M2H
TREE ROW VOLUME				M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *				
P, soybean;soya bea A 3304 RR2 (PLANTED) 05/19/2016			---/15 6.00/6.00 26 DAP	IN
PEST *				
P, annual ragweed;c	---/14 3.00/5.00	---/16 4.00/8.00	---/19 6.00/10.0	IN
P, common lambsquar	---/19 2.00/4.00	---/19 3.00/5.00	---/19 4.00/8.00	IN
P, hogweed;horsewee	---/19 4.00/6.00	---/19 5.00/7.00	---/19 5.00/10.0	IN

*** CONTINUE

SPECIE AND STAGE	DEN / STG	DEN / STG	DEN / STG	
	MIN / MAX	MIN / MAX	MIN / MAX	
PEST *				
P, henbit deadnettl	---/19 4.00/6.00	---/19 5.00/7.00	---/19 5.00/8.00	IN
P, common morning g	---/10 0.50/0.50	---/13 1.00/3.00	---/17 3.00/5.00	IN
P, giant foxtail;no	---/10 0.50/0.50	---/13 1.00/3.00	---/16 4.00/8.00	IN
P, common chickweed	---/19 3.00/5.00	---/19 4.00/6.00	---/19 4.00/8.00	IN

* TIMING CODES

05 = --- / EPP 15 DBP
 09 = --- / PREEMERGENCE
 12 = --- / POST

* STAGE CODE

10 = FIRST LEAF THROUGH COLEOPTILE
 10 = 1ST LEAF EMERGED; COTYLEDONS UNFOLDED
 13 = 3 LEAVES UNFOLDED
 13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 15 = 5TH LEAF (3RD TRIFOLIATE LEAF) UNFOLDED, 4 NODES
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 16 = 6 LEAVES UNFOLDED
 17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Panther Pro for Weed Control in No-till Soybean. N-200
CREATED: 04/08/2016 **REVISED:** 08/25/2016 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	STEME CON % 05/13/16	LAMAM CON % 05/13/16	ERICA CON % 05/13/16	CHEAL CON % 05/13/16	STEME CON % 05/23/16	LAMAM CON % 05/23/16
1A»SPITFIRE 3.57L	0.89	LAA	5	96	95	92	93	99	99
B»CREDIT XTREME	0.77	LAA	5						
C»PANTHER PRO 4.	0.492	LAA	5						
D»MSO	1.00	PMV	5						
E»LIQUID AMS	2.50	PMV	5						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
2A»SPITFIRE 3.57L	0.89	LAA	5	82	82	84	93	99	95
B»CREDIT XTREME	0.77	LAA	5						
C»AUTHOR. ASSIST	0.31	LAA	5						
D»MSO	1.00	PMV	5						
E»LIQUID AMS	2.50	PMV	5						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
3A»SPITFIRE 3.57L	0.89	LAA	5	80	85	88	88	99	99
B»CREDIT XTREME	0.77	LAA	5						
C»LIQUID AMS	2.50	PMV	5						
D»PANTHER PRO 4.	0.394	LAA	9						
E»MSO	1.00	PMV	9						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
4A»SPITFIRE 3.57L	0.89	LAA	5	80	80	88	88	99	99
B»CREDIT XTREME	0.77	LAA	5						
C»LIQUID AMS	2.50	PMV	5						
D»PANTHER PRO 4.	0.492	LAA	9						
E»MSO	1.00	PMV	9						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
5A»SPITFIRE 3.57L	0.89	LAA	5	80	77	90	88	99	99
B»CREDIT XTREME	0.77	LAA	5						
C»LIQUID AMS	2.50	PMV	5						
D»AUTHOR. ASSIST	0.25	LAA	9						
E»MSO	1.00	PMV	9						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
6A»SPITFIRE 3.57L	0.89	LAA	5	83	83	90	88	98	99
B»CREDIT XTREME	0.77	LAA	5						
C»LIQUID AMS	2.50	PMV	5						
D»PANTHER SC 4L	0.078	LAA	9						
E»MSO	1.00	PMV	9						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
7A»PREFIX 5.32SL	1.33	LAA	5	83	87	90	92	97	99
B»CREDIT XTREME	0.77	LAA	5						
C»2,4-D LVE	0.50	LAA	5						
D»LIQUID AMS	2.50	PMV	5						
E»CREDIT XTREME	0.77	LAA	12						
F»LIQUID AMS	2.50	PMV	12						
8A CHECK	0.00	NA	0	0	0	0	0	0	0
9A»FIERCE 76WG	0.14	LAA	5	88	87	82	93	99	99
B»CREDIT XTREME	0.77	LAA	5						
C»2,4-D LVE	0.50	LAA	5						
D»LIQUID AMS	2.50	PMV	5						
E»CREDIT XTREME	0.77	LAA	12						
F»LIQUID AMS	2.50	PMV	12						
LSD (0.05)				5.6	7.2	4.4	3.4	1.7	2.7
STANDARD DEVIATION				2.6	3.4	2.1	1.6	0.8	1.3

TITLE: Panther Pro for Weed Control in No-till Soybean. N-200
CREATED: 04/08/2016 **REVISED:** 08/25/2016 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	ERICA CON % 05/23/16	CHEAL CON % 05/23/16	AMBEL CON % 05/23/16	GLXMA CON % 06/02/16	STEME CON % 06/02/16	LAMAM CON % 06/02/16
1A»SPITFIRE 3.57L	0.89	LAA	5	99	99	99	0	99	99
B»CREDIT XTREME	0.77	LAA	5						
C»PANTHER PRO 4.	0.492	LAA	5						
D»MSO	1.00	PMV	5						
E»LIQUID AMS	2.50	PMV	5						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
2A»SPITFIRE 3.57L	0.89	LAA	5	98	99	96	0	98	99
B»CREDIT XTREME	0.77	LAA	5						
C»AUTHOR. ASSIST	0.31	LAA	5						
D»MSO	1.00	PMV	5						
E»LIQUID AMS	2.50	PMV	5						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
3A»SPITFIRE 3.57L	0.89	LAA	5	99	99	99	0	99	99
B»CREDIT XTREME	0.77	LAA	5						
C»LIQUID AMS	2.50	PMV	5						
D»PANTHER PRO 4.	0.394	LAA	9						
E»MSO	1.00	PMV	9						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
4A»SPITFIRE 3.57L	0.89	LAA	5	99	99	99	0	99	99
B»CREDIT XTREME	0.77	LAA	5						
C»LIQUID AMS	2.50	PMV	5						
D»PANTHER PRO 4.	0.492	LAA	9						
E»MSO	1.00	PMV	9						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
5A»SPITFIRE 3.57L	0.89	LAA	5	99	99	99	0	99	99
B»CREDIT XTREME	0.77	LAA	5						
C»LIQUID AMS	2.50	PMV	5						
D»AUTHOR. ASSIST	0.25	LAA	9						
E»MSO	1.00	PMV	9						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
6A»SPITFIRE 3.57L	0.89	LAA	5	97	99	99	0	99	99
B»CREDIT XTREME	0.77	LAA	5						
C»LIQUID AMS	2.50	PMV	5						
D»PANTHER SC 4L	0.078	LAA	9						
E»MSO	1.00	PMV	9						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
7A»PREFIX 5.32SL	1.33	LAA	5	99	99	99	0	99	99
B»CREDIT XTREME	0.77	LAA	5						
C»2,4-D LVE	0.50	LAA	5						
D»LIQUID AMS	2.50	PMV	5						
E»CREDIT XTREME	0.77	LAA	12						
F»LIQUID AMS	2.50	PMV	12						
8A CHECK	0.00	NA	0	0	0	0	0	0	0
9A»FIERCE 76WG	0.14	LAA	5	98	99	99	0	99	99
B»CREDIT XTREME	0.77	LAA	5						
C»2,4-D LVE	0.50	LAA	5						
D»LIQUID AMS	2.50	PMV	5						
E»CREDIT XTREME	0.77	LAA	12						
F»LIQUID AMS	2.50	PMV	12						
LSD (0.05)				1.8	0.0	1.8	0.0	1.3	0.0
STANDARD DEVIATION				0.9	0.0	0.8	0.0	0.6	0.0

TITLE: Panther Pro for Weed Control in No-till Soybean. N-200
CREATED: 04/08/2016 **REVISED:** 08/25/2016 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	ERICA CON % 06/02/16	CHEAL CON % 06/02/16	AMBEL CON % 06/02/16	SETFA CON % 06/02/16	PHBPU CON % 06/02/16	GLXMA CON % 07/05/16
1A»SPITFIRE 3.57L	0.89	LAA	5	98	99	99	99	97	0
B»CREDIT XTREME	0.77	LAA	5						
C»PANTHER PRO 4.	0.492	LAA	5						
D»MSO	1.00	PMV	5						
E»LIQUID AMS	2.50	PMV	5						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
2A»SPITFIRE 3.57L	0.89	LAA	5	99	99	99	99	99	0
B»CREDIT XTREME	0.77	LAA	5						
C»AUTHOR. ASSIST	0.31	LAA	5						
D»MSO	1.00	PMV	5						
E»LIQUID AMS	2.50	PMV	5						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
3A»SPITFIRE 3.57L	0.89	LAA	5	99	99	99	99	99	0
B»CREDIT XTREME	0.77	LAA	5						
C»LIQUID AMS	2.50	PMV	5						
D»PANTHER PRO 4.	0.394	LAA	9						
E»MSO	1.00	PMV	9						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
4A»SPITFIRE 3.57L	0.89	LAA	5	99	99	99	99	96	0
B»CREDIT XTREME	0.77	LAA	5						
C»LIQUID AMS	2.50	PMV	5						
D»PANTHER PRO 4.	0.492	LAA	9						
E»MSO	1.00	PMV	9						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
5A»SPITFIRE 3.57L	0.89	LAA	5	99	99	99	98	99	0
B»CREDIT XTREME	0.77	LAA	5						
C»LIQUID AMS	2.50	PMV	5						
D»AUTHOR. ASSIST	0.25	LAA	9						
E»MSO	1.00	PMV	9						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
6A»SPITFIRE 3.57L	0.89	LAA	5	99	99	99	98	96	0
B»CREDIT XTREME	0.77	LAA	5						
C»LIQUID AMS	2.50	PMV	5						
D»PANTHER SC 4L	0.078	LAA	9						
E»MSO	1.00	PMV	9						
F»CREDIT XTREME	0.77	LAA	12						
G»LIQUID AMS	2.50	PMV	12						
7A»PREFIX 5.32SL	1.33	LAA	5	96	99	99	91	78	0
B»CREDIT XTREME	0.77	LAA	5						
C»2,4-D LVE	0.50	LAA	5						
D»LIQUID AMS	2.50	PMV	5						
E»CREDIT XTREME	0.77	LAA	12						
F»LIQUID AMS	2.50	PMV	12						
8A CHECK	0.00	NA	0	0	0	0	0	0	0
9A»FIERCE 76WG	0.14	LAA	5	91	99	99	92	83	0
B»CREDIT XTREME	0.77	LAA	5						
C»2,4-D LVE	0.50	LAA	5						
D»LIQUID AMS	2.50	PMV	5						
E»CREDIT XTREME	0.77	LAA	12						
F»LIQUID AMS	2.50	PMV	12						
LSD (0.05)				5.1	0.0	0.0	3.8	4.5	0.0
STANDARD DEVIATION				2.4	0.0	0.0	1.8	2.1	0.0

TITLE: Panther Pro for Weed Control in No-till Soybean. N-200
CREATED: 04/08/2016 **REVISED:** 08/25/2016 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE	STEME	LAMAM	ERICA	CHEAL	AMBEL	SETFA
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %
					07/05/16	07/05/16	07/05/16	07/05/16
1A»	SPITFIRE 3.57L	0.89	LAA	5	99	99	99	99
B»	CREDIT XTREME	0.77	LAA	5				
C»	PANTHER PRO 4.	0.492	LAA	5				
D»	MISO	1.00	PMV	5				
E»	LIQUID AMS	2.50	PMV	5				
F»	CREDIT XTREME	0.77	LAA	12				
G»	LIQUID AMS	2.50	PMV	12				
2A»	SPITFIRE 3.57L	0.89	LAA	5	99	99	99	98
B»	CREDIT XTREME	0.77	LAA	5				
C»	AUTHOR. ASSIST	0.31	LAA	5				
D»	MISO	1.00	PMV	5				
E»	LIQUID AMS	2.50	PMV	5				
F»	CREDIT XTREME	0.77	LAA	12				
G»	LIQUID AMS	2.50	PMV	12				
3A»	SPITFIRE 3.57L	0.89	LAA	5	99	99	98	99
B»	CREDIT XTREME	0.77	LAA	5				
C»	LIQUID AMS	2.50	PMV	5				
D»	PANTHER PRO 4.	0.394	LAA	9				
E»	MISO	1.00	PMV	9				
F»	CREDIT XTREME	0.77	LAA	12				
G»	LIQUID AMS	2.50	PMV	12				
4A»	SPITFIRE 3.57L	0.89	LAA	5	99	99	99	99
B»	CREDIT XTREME	0.77	LAA	5				
C»	LIQUID AMS	2.50	PMV	5				
D»	PANTHER PRO 4.	0.492	LAA	9				
E»	MISO	1.00	PMV	9				
F»	CREDIT XTREME	0.77	LAA	12				
G»	LIQUID AMS	2.50	PMV	12				
5A»	SPITFIRE 3.57L	0.89	LAA	5	99	99	99	99
B»	CREDIT XTREME	0.77	LAA	5				
C»	LIQUID AMS	2.50	PMV	5				
D»	AUTHOR. ASSIST	0.25	LAA	9				
E»	MISO	1.00	PMV	9				
F»	CREDIT XTREME	0.77	LAA	12				
G»	LIQUID AMS	2.50	PMV	12				
6A»	SPITFIRE 3.57L	0.89	LAA	5	99	99	99	99
B»	CREDIT XTREME	0.77	LAA	5				
C»	LIQUID AMS	2.50	PMV	5				
D»	PANTHER SC 4L	0.078	LAA	9				
E»	MISO	1.00	PMV	9				
F»	CREDIT XTREME	0.77	LAA	12				
G»	LIQUID AMS	2.50	PMV	12				
7A»	PREFIX 5.32SL	1.33	LAA	5	99	99	96	98
B»	CREDIT XTREME	0.77	LAA	5				
C»	2,4-D LVE	0.50	LAA	5				
D»	LIQUID AMS	2.50	PMV	5				
E»	CREDIT XTREME	0.77	LAA	12				
F»	LIQUID AMS	2.50	PMV	12				
8A	CHECK	0.00	NA	0	0	0	0	0
9A»	FIERCE 76WG	0.14	LAA	5	99	99	85	99
B»	CREDIT XTREME	0.77	LAA	5				
C»	2,4-D LVE	0.50	LAA	5				
D»	LIQUID AMS	2.50	PMV	5				
E»	CREDIT XTREME	0.77	LAA	12				
F»	LIQUID AMS	2.50	PMV	12				
LSD (0.05)					0.0	0.0	9.2	0.0
STANDARD DEVIATION					0.0	0.0	4.4	0.0
								1.4
								0.7
								0.5
								0.2

TITLE: Panther Pro for Weed Control in No-till Soybean. N-200
CREATED: 04/08/2016 **REVISED:** 08/25/2016 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE	PHBPU	CON %
NUM	COMPONENT	RATE	UNIT TM	07/05/16
1A»	SPITFIRE 3.57L	0.89	LAA 5	97
B»	CREDIT XTREME	0.77	LAA 5	
C»	PANTHER PRO 4.	0.492	LAA 5	
D»	MISO	1.00	PMV 5	
E»	LIQUID AMS	2.50	PMV 5	
F»	CREDIT XTREME	0.77	LAA 12	
G»	LIQUID AMS	2.50	PMV 12	
2A»	SPITFIRE 3.57L	0.89	LAA 5	98
B»	CREDIT XTREME	0.77	LAA 5	
C»	AUTHOR. ASSIST	0.31	LAA 5	
D»	MISO	1.00	PMV 5	
E»	LIQUID AMS	2.50	PMV 5	
F»	CREDIT XTREME	0.77	LAA 12	
G»	LIQUID AMS	2.50	PMV 12	
3A»	SPITFIRE 3.57L	0.89	LAA 5	97
B»	CREDIT XTREME	0.77	LAA 5	
C»	LIQUID AMS	2.50	PMV 5	
D»	PANTHER PRO 4.	0.394	LAA 9	
E»	MISO	1.00	PMV 9	
F»	CREDIT XTREME	0.77	LAA 12	
G»	LIQUID AMS	2.50	PMV 12	
4A»	SPITFIRE 3.57L	0.89	LAA 5	97
B»	CREDIT XTREME	0.77	LAA 5	
C»	LIQUID AMS	2.50	PMV 5	
D»	PANTHER PRO 4.	0.492	LAA 9	
E»	MISO	1.00	PMV 9	
F»	CREDIT XTREME	0.77	LAA 12	
G»	LIQUID AMS	2.50	PMV 12	
5A»	SPITFIRE 3.57L	0.89	LAA 5	97
B»	CREDIT XTREME	0.77	LAA 5	
C»	LIQUID AMS	2.50	PMV 5	
D»	AUTHOR. ASSIST	0.25	LAA 9	
E»	MISO	1.00	PMV 9	
F»	CREDIT XTREME	0.77	LAA 12	
G»	LIQUID AMS	2.50	PMV 12	
6A»	SPITFIRE 3.57L	0.89	LAA 5	93
B»	CREDIT XTREME	0.77	LAA 5	
C»	LIQUID AMS	2.50	PMV 5	
D»	PANTHER SC 4L	0.078	LAA 9	
E»	MISO	1.00	PMV 9	
F»	CREDIT XTREME	0.77	LAA 12	
G»	LIQUID AMS	2.50	PMV 12	
7A»	PREFIX 5.32SL	1.33	LAA 5	85
B»	CREDIT XTREME	0.77	LAA 5	
C»	2,4-D LVE	0.50	LAA 5	
D»	LIQUID AMS	2.50	PMV 5	
E»	CREDIT XTREME	0.77	LAA 12	
F»	LIQUID AMS	2.50	PMV 12	
8A	CHECK	0.00	NA 0	0
9A»	FIERCE 76WG	0.14	LAA 5	87
B»	CREDIT XTREME	0.77	LAA 5	
C»	2,4-D LVE	0.50	LAA 5	
D»	LIQUID AMS	2.50	PMV 5	
E»	CREDIT XTREME	0.77	LAA 12	
F»	LIQUID AMS	2.50	PMV 12	
LSD (0.05)				6.6
STANDARD DEVIATION				3.1

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = --- / UNTREATED TIMING
 05 = --- / EPP 15 DBP 05/06/2016(1)
 09 = --- / PREEMERGENCE 05/20/2016(2)
 12 = --- / POST 06/14/2016(3)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECI	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	STEME	CON %	05/13/2016	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	LAMAM	CON %	05/13/2016	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	ERICA	CON %	05/13/2016	04	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	CHEAL	CON %	05/13/2016	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	STEME	CON %	05/23/2016	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	LAMAM	CON %	05/23/2016	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	ERICA	CON %	05/23/2016	04	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	CHEAL	CON %	05/23/2016	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	AMBEL	CON %	05/23/2016	06	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	GLXMA	CON %	06/02/2016	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	STEME	CON %	06/02/2016	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	LAMAM	CON %	06/02/2016	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	ERICA	CON %	06/02/2016	04	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	CHEAL	CON %	06/02/2016	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	AMBEL	CON %	06/02/2016	06	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	SETFA	CON %	06/02/2016	07	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	PHBPU	CON %	06/02/2016	08	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	GLXMA	CON %	07/05/2016	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	STEME	CON %	07/05/2016	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	LAMAM	CON %	07/05/2016	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	ERICA	CON %	07/05/2016	04	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	CHEAL	CON %	07/05/2016	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	AMBEL	CON %	07/05/2016	06	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
024	SETFA	CON %	07/05/2016	07	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
025	PHBPU	CON %	07/05/2016	08	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIES INFO (IF APPLICABLE)

01 = A 3304 RR2