

SOIL INFORMATION

TEXTURE: SIL
 PH: 6.5
 %OM: 3.4
 PREV.CROP: ZEAMD - Dent corn
 %RESIDUE: 0
 PLOT WIDTH: 7.5 X 30 FEET
 PLOT AREA: 225 FEET

TRIAL INFORMATION

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	05	11	
TYPE	LIQUID MI	LIQUID MI	
APPLICATION DATE	05/04/18	06/06/18	AME
TIME - BEGIN	17:15	13:15	24H
TIME - END	17:36	13:40	24H
AIR TEMPERATURE	75	80	F
% REL.HUMIDITY	42	31	
WIND DIRECTION	NORTHWEST	SOUTHWEST	
WIND SPEED	6.0	3.0	M/H
CLOUD COVER	PAR.CLOUD	PAR.CLOUD	
DEW	NO	NO	
SOIL MOISTURE	MOIST/MOI	DRY/ DRY	
SOIL CONDITION	TO BE SEL	TO BE SEL	
SOIL TEMP/DEPTH	71/4.00	85/4.00	F/IN
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION			
NOZZLE VOLUME	0.00	0.00	GPM
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE			
SCREEN SZ DESC	N/A	N/A	
SWATH WIDTH	7.5	7.5	FT
BOOM HEIGHT	20.0	20.0	IN
SPEED	3.00	3.00	M/H
MIX SIZE	0.330	0.330	
MIX SIZE UNIT	GAL	GAL	
SPRAY VOLUME	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	TO BE SEL	TO BE SEL	
FOLIAGE HEIGHT			FT
FOLIAGE WIDTH			FT
ROW WIDTH			FT
SPRAY VOL LWA/TRV			
S VOL LWA/TRV UNIT			
LEAF WALL AREA			M2H
TREE ROW VOLUME			M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *			
P, Soybean		---/14	
P36T36X RR2XTEND		6.00/8.00	IN
(PLANTED) 05/22/2018		15 DAP	
PEST *			
P, Waterhemp, commo	---/00 0.00/0.00	---/16 1.00/3.00	IN
P, Mare's tail / Ho	---/19 2.00/2.00	---/19 3.00/5.00	IN
P, Morningglory, iv	---/11 1.00/1.00	---/14 1.00/2.00	IN

*** CONTINUE

SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
PEST * P, Henbit deadnettl	---/19 4.00/6.00	---/19 6.00/6.00	IN
P, Giant foxtail	---/12 1.00/2.00	---/14 2.00/4.00	IN
P, Common chickweed	---/19 2.00/3.00	---/19 3.00/5.00	IN
P, Common dandelion	---/19 2.00/2.00	---/19 3.00/4.00	IN

* TIMING CODES

05 = --- / EPP 15DBP
11 = --- / EPOST

* STAGE CODE

00 = DRY SEED; DORMANCY
11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED
12 = 2 LEAVES UNFOLDED
14 = TRIFOLIOLATE LEAF ON THE 4TH NODE UNFOLDED
14 = 4 LEAVES UNFOLDED
14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W
CREATED: 04/17/2018 **REVISED:** 08/24/2018 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		LAMAM	STEME	ERICA	TAROF	SETFA	AMATA	
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %	
					05/18/18	05/18/18	05/18/18	05/18/18	05/18/18	
1A»	ELEVORE 0.57AE	0.0045	LAA	5	72	94	65	43	0	10
B»	DURANGO 4AE	1.00	LAA	5						
C»	DURANGO 4AE	1.00	LAA	11						
D	FLEXSTAR 1.88	0.323	LAA	11						
E»	EVERPREX 7.62E	0.95	LAA	11						
F»	LIQUID AMS	2.50	PMV	11						
2A»	2, 4-D LVE	0.475	LAA	5	60	82	57	33	0	0
B»	DURANGO 4AE	1.00	LAA	5						
C»	DURANGO 4AE	1.00	LAA	11						
D	FLEXSTAR 1.88	0.323	LAA	11						
E»	EVERPREX 7.62E	0.95	LAA	11						
F»	LIQUID AMS	2.50	PMV	11						
3A»	ELEVORE 0.57AE	0.0045	LAA	5	80	98	87	65	0	17
B»	2, 4-D LVE	0.475	LAA	5						
C»	DURANGO 4AE	1.00	LAA	5						
D»	DURANGO 4AE	1.00	LAA	11						
E	FLEXSTAR 1.88	0.323	LAA	11						
F»	EVERPREX 7.62E	0.95	LAA	11						
G»	LIQUID AMS	2.50	PMV	11						
4A»	ELEVORE 0.57AE	0.0045	LAA	5	87	99	77	75	37	85
B»	ENLITE 47.86WG	3.50	OMA	0						
C	VALOR 51WG	0.0792	LAA	5						
D	CLASSIC 25WG	0.0062	LAA	5						
E»	HARMONY 50SG	0.0193	LAA	5						
F»	DURANGO 4AE	1.00	LAA	5						
G»	DURANGO 4AE	1.00	LAA	11						
H	FLEXSTAR 1.88	0.323	LAA	11						
I»	EVERPREX 7.62E	0.95	LAA	11						
J»	LIQUID AMS	2.50	PMV	11						
5A»	2, 4-D LVE	0.475	LAA	5	70	99	89	77	20	60
B»	ENLITE 47.86WG	3.50	OMA	0						
C	VALOR 51WG	0.0792	LAA	5						
D	CLASSIC 25WG	0.0062	LAA	5						
E»	HARMONY 50SG	0.0193	LAA	5						
F»	DURANGO 4AE	1.00	LAA	5						
G»	DURANGO 4AE	1.00	LAA	11						
H	FLEXSTAR 1.88	0.323	LAA	11						
I»	EVERPREX 7.62E	0.95	LAA	11						
J»	LIQUID AMS	2.50	PMV	11						
6A»	ELEVORE 0.57AE	0.0045	LAA	5	72	96	92	72	17	57
B»	SONIC 70DF	0.263	LAA	5						
C»	DURANGO 4AE	1.00	LAA	5						
D»	DURANGO 4AE	1.00	LAA	11						
E	FLEXSTAR 1.88	0.323	LAA	11						
F»	EVERPREX 7.62E	0.95	LAA	11						
G»	LIQUID AMS	2.50	PMV	11						
7A»	2, 4-D LVE	0.475	LAA	5	72	94	88	62	47	90
B»	SONIC 70DF	0.263	LAA	5						
C»	DURANGO 4AE	1.00	LAA	5						
D»	DURANGO 4AE	1.00	LAA	11						
E	FLEXSTAR 1.88	0.323	LAA	11						
F»	EVERPREX 7.62E	0.95	LAA	11						
G»	LIQUID AMS	2.50	PMV	11						
8A»	ELEVORE 0.57AE	0.0045	LAA	5	86	99	94	77	60	92
B»	SURVEIL 48WG	0.126	LAA	5						
C»	DURANGO 4AE	1.00	LAA	5						
D»	DURANGO 4AE	1.00	LAA	11						
E	FLEXSTAR 1.88	0.323	LAA	11						
F»	EVERPREX 7.62E	0.95	LAA	11						
G»	LIQUID AMS	2.50	PMV	11						

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W

TRT	TREATMENT	DOSAGE		LAMAM	STEME	ERICA	TAROF	SETFA	AMATA
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %
					05/18/18	05/18/18	05/18/18	05/18/18	05/18/18
9A	»2,4-D LVE	0.475	LAA	5	83	99	95	82	77
	B»SURVEIL 48WG	0.126	LAA	5				60	
	C»DURANGO 4AE	1.00	LAA	5					
	D»DURANGO 4AE	1.00	LAA	11					
	E FLEXSTAR 1.88	0.323	LAA	11					
	F»EVERPREX 7.62E	0.95	LAA	11					
	G»LIQUID AMS	2.50	PMV	11					
10A	»ELEVORE 0.57AE	0.0045	LAA	5	80	99	94	67	78
	B»TRIVENCE 61.3W	8.00	OMA	0				40	
	C VALOR 51WG	0.064	LAA	5					
	D CLASSIC 25WG	0.0195	LAA	5					
	E»TRICOR 75DF	0.223	LAA	5					
	F»DURANGO 4AE	1.00	LAA	5					
	G»DURANGO 4AE	1.00	LAA	11					
	H FLEXSTAR 1.88	0.323	LAA	11					
	I»EVERPREX 7.62E	0.95	LAA	11					
	J»LIQUID AMS	2.50	PMV	11					
11A	»2,4-D LVE	0.475	LAA	5	82	99	93	67	75
	B»TRIVENCE 61.3W	8.00	OMA	0				33	
	C VALOR 51WG	0.064	LAA	5					
	D CLASSIC 25WG	0.0195	LAA	5					
	E»TRICOR 75DF	0.223	LAA	5					
	F»DURANGO 4AE	1.00	LAA	5					
	G»DURANGO 4AE	1.00	LAA	11					
	H FLEXSTAR 1.88	0.323	LAA	11					
	I»EVERPREX 7.62E	0.95	LAA	11					
	J»LIQUID AMS	2.50	PMV	11					
12A	CHECK	0.00	NA	0	0	0	0	0	0
		LSD (0.05)			7.2	4.2	7.5	20.2	16.2
		STANDARD DEVIATION			3.5	2.0	3.6	9.7	7.8

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W
CREATED: 04/17/2018 **REVISED:** 08/24/2018 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE			IPOHE	LAMAM	STEME	ERICA	TAROF	SETFA
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %	CON %
					05/18/18	05/25/18	05/25/18	05/25/18	05/25/18	05/25/18
1A»	ELEVORE 0.57AE	0.0045	LAA	5	0	99	99	85	68	0
B»	DURANGO 4AE	1.00	LAA	5						
C»	DURANGO 4AE	1.00	LAA	11						
D	FLEXSTAR 1.88	0.323	LAA	11						
E»	EVERPREX 7.62E	0.95	LAA	11						
F»	LIQUID AMS	2.50	PMV	11						
2A»	2,4-D LVE	0.475	LAA	5	0	99	99	83	57	0
B»	DURANGO 4AE	1.00	LAA	5						
C»	DURANGO 4AE	1.00	LAA	11						
D	FLEXSTAR 1.88	0.323	LAA	11						
E»	EVERPREX 7.62E	0.95	LAA	11						
F»	LIQUID AMS	2.50	PMV	11						
3A»	ELEVORE 0.57AE	0.0045	LAA	5	0	99	99	96	83	0
B»	2,4-D LVE	0.475	LAA	5						
C»	DURANGO 4AE	1.00	LAA	5						
D»	DURANGO 4AE	1.00	LAA	11						
E	FLEXSTAR 1.88	0.323	LAA	11						
F»	EVERPREX 7.62E	0.95	LAA	11						
G»	LIQUID AMS	2.50	PMV	11						
4A»	ELEVORE 0.57AE	0.0045	LAA	5	0	99	99	93	90	50
B»	ENLITE 47.86WG	3.50	OMA	0						
C	VALOR 51WG	0.0792	LAA	5						
D	CLASSIC 25WG	0.0062	LAA	5						
E»	HARMONY 50SG	0.0193	LAA	5						
F»	DURANGO 4AE	1.00	LAA	5						
G»	DURANGO 4AE	1.00	LAA	11						
H	FLEXSTAR 1.88	0.323	LAA	11						
I»	EVERPREX 7.62E	0.95	LAA	11						
J»	LIQUID AMS	2.50	PMV	11						
5A»	2,4-D LVE	0.475	LAA	5	17	99	99	97	92	78
B»	ENLITE 47.86WG	3.50	OMA	0						
C	VALOR 51WG	0.0792	LAA	5						
D	CLASSIC 25WG	0.0062	LAA	5						
E»	HARMONY 50SG	0.0193	LAA	5						
F»	DURANGO 4AE	1.00	LAA	5						
G»	DURANGO 4AE	1.00	LAA	11						
H	FLEXSTAR 1.88	0.323	LAA	11						
I»	EVERPREX 7.62E	0.95	LAA	11						
J»	LIQUID AMS	2.50	PMV	11						
6A»	ELEVORE 0.57AE	0.0045	LAA	5	27	99	99	99	88	78
B»	SONIC 70DF	0.263	LAA	5						
C»	DURANGO 4AE	1.00	LAA	5						
D»	DURANGO 4AE	1.00	LAA	11						
E	FLEXSTAR 1.88	0.323	LAA	11						
F»	EVERPREX 7.62E	0.95	LAA	11						
G»	LIQUID AMS	2.50	PMV	11						
7A»	2,4-D LVE	0.475	LAA	5	47	99	99	99	89	90
B»	SONIC 70DF	0.263	LAA	5						
C»	DURANGO 4AE	1.00	LAA	5						
D»	DURANGO 4AE	1.00	LAA	11						
E	FLEXSTAR 1.88	0.323	LAA	11						
F»	EVERPREX 7.62E	0.95	LAA	11						
G»	LIQUID AMS	2.50	PMV	11						
8A»	ELEVORE 0.57AE	0.0045	LAA	5	57	99	99	99	95	98
B»	SURVEIL 48WG	0.126	LAA	5						
C»	DURANGO 4AE	1.00	LAA	5						
D»	DURANGO 4AE	1.00	LAA	11						
E	FLEXSTAR 1.88	0.323	LAA	11						
F»	EVERPREX 7.62E	0.95	LAA	11						
G»	LIQUID AMS	2.50	PMV	11						

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W

TRT	TREATMENT	DOSAGE		TM	IPOHE	LAMAM	STEME	ERICA	TAROF	SETFA
NUM	COMPONENT	RATE	UNIT		CON %	CON %	CON %	CON %	CON %	CON %
					05/18/18	05/25/18	05/25/18	05/25/18	05/25/18	05/25/18
9A»	2,4-D LVE	0.475	LAA	5	47	99	99	99	97	99
	B»SURVEIL 48WG	0.126	LAA	5						
	C»DURANGO 4AE	1.00	LAA	5						
	D»DURANGO 4AE	1.00	LAA	11						
	E FLEXSTAR 1.88	0.323	LAA	11						
	F»EVERPREX 7.62E	0.95	LAA	11						
	G»LIQUID AMS	2.50	PMV	11						
10A»	ELEVORE 0.57AE	0.0045	LAA	5	30	99	99	99	86	77
	B»TRIVENCE 61.3W	8.00	OMA	0						
	C VALOR 51WG	0.064	LAA	5						
	D CLASSIC 25WG	0.0195	LAA	5						
	E»TRICOR 75DF	0.223	LAA	5						
	F»DURANGO 4AE	1.00	LAA	5						
	G»DURANGO 4AE	1.00	LAA	11						
	H FLEXSTAR 1.88	0.323	LAA	11						
	I»EVERPREX 7.62E	0.95	LAA	11						
	J»LIQUID AMS	2.50	PMV	11						
11A»	2,4-D LVE	0.475	LAA	5	23	99	99	96	84	78
	B»TRIVENCE 61.3W	8.00	OMA	0						
	C VALOR 51WG	0.064	LAA	5						
	D CLASSIC 25WG	0.0195	LAA	5						
	E»TRICOR 75DF	0.223	LAA	5						
	F»DURANGO 4AE	1.00	LAA	5						
	G»DURANGO 4AE	1.00	LAA	11						
	H FLEXSTAR 1.88	0.323	LAA	11						
	I»EVERPREX 7.62E	0.95	LAA	11						
	J»LIQUID AMS	2.50	PMV	11						
12A	CHECK	0.00	NA	0	0	0	0	0	0	0
		LSD (0.05)			11.4	0.0	0.0	4.2	7.5	15.1
		STANDARD DEVIATION			5.5	0.0	0.0	2.0	3.6	7.3

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W
CREATED: 04/17/2018 **REVISED:** 08/24/2018 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE	AMATA	IPOHE	GLXMA	LAMAM	STEME	ERICA
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %
					05/25/18	05/25/18	06/01/18	06/01/18
1A»	ELEVORE 0.57AE	0.0045	LAA	5	0	0	0	99
B»	DURANGO 4AE	1.00	LAA	5				99
C»	DURANGO 4AE	1.00	LAA	11				92
D	FLEXSTAR 1.88	0.323	LAA	11				
E»	EVERPREX 7.62E	0.95	LAA	11				
F»	LIQUID AMS	2.50	PMV	11				
2A»	2,4-D LVE	0.475	LAA	5	0	0	0	99
B»	DURANGO 4AE	1.00	LAA	5				99
C»	DURANGO 4AE	1.00	LAA	11				79
D	FLEXSTAR 1.88	0.323	LAA	11				
E»	EVERPREX 7.62E	0.95	LAA	11				
F»	LIQUID AMS	2.50	PMV	11				
3A»	ELEVORE 0.57AE	0.0045	LAA	5	0	0	0	99
B»	2,4-D LVE	0.475	LAA	5				99
C»	DURANGO 4AE	1.00	LAA	5				98
D»	DURANGO 4AE	1.00	LAA	11				
E	FLEXSTAR 1.88	0.323	LAA	11				
F»	EVERPREX 7.62E	0.95	LAA	11				
G»	LIQUID AMS	2.50	PMV	11				
4A»	ELEVORE 0.57AE	0.0045	LAA	5	96	63	0	99
B»	ENLITE 47.86WG	3.50	OMA	0				99
C	VALOR 51WG	0.0792	LAA	5				93
D	CLASSIC 25WG	0.0062	LAA	5				
E»	HARMONY 50SG	0.0193	LAA	5				
F»	DURANGO 4AE	1.00	LAA	5				
G»	DURANGO 4AE	1.00	LAA	11				
H	FLEXSTAR 1.88	0.323	LAA	11				
I»	EVERPREX 7.62E	0.95	LAA	11				
J»	LIQUID AMS	2.50	PMV	11				
5A»	2,4-D LVE	0.475	LAA	5	99	94	0	99
B»	ENLITE 47.86WG	3.50	OMA	0				99
C	VALOR 51WG	0.0792	LAA	5				90
D	CLASSIC 25WG	0.0062	LAA	5				
E»	HARMONY 50SG	0.0193	LAA	5				
F»	DURANGO 4AE	1.00	LAA	5				
G»	DURANGO 4AE	1.00	LAA	11				
H	FLEXSTAR 1.88	0.323	LAA	11				
I»	EVERPREX 7.62E	0.95	LAA	11				
J»	LIQUID AMS	2.50	PMV	11				
6A»	ELEVORE 0.57AE	0.0045	LAA	5	99	99	0	99
B»	SONIC 70DF	0.263	LAA	5				99
C»	DURANGO 4AE	1.00	LAA	5				
D»	DURANGO 4AE	1.00	LAA	11				
E	FLEXSTAR 1.88	0.323	LAA	11				
F»	EVERPREX 7.62E	0.95	LAA	11				
G»	LIQUID AMS	2.50	PMV	11				
7A»	2,4-D LVE	0.475	LAA	5	98	98	0	99
B»	SONIC 70DF	0.263	LAA	5				99
C»	DURANGO 4AE	1.00	LAA	5				99
D»	DURANGO 4AE	1.00	LAA	11				
E	FLEXSTAR 1.88	0.323	LAA	11				
F»	EVERPREX 7.62E	0.95	LAA	11				
G»	LIQUID AMS	2.50	PMV	11				
8A»	ELEVORE 0.57AE	0.0045	LAA	5	98	99	0	99
B»	SURVEIL 48WG	0.126	LAA	5				99
C»	DURANGO 4AE	1.00	LAA	5				99
D»	DURANGO 4AE	1.00	LAA	11				
E	FLEXSTAR 1.88	0.323	LAA	11				
F»	EVERPREX 7.62E	0.95	LAA	11				
G»	LIQUID AMS	2.50	PMV	11				

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	AMATA	IPOHE	GLXMA	LAMAM	STEME	ERICA
		RATE	UNIT		CON % 05/25/18	CON % 05/25/18	CON % 06/01/18	CON % 06/01/18	CON % 06/01/18	CON % 06/01/18
9A»	2,4-D LVE	0.475	LAA	5	96	98	0	99	99	98
	B»SURVEIL 48WG	0.126	LAA	5						
	C»DURANGO 4AE	1.00	LAA	5						
	D»DURANGO 4AE	1.00	LAA	11						
	E FLEXSTAR 1.88	0.323	LAA	11						
	F»EVERPREX 7.62E	0.95	LAA	11						
	G»LIQUID AMS	2.50	PMV	11						
10A»	ELEVORE 0.57AE	0.0045	LAA	5	94	94	0	99	99	98
	B»TRIVENCE 61.3W	8.00	OMA	0						
	C VALOR 51WG	0.064	LAA	5						
	D CLASSIC 25WG	0.0195	LAA	5						
	E»TRICOR 75DF	0.223	LAA	5						
	F»DURANGO 4AE	1.00	LAA	5						
	G»DURANGO 4AE	1.00	LAA	11						
	H FLEXSTAR 1.88	0.323	LAA	11						
	I»EVERPREX 7.62E	0.95	LAA	11						
	J»LIQUID AMS	2.50	PMV	11						
11A»	2,4-D LVE	0.475	LAA	5	94	97	0	99	99	97
	B»TRIVENCE 61.3W	8.00	OMA	0						
	C VALOR 51WG	0.064	LAA	5						
	D CLASSIC 25WG	0.0195	LAA	5						
	E»TRICOR 75DF	0.223	LAA	5						
	F»DURANGO 4AE	1.00	LAA	5						
	G»DURANGO 4AE	1.00	LAA	11						
	H FLEXSTAR 1.88	0.323	LAA	11						
	I»EVERPREX 7.62E	0.95	LAA	11						
	J»LIQUID AMS	2.50	PMV	11						
12A	CHECK	0.00	NA	0	0	0	0	0	0	0
		LSD (0.05)			4.2	8.9	0.0	0.0	0.0	5.6
		STANDARD DEVIATION			2.0	4.3	0.0	0.0	0.0	2.7

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W
CREATED: 04/17/2018 **REVISED:** 08/24/2018 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE	TAROF	SETFA	AMATA	IPOHE	GLXMA	LAMAM
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %
					06/01/18	06/01/18	06/01/18	06/14/18
1A»	ELEVORE 0.57AE	0.0045	LAA	5	79	0	0	14
B»	DURANGO 4AE	1.00	LAA	5				99
C»	DURANGO 4AE	1.00	LAA	11				
D	FLEXSTAR 1.88	0.323	LAA	11				
E»	EVERPREX 7.62E	0.95	LAA	11				
F»	LIQUID AMS	2.50	PMV	11				
2A»	2,4-D LVE	0.475	LAA	5	73	0	0	14
B»	DURANGO 4AE	1.00	LAA	5				99
C»	DURANGO 4AE	1.00	LAA	11				
D	FLEXSTAR 1.88	0.323	LAA	11				
E»	EVERPREX 7.62E	0.95	LAA	11				
F»	LIQUID AMS	2.50	PMV	11				
3A»	ELEVORE 0.57AE	0.0045	LAA	5	92	0	17	11
B»	2,4-D LVE	0.475	LAA	5			20	99
C»	DURANGO 4AE	1.00	LAA	5				
D»	DURANGO 4AE	1.00	LAA	11				
E	FLEXSTAR 1.88	0.323	LAA	11				
F»	EVERPREX 7.62E	0.95	LAA	11				
G»	LIQUID AMS	2.50	PMV	11				
4A»	ELEVORE 0.57AE	0.0045	LAA	5	94	33	80	13
B»	ENLITE 47.86WG	3.50	OMA	0			68	99
C	VALOR 51WG	0.0792	LAA	5				
D	CLASSIC 25WG	0.0062	LAA	5				
E»	HARMONY 50SG	0.0193	LAA	5				
F»	DURANGO 4AE	1.00	LAA	5				
G»	DURANGO 4AE	1.00	LAA	11				
H	FLEXSTAR 1.88	0.323	LAA	11				
I»	EVERPREX 7.62E	0.95	LAA	11				
J»	LIQUID AMS	2.50	PMV	11				
5A»	2,4-D LVE	0.475	LAA	5	88	33	85	9
B»	ENLITE 47.86WG	3.50	OMA	0			60	99
C	VALOR 51WG	0.0792	LAA	5				
D	CLASSIC 25WG	0.0062	LAA	5				
E»	HARMONY 50SG	0.0193	LAA	5				
F»	DURANGO 4AE	1.00	LAA	5				
G»	DURANGO 4AE	1.00	LAA	11				
H	FLEXSTAR 1.88	0.323	LAA	11				
I»	EVERPREX 7.62E	0.95	LAA	11				
J»	LIQUID AMS	2.50	PMV	11				
6A»	ELEVORE 0.57AE	0.0045	LAA	5	82	37	73	10
B»	SONIC 70DF	0.263	LAA	5			72	99
C»	DURANGO 4AE	1.00	LAA	5				
D»	DURANGO 4AE	1.00	LAA	11				
E	FLEXSTAR 1.88	0.323	LAA	11				
F»	EVERPREX 7.62E	0.95	LAA	11				
G»	LIQUID AMS	2.50	PMV	11				
7A»	2,4-D LVE	0.475	LAA	5	90	37	73	10
B»	SONIC 70DF	0.263	LAA	5			68	99
C»	DURANGO 4AE	1.00	LAA	5				
D»	DURANGO 4AE	1.00	LAA	11				
E	FLEXSTAR 1.88	0.323	LAA	11				
F»	EVERPREX 7.62E	0.95	LAA	11				
G»	LIQUID AMS	2.50	PMV	11				
8A»	ELEVORE 0.57AE	0.0045	LAA	5	93	75	93	13
B»	SURVEIL 48WG	0.126	LAA	5			87	99
C»	DURANGO 4AE	1.00	LAA	5				
D»	DURANGO 4AE	1.00	LAA	11				
E	FLEXSTAR 1.88	0.323	LAA	11				
F»	EVERPREX 7.62E	0.95	LAA	11				
G»	LIQUID AMS	2.50	PMV	11				

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W
CREATED: 04/17/2018 **REVISED:** 08/24/2018 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		STEME	ERICA	TAROF	SETFA	AMATA	IPOHE
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %
					06/14/18	06/14/18	06/14/18	06/14/18	06/14/18
1A»	ELEVORE 0.57AE	0.0045	LAA	5	99	78	97	99	98
B»	DURANGO 4AE	1.00	LAA	5					
C»	DURANGO 4AE	1.00	LAA	11					
D	FLEXSTAR 1.88	0.323	LAA	11					
E»	EVERPREX 7.62E	0.95	LAA	11					
F»	LIQUID AMS	2.50	PMV	11					
2A»	2,4-D LVE	0.475	LAA	5	99	75	95	99	97
B»	DURANGO 4AE	1.00	LAA	5					
C»	DURANGO 4AE	1.00	LAA	11					
D	FLEXSTAR 1.88	0.323	LAA	11					
E»	EVERPREX 7.62E	0.95	LAA	11					
F»	LIQUID AMS	2.50	PMV	11					
3A»	ELEVORE 0.57AE	0.0045	LAA	5	99	88	93	99	98
B»	2,4-D LVE	0.475	LAA	5					
C»	DURANGO 4AE	1.00	LAA	5					
D»	DURANGO 4AE	1.00	LAA	11					
E	FLEXSTAR 1.88	0.323	LAA	11					
F»	EVERPREX 7.62E	0.95	LAA	11					
G»	LIQUID AMS	2.50	PMV	11					
4A»	ELEVORE 0.57AE	0.0045	LAA	5	99	90	97	99	98
B»	ENLITE 47.86WG	3.50	OMA	0					
C	VALOR 51WG	0.0792	LAA	5					
D	CLASSIC 25WG	0.0062	LAA	5					
E»	HARMONY 50SG	0.0193	LAA	5					
F»	DURANGO 4AE	1.00	LAA	5					
G»	DURANGO 4AE	1.00	LAA	11					
H	FLEXSTAR 1.88	0.323	LAA	11					
I»	EVERPREX 7.62E	0.95	LAA	11					
J»	LIQUID AMS	2.50	PMV	11					
5A»	2,4-D LVE	0.475	LAA	5	99	81	97	99	98
B»	ENLITE 47.86WG	3.50	OMA	0					
C	VALOR 51WG	0.0792	LAA	5					
D	CLASSIC 25WG	0.0062	LAA	5					
E»	HARMONY 50SG	0.0193	LAA	5					
F»	DURANGO 4AE	1.00	LAA	5					
G»	DURANGO 4AE	1.00	LAA	11					
H	FLEXSTAR 1.88	0.323	LAA	11					
I»	EVERPREX 7.62E	0.95	LAA	11					
J»	LIQUID AMS	2.50	PMV	11					
6A»	ELEVORE 0.57AE	0.0045	LAA	5	99	97	96	99	98
B»	SONIC 70DF	0.263	LAA	5					
C»	DURANGO 4AE	1.00	LAA	5					
D»	DURANGO 4AE	1.00	LAA	11					
E	FLEXSTAR 1.88	0.323	LAA	11					
F»	EVERPREX 7.62E	0.95	LAA	11					
G»	LIQUID AMS	2.50	PMV	11					
7A»	2,4-D LVE	0.475	LAA	5	99	99	97	99	99
B»	SONIC 70DF	0.263	LAA	5					
C»	DURANGO 4AE	1.00	LAA	5					
D»	DURANGO 4AE	1.00	LAA	11					
E	FLEXSTAR 1.88	0.323	LAA	11					
F»	EVERPREX 7.62E	0.95	LAA	11					
G»	LIQUID AMS	2.50	PMV	11					
8A»	ELEVORE 0.57AE	0.0045	LAA	5	99	99	99	99	99
B»	SURVEIL 48WG	0.126	LAA	5					
C»	DURANGO 4AE	1.00	LAA	5					
D»	DURANGO 4AE	1.00	LAA	11					
E	FLEXSTAR 1.88	0.323	LAA	11					
F»	EVERPREX 7.62E	0.95	LAA	11					
G»	LIQUID AMS	2.50	PMV	11					

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	STEME	ERICA	TAROF	SETFA	AMATA	IPOHE
		RATE	UNIT		CON % 06/14/18	CON % 06/14/18	CON % 06/14/18	CON % 06/14/18	CON % 06/14/18	CON % 06/14/18
9A»	2,4-D LVE	0.475	LAA	5	99	99	99	99	97	99
	B»SURVEIL 48WG	0.126	LAA	5						
	C»DURANGO 4AE	1.00	LAA	5						
	D»DURANGO 4AE	1.00	LAA	11						
	E FLEXSTAR 1.88	0.323	LAA	11						
	F»EVERPREX 7.62E	0.95	LAA	11						
	G»LIQUID AMS	2.50	PMV	11						
10A»	ELEVORE 0.57AE	0.0045	LAA	5	99	94	98	99	97	98
	B»TRIVENCE 61.3W	8.00	OMA	0						
	C VALOR 51WG	0.064	LAA	5						
	D CLASSIC 25WG	0.0195	LAA	5						
	E»TRICOR 75DF	0.223	LAA	5						
	F»DURANGO 4AE	1.00	LAA	5						
	G»DURANGO 4AE	1.00	LAA	11						
	H FLEXSTAR 1.88	0.323	LAA	11						
	I»EVERPREX 7.62E	0.95	LAA	11						
	J»LIQUID AMS	2.50	PMV	11						
11A»	2,4-D LVE	0.475	LAA	5	99	91	98	99	97	98
	B»TRIVENCE 61.3W	8.00	OMA	0						
	C VALOR 51WG	0.064	LAA	5						
	D CLASSIC 25WG	0.0195	LAA	5						
	E»TRICOR 75DF	0.223	LAA	5						
	F»DURANGO 4AE	1.00	LAA	5						
	G»DURANGO 4AE	1.00	LAA	11						
	H FLEXSTAR 1.88	0.323	LAA	11						
	I»EVERPREX 7.62E	0.95	LAA	11						
	J»LIQUID AMS	2.50	PMV	11						
12A	CHECK	0.00	NA	0	0	0	0	0	0	0
		LSD (0.05)			0.0	11.5	4.2	0.0	6.0	1.0
		STANDARD DEVIATION			0.0	5.6	2.0	0.0	2.9	0.5

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W
CREATED: 04/17/2018 **REVISED:** 08/24/2018 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		GLXMA	LAMAM	STEME	ERICA	TAROF	SETFA	
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %	
					06/29/18	06/29/18	06/29/18	06/29/18	06/29/18	
1A»	ELEVORE 0.57AE	0.0045	LAA	5	0	99	99	68	95	99
B»	DURANGO 4AE	1.00	LAA	5						
C»	DURANGO 4AE	1.00	LAA	11						
D	FLEXSTAR 1.88	0.323	LAA	11						
E»	EVERPREX 7.62E	0.95	LAA	11						
F»	LIQUID AMS	2.50	PMV	11						
2A»	2, 4-D LVE	0.475	LAA	5	0	99	99	47	89	99
B»	DURANGO 4AE	1.00	LAA	5						
C»	DURANGO 4AE	1.00	LAA	11						
D	FLEXSTAR 1.88	0.323	LAA	11						
E»	EVERPREX 7.62E	0.95	LAA	11						
F»	LIQUID AMS	2.50	PMV	11						
3A»	ELEVORE 0.57AE	0.0045	LAA	5	0	99	99	79	99	99
B»	2, 4-D LVE	0.475	LAA	5						
C»	DURANGO 4AE	1.00	LAA	5						
D»	DURANGO 4AE	1.00	LAA	11						
E	FLEXSTAR 1.88	0.323	LAA	11						
F»	EVERPREX 7.62E	0.95	LAA	11						
G»	LIQUID AMS	2.50	PMV	11						
4A»	ELEVORE 0.57AE	0.0045	LAA	5	0	99	99	90	96	99
B»	ENLITE 47.86WG	3.50	OMA	0						
C	VALOR 51WG	0.0792	LAA	5						
D	CLASSIC 25WG	0.0062	LAA	5						
E»	HARMONY 50SG	0.0193	LAA	5						
F»	DURANGO 4AE	1.00	LAA	5						
G»	DURANGO 4AE	1.00	LAA	11						
H	FLEXSTAR 1.88	0.323	LAA	11						
I»	EVERPREX 7.62E	0.95	LAA	11						
J»	LIQUID AMS	2.50	PMV	11						
5A»	2, 4-D LVE	0.475	LAA	5	0	99	99	80	99	99
B»	ENLITE 47.86WG	3.50	OMA	0						
C	VALOR 51WG	0.0792	LAA	5						
D	CLASSIC 25WG	0.0062	LAA	5						
E»	HARMONY 50SG	0.0193	LAA	5						
F»	DURANGO 4AE	1.00	LAA	5						
G»	DURANGO 4AE	1.00	LAA	11						
H	FLEXSTAR 1.88	0.323	LAA	11						
I»	EVERPREX 7.62E	0.95	LAA	11						
J»	LIQUID AMS	2.50	PMV	11						
6A»	ELEVORE 0.57AE	0.0045	LAA	5	0	99	99	97	99	99
B»	SONIC 70DF	0.263	LAA	5						
C»	DURANGO 4AE	1.00	LAA	5						
D»	DURANGO 4AE	1.00	LAA	11						
E	FLEXSTAR 1.88	0.323	LAA	11						
F»	EVERPREX 7.62E	0.95	LAA	11						
G»	LIQUID AMS	2.50	PMV	11						
7A»	2, 4-D LVE	0.475	LAA	5	0	99	99	99	99	99
B»	SONIC 70DF	0.263	LAA	5						
C»	DURANGO 4AE	1.00	LAA	5						
D»	DURANGO 4AE	1.00	LAA	11						
E	FLEXSTAR 1.88	0.323	LAA	11						
F»	EVERPREX 7.62E	0.95	LAA	11						
G»	LIQUID AMS	2.50	PMV	11						
8A»	ELEVORE 0.57AE	0.0045	LAA	5	0	99	99	99	99	99
B»	SURVEIL 48WG	0.126	LAA	5						
C»	DURANGO 4AE	1.00	LAA	5						
D»	DURANGO 4AE	1.00	LAA	11						
E	FLEXSTAR 1.88	0.323	LAA	11						
F»	EVERPREX 7.62E	0.95	LAA	11						
G»	LIQUID AMS	2.50	PMV	11						

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W

TRT	TREATMENT	DOSAGE	GLXMA	LAMAM	STEME	ERICA	TAROF	SETFA
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %
					06/29/18	06/29/18	06/29/18	06/29/18
9A	»2,4-D LVE	0.475	LAA	5	0	99	99	99
	B»SURVEIL 48WG	0.126	LAA	5				
	C»DURANGO 4AE	1.00	LAA	5				
	D»DURANGO 4AE	1.00	LAA	11				
	E FLEXSTAR 1.88	0.323	LAA	11				
	F»EVERPREX 7.62E	0.95	LAA	11				
	G»LIQUID AMS	2.50	PMV	11				
10A	»ELEVORE 0.57AE	0.0045	LAA	5	0	99	99	99
	B»TRIVENCE 61.3W	8.00	OMA	0				
	C VALOR 51WG	0.064	LAA	5				
	D CLASSIC 25WG	0.0195	LAA	5				
	E»TRICOR 75DF	0.223	LAA	5				
	F»DURANGO 4AE	1.00	LAA	5				
	G»DURANGO 4AE	1.00	LAA	11				
	H FLEXSTAR 1.88	0.323	LAA	11				
	I»EVERPREX 7.62E	0.95	LAA	11				
	J»LIQUID AMS	2.50	PMV	11				
11A	»2,4-D LVE	0.475	LAA	5	0	99	99	99
	B»TRIVENCE 61.3W	8.00	OMA	0				
	C VALOR 51WG	0.064	LAA	5				
	D CLASSIC 25WG	0.0195	LAA	5				
	E»TRICOR 75DF	0.223	LAA	5				
	F»DURANGO 4AE	1.00	LAA	5				
	G»DURANGO 4AE	1.00	LAA	11				
	H FLEXSTAR 1.88	0.323	LAA	11				
	I»EVERPREX 7.62E	0.95	LAA	11				
	J»LIQUID AMS	2.50	PMV	11				
12A	CHECK	0.00	NA	0	0	0	0	0
		LSD (0.05)			0.0	0.0	0.0	0.0
		STANDARD DEVIATION			0.0	0.0	0.0	0.0

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W
CREATED: 04/17/2018 **REVISED:** 08/24/2018 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE	AMATA	IPOHE
NUM	COMPONENT	RATE	CON %	CON %
		UNIT	TM	06/29/18
				06/29/18
1A»	ELEVORE 0.57AE	0.0045	LAA 5	77
B»	DURANGO 4AE	1.00	LAA 5	83
C»	DURANGO 4AE	1.00	LAA 11	
D	FLEXSTAR 1.88	0.323	LAA 11	
E»	EVERPREX 7.62E	0.95	LAA 11	
F»	LIQUID AMS	2.50	PMV 11	
2A»	2,4-D LVE	0.475	LAA 5	75
B»	DURANGO 4AE	1.00	LAA 5	83
C»	DURANGO 4AE	1.00	LAA 11	
D	FLEXSTAR 1.88	0.323	LAA 11	
E»	EVERPREX 7.62E	0.95	LAA 11	
F»	LIQUID AMS	2.50	PMV 11	
3A»	ELEVORE 0.57AE	0.0045	LAA 5	78
B»	2,4-D LVE	0.475	LAA 5	93
C»	DURANGO 4AE	1.00	LAA 5	
D»	DURANGO 4AE	1.00	LAA 11	
E	FLEXSTAR 1.88	0.323	LAA 11	
F»	EVERPREX 7.62E	0.95	LAA 11	
G»	LIQUID AMS	2.50	PMV 11	
4A»	ELEVORE 0.57AE	0.0045	LAA 5	89
B»	ENLITE 47.86WG	3.50	OMA 0	98
C	VALOR 51WG	0.0792	LAA 5	
D	CLASSIC 25WG	0.0062	LAA 5	
E»	HARMONY 50SG	0.0193	LAA 5	
F»	DURANGO 4AE	1.00	LAA 5	
G»	DURANGO 4AE	1.00	LAA 11	
H	FLEXSTAR 1.88	0.323	LAA 11	
I»	EVERPREX 7.62E	0.95	LAA 11	
J»	LIQUID AMS	2.50	PMV 11	
5A»	2,4-D LVE	0.475	LAA 5	95
B»	ENLITE 47.86WG	3.50	OMA 0	96
C	VALOR 51WG	0.0792	LAA 5	
D	CLASSIC 25WG	0.0062	LAA 5	
E»	HARMONY 50SG	0.0193	LAA 5	
F»	DURANGO 4AE	1.00	LAA 5	
G»	DURANGO 4AE	1.00	LAA 11	
H	FLEXSTAR 1.88	0.323	LAA 11	
I»	EVERPREX 7.62E	0.95	LAA 11	
J»	LIQUID AMS	2.50	PMV 11	
6A»	ELEVORE 0.57AE	0.0045	LAA 5	91
B»	SONIC 70DF	0.263	LAA 5	99
C»	DURANGO 4AE	1.00	LAA 5	
D»	DURANGO 4AE	1.00	LAA 11	
E	FLEXSTAR 1.88	0.323	LAA 11	
F»	EVERPREX 7.62E	0.95	LAA 11	
G»	LIQUID AMS	2.50	PMV 11	
7A»	2,4-D LVE	0.475	LAA 5	81
B»	SONIC 70DF	0.263	LAA 5	99
C»	DURANGO 4AE	1.00	LAA 5	
D»	DURANGO 4AE	1.00	LAA 11	
E	FLEXSTAR 1.88	0.323	LAA 11	
F»	EVERPREX 7.62E	0.95	LAA 11	
G»	LIQUID AMS	2.50	PMV 11	
8A»	ELEVORE 0.57AE	0.0045	LAA 5	96
B»	SURVEIL 48WG	0.126	LAA 5	97
C»	DURANGO 4AE	1.00	LAA 5	
D»	DURANGO 4AE	1.00	LAA 11	
E	FLEXSTAR 1.88	0.323	LAA 11	
F»	EVERPREX 7.62E	0.95	LAA 11	
G»	LIQUID AMS	2.50	PMV 11	

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W

TRT	TREATMENT	DOSAGE	AMATA	IPOHE
NUM	COMPONENT	RATE	CON %	CON %
		UNIT	TM	06/29/18
9A»	2,4-D LVE	0.475	LAA 5	94
	B»SURVEIL 48WG	0.126	LAA 5	99
	C»DURANGO 4AE	1.00	LAA 5	
	D»DURANGO 4AE	1.00	LAA 11	
	E FLEXSTAR 1.88	0.323	LAA 11	
	F»EVERPREX 7.62E	0.95	LAA 11	
	G»LIQUID AMS	2.50	PMV 11	
10A»	ELEVORE 0.57AE	0.0045	LAA 5	91
	B»TRIVENCE 61.3W	8.00	OMA 0	97
	C VALOR 51WG	0.064	LAA 5	
	D CLASSIC 25WG	0.0195	LAA 5	
	E»TRICOR 75DF	0.223	LAA 5	
	F»DURANGO 4AE	1.00	LAA 5	
	G»DURANGO 4AE	1.00	LAA 11	
	H FLEXSTAR 1.88	0.323	LAA 11	
	I»EVERPREX 7.62E	0.95	LAA 11	
	J»LIQUID AMS	2.50	PMV 11	
11A»	2,4-D LVE	0.475	LAA 5	93
	B»TRIVENCE 61.3W	8.00	OMA 0	97
	C VALOR 51WG	0.064	LAA 5	
	D CLASSIC 25WG	0.0195	LAA 5	
	E»TRICOR 75DF	0.223	LAA 5	
	F»DURANGO 4AE	1.00	LAA 5	
	G»DURANGO 4AE	1.00	LAA 11	
	H FLEXSTAR 1.88	0.323	LAA 11	
	I»EVERPREX 7.62E	0.95	LAA 11	
	J»LIQUID AMS	2.50	PMV 11	
12A	CHECK	0.00	NA 0	0
		LSD (0.05)		
		STANDARD DEVIATION		
			13.0	4.7
			6.3	2.3

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = --- / UNTREATED TIMING
 05 = --- / EPP 15DBP 05/04/2018(1)
 11 = --- / EPOST 06/06/2018(2)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	LAMAM	CON %	05/18/2018	02	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	STEME	CON %	05/18/2018	03	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	ERICA	CON %	05/18/2018	04	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	TAROF	CON %	05/18/2018	05	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	SETFA	CON %	05/18/2018	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	AMATA	CON %	05/18/2018	07	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	IPOHE	CON %	05/18/2018	08	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	LAMAM	CON %	05/25/2018	02	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	STEME	CON %	05/25/2018	03	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	ERICA	CON %	05/25/2018	04	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	TAROF	CON %	05/25/2018	05	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	CON %	05/25/2018	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	AMATA	CON %	05/25/2018	07	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	IPOHE	CON %	05/25/2018	08	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	GLXMA	CON %	06/01/2018	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	LAMAM	CON %	06/01/2018	02	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	STEME	CON %	06/01/2018	03	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	ERICA	CON %	06/01/2018	04	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	TAROF	CON %	06/01/2018	05	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	SETFA	CON %	06/01/2018	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	AMATA	CON %	06/01/2018	07	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	IPOHE	CON %	06/01/2018	08	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	GLXMA	CON %	06/14/2018	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
024	LAMAM	CON %	06/14/2018	02	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
025	STEME	CON %	06/14/2018	03	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
026	ERICA	CON %	06/14/2018	04	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
027	TAROF	CON %	06/14/2018	05	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

TITLE: Elevore for Notill Weed Control in RR2Xtend System. C-600W

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
028	SETFA	CON %	06/14/2018	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
029	AMATA	CON %	06/14/2018	07	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
030	IPOHE	CON %	06/14/2018	08	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
031	GLXMA	CON %	06/29/2018	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
032	LAMAM	CON %	06/29/2018	02	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
033	STEME	CON %	06/29/2018	03	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
034	ERICA	CON %	06/29/2018	04	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
035	TAROF	CON %	06/29/2018	05	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
036	SETFA	CON %	06/29/2018	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
037	AMATA	CON %	06/29/2018	07	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
038	IPOHE	CON %	06/29/2018	08	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = P36T36X RR2XTEND