APPLICATIONS

SOIL INFORMATION

TEXTURE: SIX
PH: 6.2
%OM: 5.6
PREV.CROP: GLXMA - Soybean
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET
PLOT AREA: 225 FEET

TRIAL INFORMATION

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQUID MI	LIQUID MI	LIQUID MI	
APPLICATION DATE	04/25/19	06/04/19	06/11/19	AME
TIME - BEGIN	11:30	11:00	13:45	24H
TIME - END	12:00	11:20	14:10	24H
AIR TEMPERATURE	66	77	81	F
% REL.HUMIDITY	60	57	35	
WIND DIRECTION	NORTHEAST	SOUTHWEST	SOUTHWEST	
WIND SPEED	2.0	7.0	4.0	M/H
CLOUD COVER	PAR.CLOUD	CLOUDY-~6	PAR.CLOUD	
DEW	NO	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	TO BE SEL	TO BE SEL	TO BE SEL	
SOIL TEMP/DEPTH	53/4.00	72/4.00	73/4.00	F/IN
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION				
NOZZLE VOLUME	0.00	0.00	0.00	GPM
NOZZLE NUMBER	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	IN
SCREEN SIZE				
SCREEN SZ DESC	N/A	N/A	N/A	
SWATH WIDTH	7.5	7.5	7.5	FT
BOOM HEIGHT	20.0	20.0	20.0	IN
SPEED	3.00	3.00	3.00	M/H
MIX SIZE	0.330	0.330	0.330	
MIX SIZE UNIT	GAL	GAL	GAL	
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	30.00	30.00	30.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	TO BE SEL	TO BE SEL	TO BE SEL	
FOLIAGE HEIGHT				FT
FOLIAGE WIDTH				FT
ROW WIDTH				FT
SPRAY VOL LWA/TRV				
S VOL LWA/TRV UNIT				
LEAF WALL AREA				M2H
TREE ROW VOLUME				M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *				
P, Dent corn		---/14	---/16	
DKC 60-17		8.00/10.0	15.0/15.0	IN
(PLANTED) 04/24/2019		41 DAP	48 DAP	
PEST *				
P, Velvetleaf		---/15 3.00/5.00	---/17 3.00/8.00	IN
P, Lambsquarters, c		---/19 1.00/5.00	---/19 2.00/8.00	IN
P, Morningglory, iv		---/13 1.00/3.00	---/19 4.00/6.00	IN

*** CONTINUE

SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
PEST *				
P, Giant foxtail		---/14 3.00/6.00	---/17 4.00/10.0	IN

*** TIMING CODES**

09 = --- / PREEMERGENCE
11 = --- / EPOST
12 = --- / POST

*** STAGE CODE**

13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
14 = 4 LEAVES UNFOLDED
14 = 4 LEAVES UNFOLDED
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6 LEAVES UNFOLDED
17 = 7 LEAVES UNFOLDED
17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Weed Control Systems in RR/LL Corn. Monmouth
CREATED: 04/18/2019 **REVISED:** 11/12/2019 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Monmouth **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 30.00 FT **LONG**
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	ZEAMD CON % 05/30/19	SETFA CON % 05/30/19	CHEAL CON % 05/30/19	ABUTH CON % 05/30/19	IPOHE CON % 05/30/19	ZEAMD CON % 06/17/19
1A	»ACURON 3.44 ZC	2.58	LAA	9	1	98	99	96	91	0
2A	»ANTHEM MAXX 4.	0.134	LAA	9	1	99	99	96	88	0
B	CALLISTO 4SC	0.188	LAA	9						
C	ATRAZINE DF	2.00	LAA	9						
3A	»VERDICT 5.57L	0.78	LAA	9	2	90	98	78	77	0
B	ATRAZINE DF	1.00	LAA	9						
4A	»RESICORE 3.29S	2.47	LAA	9	2	96	99	96	93	0
B	ATRAZINE DF	1.00	LAA	9						
5A	»HARNESS MAX 3.	2.26	LAA	9	3	96	99	96	87	0
B	ATRAZINE DF	1.00	LAA	9						
6A	»ACURON 3.44 ZC	1.29	LAA	9	2	80	99	90	85	0
B	»HALEX GT 4.38L	1.97	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	»ACTIVATOR 90	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
7A	BICEP II MAG	2.06	LAA	9	1	85	95	68	72	0
B	»HALEX GT 4.38L	1.97	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	»ACTIVATOR 90	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
8A	»HARNESS MAX 3.	1.92	LAA	9	3	96	99	96	90	0
B	ATRAZINE DF	1.00	LAA	9						
C	»DIFLEXX DUO 1.	0.383	LAA	12						
D	ATRAZINE DF	0.50	LAA	12						
E	»RNDUP POWERMAX	1.125	LAA	12						
9A	»ANTHEM MAXX 4.	0.134	LAA	9	2	98	99	95	87	0
B	ATRAZINE DF	1.50	LAA	9						
C	CALLISTO 4SC	0.125	LAA	9						
D	»STATUS 56DG	0.105	LAA	12						
E	»RNDUP POWERMAX	1.125	LAA	12						
F	»ACTIVATOR 90	0.25	PMV	12						
10A	»CORVUS 2.6SC	0.091	LAA	9	3	90	99	90	82	0
B	ATRAZINE DF	1.00	LAA	9						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»HARNESS MAX 3.	1.68	LAA	12						
E	ATRAZINE DF	0.50	LAA	12						
11A	»BAL FLEXX 2L	0.063	LAA	9	0	98	99	90	87	0
B	HARNESS XTRA	2.24	LAA	9						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»CAPRENO 3.45 S	0.081	LAA	12						
E	ATRAZINE DF	0.50	LAA	12						
12A	»COYOTE 3.67SE	2.20	LAA	9	3	96	99	95	83	0
B	ATRAZINE DF	2.00	LAA	9						
C	»INTERLINE 2.34	0.79	LAA	12						
D	»LIQUID AMS	2.50	PMV	12						
13A	»TRIZAR 3.7SC	2.78	LAA	9	1	82	95	78	75	0
B	»ATRA-5 L	0.50	LAA	12						
C	»DUPLICATOR 6 4	1.125	LAA	12						
D	»AMS ALL	2.50	PMV	12						
14A	»KEYSTONE NXT 5	2.24	LAA	9	0	96	99	78	82	0
B	»SHIELDEX 3.33S	0.035	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	»MSO	0.50	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in RR/LL Corn. Monmouth

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	ZEAMD CON % 05/30/19	SETFA CON % 05/30/19	CHEAL CON % 05/30/19	ABUTH CON % 05/30/19	IPOHE CON % 05/30/19	ZEAMD CON % 06/17/19
15A	»KEYSTONE NXT 5	2.24	LAA	9	3	95	98	78	75	0
B	TOUGH 5EC	0.31	LAA	12						
C	ATRAZINE DF	1.20	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
16A	HARNESS XTRA	2.24	LAA	9	0	83	96	72	68	0
B	»IMPACTZ 4.26SC	0.356	LAA	12						
C	»MSO	0.50	PMV	12						
D	»LIQUID AMS	2.50	PMV	12						
17A	CHECK	0.00	NA	0	0	0	0	0	0	0
18A	»HALEX GT 4.38L	2.19	LAA	11	C	C	C	C	C	0
B	ATRAZINE DF	0.50	LAA	11						
C	»ACTIVATOR 90	0.25	PMV	11						
D	»LIQUID AMS	2.50	PMV	11						
19A	»CAPRENO 3.45 S	0.081	LAA	11	C	C	C	C	C	0
B	DEGREE XTRA	1.52	LAA	11						
C	»RNDUP POWERMAX	1.125	LAA	11						
20A	»ANTHEM MAXX 4.	0.134	LAA	11	C	C	C	C	C	0
B	ATRAZINE DF	1.50	LAA	11						
C	CALLISTO 4SC	0.094	LAA	11						
D	»RNDUP POWERMAX	1.125	LAA	11						
E	»ACTIVATOR 90	0.25	PMV	11						
	LSD (0.05)				3.7	8.3	1.5	8.2	11.7	0.0
	STANDARD DEVIATION				1.8	4.1	0.7	4.0	5.8	0.0

TITLE: Weed Control Systems in RR/LL Corn. Monmouth
CREATED: 04/18/2019 **REVISED:** 11/12/2019 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Monmouth **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 30.00 FT **LONG**
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	SETFA CON % 06/17/19	CHEAL CON % 06/17/19	ABUTH CON % 06/17/19	IPOHE CON % 06/17/19	ZEAMD CON % 07/02/19	SETFA CON % 07/02/19
1A	»ACURON 3.44 ZC	2.58	LAA	9	85	99	96	93	0	78
2A	»ANTHEM MAXX 4.	0.134	LAA	9	88	99	95	65	0	70
B	CALLISTO 4SC	0.188	LAA	9						
C	ATRAZINE DF	2.00	LAA	9						
3A	»VERDICT 5.57L	0.78	LAA	9	75	93	55	73	0	62
B	ATRAZINE DF	1.00	LAA	9						
4A	»RESICORE 3.29S	2.47	LAA	9	82	99	88	83	0	72
B	ATRAZINE DF	1.00	LAA	9						
5A	»HARNESS MAX 3.	2.26	LAA	9	87	99	87	75	0	80
B	ATRAZINE DF	1.00	LAA	9						
6A	»ACURON 3.44 ZC	1.29	LAA	9	65	99	92	85	0	96
B	»HALEX GT 4.38L	1.97	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	»ACTIVATOR 90	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
7A	BICEP II MAG	2.06	LAA	9	75	96	75	83	0	98
B	»HALEX GT 4.38L	1.97	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	»ACTIVATOR 90	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
8A	»HARNESS MAX 3.	1.92	LAA	9	98	99	98	96	0	95
B	ATRAZINE DF	1.00	LAA	9						
C	»DIFLEXX DUO 1.	0.383	LAA	12						
D	ATRAZINE DF	0.50	LAA	12						
E	»RNDUP POWERMAX	1.125	LAA	12						
9A	»ANTHEM MAXX 4.	0.134	LAA	9	96	99	95	93	0	99
B	ATRAZINE DF	1.50	LAA	9						
C	CALLISTO 4SC	0.125	LAA	9						
D	»STATUS 56DG	0.105	LAA	12						
E	»RNDUP POWERMAX	1.125	LAA	12						
F	»ACTIVATOR 90	0.25	PMV	12						
10A	»CORVUS 2.6SC	0.091	LAA	9	80	93	93	87	0	99
B	ATRAZINE DF	1.00	LAA	9						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»HARNESS MAX 3.	1.68	LAA	12						
E	ATRAZINE DF	0.50	LAA	12						
11A	»BAL FLEXX 2L	0.063	LAA	9	93	99	96	90	0	99
B	HARNESS XTRA	2.24	LAA	9						
C	»RNDUP POWERMAX	1.125	LAA	12						
D	»CAPRENO 3.45 S	0.081	LAA	12						
E	ATRAZINE DF	0.50	LAA	12						
12A	»COYOTE 3.67SE	2.20	LAA	9	87	99	93	90	0	99
B	ATRAZINE DF	2.00	LAA	9						
C	»INTERLINE 2.34	0.79	LAA	12						
D	»LIQUID AMS	2.50	PMV	12						
13A	»TRIZAR 3.7SC	2.78	LAA	9	83	88	88	80	0	93
B	»ATRA-5 L	0.50	LAA	12						
C	»DUPLICATOR 6 4	1.125	LAA	12						
D	»AMS ALL	2.50	PMV	12						
14A	»KEYSTONE NXT 5	2.24	LAA	9	90	98	90	82	0	98
B	»SHIELDEX 3.33S	0.035	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	»MSO	0.50	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in RR/LL Corn. Monmouth

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	SETFA CON % 06/17/19	CHEAL CON % 06/17/19	ABUTH CON % 06/17/19	IPOHE CON % 06/17/19	ZEAMD CON % 07/02/19	SETFA CON % 07/02/19
15A	»KEYSTONE NXT 5	2.24	LAA	9	85	93	85	83	0	99
B	TOUGH 5EC	0.31	LAA	12						
C	ATRAZINE DF	1.20	LAA	12						
D	»RNDUP POWERMAX	1.125	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
16A	HARNESS XTRA	2.24	LAA	9	67	95	80	77	0	95
B	»IMPACTZ 4.26SC	0.356	LAA	12						
C	»MSO	0.50	PMV	12						
D	»LIQUID AMS	2.50	PMV	12						
17A	CHECK	0.00	NA	0	0	0	0	0	0	0
18A	»HALEX GT 4.38L	2.19	LAA	11	99	99	99	96	0	96
B	ATRAZINE DF	0.50	LAA	11						
C	»ACTIVATOR 90	0.25	PMV	11						
D	»LIQUID AMS	2.50	PMV	11						
19A	»CAPRENO 3.45 S	0.081	LAA	11	99	99	98	96	0	98
B	DEGREE XTRA	1.52	LAA	11						
C	»RNDUP POWERMAX	1.125	LAA	11						
20A	»ANTHEM MAXX 4.	0.134	LAA	11	99	99	99	96	0	99
B	ATRAZINE DF	1.50	LAA	11						
C	CALLISTO 4SC	0.094	LAA	11						
D	»RNDUP POWERMAX	1.125	LAA	11						
E	»ACTIVATOR 90	0.25	PMV	11						
	LSD (0.05)				10.2	8.4	8.3	8.8	0.0	15.0
	STANDARD DEVIATION				5.0	4.2	4.1	4.4	0.0	7.4

TITLE: Weed Control Systems in RR/LL Corn. Monmouth
CREATED: 04/18/2019 **REVISED:** 11/12/2019 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Monmouth **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 30.00 FT **LONG**
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	CHEAL CON % 07/02/19	ABUTH CON % 07/02/19	IPOHE CON % 07/02/19	YIELD BU/A 10/08/19
1A	»ACURON 3.44 ZC	2.58	LAA	9	98	86	83	209.7
2A	»ANTHEM MAXX 4.	0.134	LAA	9	98	68	63	218.8
B	CALLISTO 4SC	0.188	LAA	9				
C	ATRAZINE DF	2.00	LAA	9				
3A	»VERDICT 5.57L	0.78	LAA	9	92	40	50	202.1
B	ATRAZINE DF	1.00	LAA	9				
4A	»RESICORE 3.29S	2.47	LAA	9	99	83	72	214.1
B	ATRAZINE DF	1.00	LAA	9				
5A	»HARNESS MAX 3.	2.26	LAA	9	99	83	70	227.0
B	ATRAZINE DF	1.00	LAA	9				
6A	»ACURON 3.44 ZC	1.29	LAA	9	99	95	88	231.2
B	»HALEX GT 4.38L	1.97	LAA	12				
C	ATRAZINE DF	0.50	LAA	12				
D	»ACTIVATOR 90	0.25	PMV	12				
E	»LIQUID AMS	2.50	PMV	12				
7A	BICEP II MAG	2.06	LAA	9	99	96	88	226.1
B	»HALEX GT 4.38L	1.97	LAA	12				
C	ATRAZINE DF	0.50	LAA	12				
D	»ACTIVATOR 90	0.25	PMV	12				
E	»LIQUID AMS	2.50	PMV	12				
8A	»HARNESS MAX 3.	1.92	LAA	9	99	95	88	221.1
B	ATRAZINE DF	1.00	LAA	9				
C	»DIFLEXX DUO 1.	0.383	LAA	12				
D	ATRAZINE DF	0.50	LAA	12				
E	»RNDUP POWERMAX	1.125	LAA	12				
9A	»ANTHEM MAXX 4.	0.134	LAA	9	99	95	88	219.6
B	ATRAZINE DF	1.50	LAA	9				
C	CALLISTO 4SC	0.125	LAA	9				
D	»STATUS 56DG	0.105	LAA	12				
E	»RNDUP POWERMAX	1.125	LAA	12				
F	»ACTIVATOR 90	0.25	PMV	12				
10A	»CORVUS 2.6SC	0.091	LAA	9	99	98	93	235.1
B	ATRAZINE DF	1.00	LAA	9				
C	»RNDUP POWERMAX	1.125	LAA	12				
D	»HARNESS MAX 3.	1.68	LAA	12				
E	ATRAZINE DF	0.50	LAA	12				
11A	»BAL FLEXX 2L	0.063	LAA	9	99	95	82	238.8
B	HARNESS XTRA	2.24	LAA	9				
C	»RNDUP POWERMAX	1.125	LAA	12				
D	»CAPRENO 3.45 S	0.081	LAA	12				
E	ATRAZINE DF	0.50	LAA	12				
12A	»COYOTE 3.67SE	2.20	LAA	9	99	92	77	235.7
B	ATRAZINE DF	2.00	LAA	9				
C	»INTERLINE 2.34	0.79	LAA	12				
D	»LIQUID AMS	2.50	PMV	12				
13A	»TRIZAR 3.7SC	2.78	LAA	9	99	87	78	227.6
B	»ATRA-5 L	0.50	LAA	12				
C	»DUPLICATOR 6 4	1.125	LAA	12				
D	»AMS ALL	2.50	PMV	12				
14A	»KEYSTONE NXT 5	2.24	LAA	9	99	99	83	224.5
B	»SHIELDEX 3.33S	0.035	LAA	12				
C	ATRAZINE DF	0.50	LAA	12				
D	»MSO	0.50	PMV	12				
E	»LIQUID AMS	2.50	PMV	12				

TITLE: Weed Control Systems in RR/LL Corn. Monmouth

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	CHEAL CON % 07/02/19	ABUTH CON % 07/02/19	IPOHE CON % 07/02/19	YIELD BU/A 10/08/19
15A	»KEYSTONE NXT 5	2.24	LAA	9	98	93	72	217.4
B	TOUGH 5EC	0.31	LAA	12				
C	ATRAZINE DF	1.20	LAA	12				
D	»RNDUP POWERMAX	1.125	LAA	12				
E	»LIQUID AMS	2.50	PMV	12				
16A	HARNESS XTRA	2.24	LAA	9	99	98	70	230.3
B	»IMPACTZ 4.26SC	0.356	LAA	12				
C	»MSO	0.50	PMV	12				
D	»LIQUID AMS	2.50	PMV	12				
17A	CHECK	0.00	NA	0	0	0	0	77.7
18A	»HALEX GT 4.38L	2.19	LAA	11	99	98	85	234.3
B	ATRAZINE DF	0.50	LAA	11				
C	»ACTIVATOR 90	0.25	PMV	11				
D	»LIQUID AMS	2.50	PMV	11				
19A	»CAPRENO 3.45 S	0.081	LAA	11	99	98	80	225.1
B	DEGREE XTRA	1.52	LAA	11				
C	»RNDUP POWERMAX	1.125	LAA	11				
20A	»ANTHEM MAXX 4.	0.134	LAA	11	99	98	93	231.5
B	ATRAZINE DF	1.50	LAA	11				
C	CALLISTO 4SC	0.094	LAA	11				
D	»RNDUP POWERMAX	1.125	LAA	11				
E	»ACTIVATOR 90	0.25	PMV	11				
	LSD (0.05)				1.9	12.6	12.8	34.34
	STANDARD DEVIATION				0.9	6.3	6.3	16.99

» **= SUPPLEMENTAL CHEMICAL** **---,M,C,D = MISSING DATA**

*** TIMING CODES**
00 = --- / UNTREATED TIMING
09 = --- / PREEMERGENCE 04/25/2019(1)
11 = --- / EPOST 06/04/2019(2)
12 = --- / POST 06/11/2019(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	CON %	05/30/2019	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/30/2019	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	05/30/2019	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	ABUTH	CON %	05/30/2019	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	IPOHE	CON %	05/30/2019	05	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	ZEAMD	CON %	06/17/2019	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	SETFA	CON %	06/17/2019	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	CHEAL	CON %	06/17/2019	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	ABUTH	CON %	06/17/2019	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	IPOHE	CON %	06/17/2019	05	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ZEAMD	CON %	07/02/2019	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	CON %	07/02/2019	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	CHEAL	CON %	07/02/2019	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	ABUTH	CON %	07/02/2019	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	IPOHE	CON %	07/02/2019	05	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	YIELD	BU/A	10/08/2019	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

*** SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)**
01 = DKC 60-17