APPLICATIONS

SOIL INFORMATION

TEXTURE: SIX
PH: 6.0
%OM: 3.6
PREV.CROP: GLXMA - Soybean
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET
PLOT AREA: 225 FEET

TRIAL INFORMATION

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQUID MI	LIQUID MI	LIQUID MI	
APPLICATION DATE	06/12/20	06/24/20	06/30/20	AME
TIME - BEGIN	09:25	13:13	14:30	24H
TIME - END	09:45	13:23	15:15	24H
AIR TEMPERATURE	80	73	82	F
% REL.HUMIDITY	46	56	63	
WIND DIRECTION	NORTHEAST	WEST	SOUTH	
WIND SPEED	3.0	5.0	3.0	M/H
CLOUD COVER	CLEAR-0%	PAR.CLOUD	OVERCAST-	
DEW	TO BE SEL	NO	NO	
SOIL MOISTURE	DRY/MOIST	MOIST/MOI	DRY/MOIST	
SOIL CONDITION	TO BE SEL	TO BE SEL	TO BE SEL	
SOIL TEMP/DEPTH	69/4.00	74/4.00	83/4.00	F/IN
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION				
NOZZLE VOLUME	0.00	0.00	0.00	GPM
NOZZLE NUMBER	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	IN
SCREEN SIZE				
SCREEN SZ DESC	N/A	N/A	N/A	
SWATH WIDTH	7.5	7.5	7.5	FT
BOOM HEIGHT	20.0	20.0	20.0	IN
SPEED	3.00	3.00	3.00	M/H
MIX SIZE	0.330	0.330	0.330	
MIX SIZE UNIT	GAL	GAL	GAL	
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	30.00	30.00	30.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	TO BE SEL	TO BE SEL	TO BE SEL	
FOLIAGE HEIGHT				FT
FOLIAGE WIDTH				FT
ROW WIDTH				FT
SPRAY VOL LWA/TRV				
S VOL LWA/TRV UNIT				
LEAF WALL AREA				M2H
TREE ROW VOLUME				M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *				
P, Dent corn		---/12	---/14	
NK1082-5222A-EZ1		4.00/4.00	12.0/12.0	IN
(PLANTED) 06/11/2020		13 DAP	19 DAP	
PEST *				
P, Anoda, spurred		---/10	---/11	
		0.25/1.50	0.50/3.50	IN
P, Tall morning glo		---/10	---/11	
		0.25/1.50	0.50/3.00	IN
P, Giant foxtail		---/12	---/12	
		0.25/3.00	0.50/3.00	IN

*** TIMING CODES**
09 = --- / PREEMERGENCE
11 = --- / EPOST
12 = --- / POST

*** STAGE CODE**
10 = 1ST LEAF EMERGED; COTYLEDONS UNFOLDED
11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED
12 = 2 LEAVES UNFOLDED
12 = 2 LEAVES UNFOLDED
14 = 4 LEAVES UNFOLDED

TITLE: Weed Control Systems in RR/LL Corn. R-3N
CREATED: 04/27/2020 **REVISED:** 10/20/2020 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 30.00 FT **LONG**
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	ZEAMD CON % 06/30/20	SETFA CON % 06/30/20	PHBPU CON % 06/30/20	ANVCR CON % 06/30/20	AMAPA CON % 06/30/20	ZEAMD CON % 07/09/20
1A	BICEP II MAGNU	1.50	QMA	9	0	94	70	73	99	0
B	HALEX GT 4.38L	3.60	PMA	12						
C	AATREX 4L	1.00	PMA	12						
D	ACTIVATOR 90	0.25	PMV	12						
E	LIQUID AMS	2.50	PMV	12						
2A	LEXAR EZ 3.7SC	1.75	QMA	9	0	93	73	83	99	0
B	HALEX GT 4.38L	3.60	PMA	12						
C	AATREX 4L	1.00	PMA	12						
D	ACTIVATOR 90	0.25	PMV	12						
E	LIQUID AMS	2.50	PMV	12						
3A	RESICORE 3.29S	1.25	QMA	9	0	98	75	82	99	5
B	AATREX 4L	2.00	PMA	9						
C	RESICORE 3.29S	1.25	QMA	12						
D	AATREX 4L	2.00	PMA	12						
E	DURANGO 4AE	32.00	ZMA	12						
F	LIQUID AMS	2.50	PMV	12						
4A	KEYSTONE NXT 5	1.50	QMA	9	0	97	70	75	99	10
B	RESICORE 3.29S	1.50	QMA	12						
C	AATREX 4L	2.00	PMA	12						
D	DURANGO 4AE	32.00	ZMA	12						
E	LIQUID AMS	2.50	PMV	12						
5A	SURESTART II 4	2.00	PMA	9	0	96	72	78	99	10
B	AATREX 4L	2.00	PMA	9						
C	RESICORE 3.29S	1.50	QMA	12						
D	AATREX 4L	2.00	PMA	12						
E	DURANGO 4AE	32.00	ZMA	12						
F	LIQUID AMS	2.50	PMV	12						
6A	RESICORE 3.29S	1.25	QMA	9	0	98	82	87	99	0
B	AATREX 4L	2.00	PMA	9						
C	REALM Q	4.00	OMA	0						
D	RESOLVE 25DF	0.0188	LAA	12						
E	MESOTRIONE 50W	0.0781	LAA	12						
F	ISOXADIFEN-ETH	0.01	LAA	12						
G	AATREX 4L	2.00	PMA	12						
H	DURANGO 4AE	32.00	ZMA	12						
I	LIQUID AMS	2.50	PMV	12						
7A	KEYSTONE NXT 5	1.50	QMA	9	0	97	75	73	99	0
B	REALM Q	4.00	OMA	0						
C	RESOLVE 25DF	0.0188	LAA	12						
D	MESOTRIONE 50W	0.0781	LAA	12						
E	ISOXADIFEN-ETH	0.01	LAA	12						
F	AATREX 4L	2.00	PMA	12						
G	DURANGO 4AE	32.00	ZMA	12						
H	LIQUID AMS	2.50	PMV	12						
8A	RESICORE 3.29S	2.75	QMA	9	0	99	92	93	99	16
B	AATREX 4L	2.00	PMA	9						
C	ENLIST DUO 3.3	4.67	PMA	12						
D	LIQUID AMS	2.50	PMV	12						
9A	ANTHEM MAXX 4.	4.00	ZMA	9	0	96	83	91	99	0
B	CALLISTO 4SC	6.00	ZMA	9						
C	AATREX 4L	3.00	PMA	9						
D	STATUS 56DG	3.00	OMA	12						
E	RNDUP POWERMAX	32.00	ZMA	12						
F	LIQUID AMS	2.50	PMV	12						
10A	BICEP II MAGNU	1.67	QMA	9	0	96	75	81	99	0
B	SHIELDEX 3.33S	1.00	ZMA	12						
C	AATREX 4L	1.00	PMA	12						
D	COC	1.00	PMV	12						

TITLE: Weed Control Systems in RR/LL Corn. R-3N

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	ZEAMD CON % 06/30/20	SETFA CON % 06/30/20	PHBPU CON % 06/30/20	ANVCR CON % 06/30/20	AMAPA CON % 06/30/20	ZEAMD CON % 07/09/20
11A	»BICEP II MAGNU	1.67	QMA	9	0	95	77	79	99	0
B	»IMPACT 2.8SC	1.00	ZMA	12						
C	AATREX 4L	1.00	PMA	12						
D	»COC	1.00	PMV	12						
12A	»BICEP II MAGNU	1.67	QMA	9	0	93	75	87	99	0
B	»LAUDIS 3.5SC	3.00	ZMA	12						
C	AATREX 4L	1.00	PMA	12						
D	»COC	1.00	PMV	12						
13A	»HARNESS MAX 3.	64.00	ZMA	9	0	98	78	82	99	0
B	AATREX 4L	2.00	PMA	9						
C	»DIFLEXX DUO 1.	24.00	ZMA	12						
D	»MSO	1.00	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
14A	»HARNESS EXTRA	2.00	QMA	9	0	98	77	85	99	2
B	»BAL FLEXX 2L	3.00	ZMA	9						
C	»CAPRENO 3.45 S	3.00	ZMA	12						
D	»ACTIVATOR 90	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
15A	»HARNESS EXTRA	1.60	QMA	9	0	99	70	70	99	0
B	»IMPACTZ 4.26SC	10.70	ZMA	12						
C	»MSO	0.50	PMV	12						
D	»LIQUID AMS	2.50	PMV	12						
16A	»ACURON XR 3.54	1.75	QMA	9	0	95	75	88	99	4
B	»ACURON XR 3.54	1.75	QMA	12						
C	»RNDUP POWERMAX	32.00	ZMA	12						
D	»LIQUID AMS	2.50	PMV	12						
17A	CHECK	0.00	NA	0	0	0	0	0	0	0
18A	»ANTHEM MAXX 4.	4.00	ZMA	11	2	98	98	96	99	0
B	»CALLISTO 4SC	3.00	ZMA	11						
C	AATREX 4L	3.00	PMA	11						
D	»RNDUP POWERMAX	32.00	ZMA	11						
E	»LIQUID AMS	2.50	PMV	11						
19A	»RESICORE 3.29S	2.00	QMA	11	9	98	98	98	99	0
B	AATREX 4L	2.00	PMA	11						
C	»ENLIST DUO 3.3	3.50	PMA	11						
D	»LIQUID AMS	2.50	PMV	11						
20A	»HALEX GT 4.38L	4.00	PMA	11	0	95	96	98	99	0
B	AATREX 4L	1.00	PMA	11						
C	»ACTIVATOR 90	0.25	PMV	11						
D	»LIQUID AMS	2.50	PMV	11						
21A	»HARNESS MAX 3.	40.00	ZMA	11	2	98	97	96	99	0
B	AATREX 4L	1.00	PMA	11						
C	»RNDUP POWERMAX	28.00	ZMA	11						
D	»LIQUID AMS	2.50	PMV	11						
22A	»LEXAR EZ 3.7SC	3.25	QMA	9	0	97	80	91	99	0
23A	»RESICORE 3.29S	2.50	QMA	9	0	96	83	87	99	0
24A	»BICEP II MAGNU	1.67	QMA	9	0	95	78	77	99	0
	LSD (0.05)				0.4	3.5	6.4	12.1	0.0	1.4
	STANDARD DEVIATION				0.2	1.8	3.2	6.1	0.0	0.7

TITLE: Weed Control Systems in RR/LL Corn. R-3N
CREATED: 04/27/2020 **REVISED:** 10/20/2020 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 30.00 FT **LONG**
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	SETFA CON % 07/09/20	PHBPU CON % 07/09/20	ANVCR CON % 07/09/20	AMAPA CON % 07/09/20	ZEAMD CON % 07/30/20	SETFA CON % 07/30/20
1A	»BICEP II MAGNU	1.50	QMA	9	98	97	98	99	0	95
B	»HALEX GT 4.38L	3.60	PMA	12						
C	AATREX 4L	1.00	PMA	12						
D	»ACTIVATOR 90	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
2A	»LEXAR EZ 3.7SC	1.75	QMA	9	99	95	96	99	0	95
B	»HALEX GT 4.38L	3.60	PMA	12						
C	AATREX 4L	1.00	PMA	12						
D	»ACTIVATOR 90	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
3A	»RESICORE 3.29S	1.25	QMA	9	99	95	96	99	0	98
B	AATREX 4L	2.00	PMA	9						
C	»RESICORE 3.29S	1.25	QMA	12						
D	AATREX 4L	2.00	PMA	12						
E	»DURANGO 4AE	32.00	ZMA	12						
F	»LIQUID AMS	2.50	PMV	12						
4A	»KEYSTONE NXT 5	1.50	QMA	9	99	98	95	99	0	99
B	»RESICORE 3.29S	1.50	QMA	12						
C	AATREX 4L	2.00	PMA	12						
D	»DURANGO 4AE	32.00	ZMA	12						
E	»LIQUID AMS	2.50	PMV	12						
5A	»SURESTART II 4	2.00	PMA	9	99	96	98	99	0	98
B	AATREX 4L	2.00	PMA	9						
C	»RESICORE 3.29S	1.50	QMA	12						
D	AATREX 4L	2.00	PMA	12						
E	»DURANGO 4AE	32.00	ZMA	12						
F	»LIQUID AMS	2.50	PMV	12						
6A	»RESICORE 3.29S	1.25	QMA	9	96	99	96	99	0	88
B	AATREX 4L	2.00	PMA	9						
C	»REALM Q	4.00	OMA	0						
D	»RESOLVE 25DF	0.0188	LAA	12						
E	»MESOTRIONE 50W	0.0781	LAA	12						
F	»ISOXADIFEN-ETH	0.01	LAA	12						
G	AATREX 4L	2.00	PMA	12						
H	»DURANGO 4AE	32.00	ZMA	12						
I	»LIQUID AMS	2.50	PMV	12						
7A	»KEYSTONE NXT 5	1.50	QMA	9	98	97	99	99	0	93
B	»REALM Q	4.00	OMA	0						
C	»RESOLVE 25DF	0.0188	LAA	12						
D	»MESOTRIONE 50W	0.0781	LAA	12						
E	»ISOXADIFEN-ETH	0.01	LAA	12						
F	AATREX 4L	2.00	PMA	12						
G	»DURANGO 4AE	32.00	ZMA	12						
H	»LIQUID AMS	2.50	PMV	12						
8A	»RESICORE 3.29S	2.75	QMA	9	98	98	99	99	10	93
B	AATREX 4L	2.00	PMA	9						
C	»ENLIST DUO 3.3	4.67	PMA	12						
D	»LIQUID AMS	2.50	PMV	12						
9A	»ANTHEM MAXX 4.	4.00	ZMA	9	95	95	98	98	0	92
B	»CALLISTO 4SC	6.00	ZMA	9						
C	AATREX 4L	3.00	PMA	9						
D	»STATUS 56DG	3.00	OMA	12						
E	»RNDUP POWERMAX	32.00	ZMA	12						
F	»LIQUID AMS	2.50	PMV	12						
10A	»BICEP II MAGNU	1.67	QMA	9	97	88	98	99	0	90
B	»SHIELDEX 3.33S	1.00	ZMA	12						
C	AATREX 4L	1.00	PMA	12						
D	»COC	1.00	PMV	12						

TITLE: Weed Control Systems in RR/LL Corn. R-3N

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	SETFA CON % 07/09/20	PHBPU CON % 07/09/20	ANVCR CON % 07/09/20	AMAPA CON % 07/09/20	ZEAMD CON % 07/30/20	SETFA CON % 07/30/20
11A	»BICEP II MAGNU	1.67	QMA	9	96	92	98	99	0	88
B	»IMPACT 2.8SC	1.00	ZMA	12						
C	AATREX 4L	1.00	PMA	12						
D	»COC	1.00	PMV	12						
12A	»BICEP II MAGNU	1.67	QMA	9	92	95	98	99	0	85
B	»LAUDIS 3.5SC	3.00	ZMA	12						
C	AATREX 4L	1.00	PMA	12						
D	»COC	1.00	PMV	12						
13A	»HARNESS MAX 3.	64.00	ZMA	9	95	96	96	99	0	93
B	AATREX 4L	2.00	PMA	9						
C	»DIFLEXX DUO 1.	24.00	ZMA	12						
D	»MSO	1.00	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
14A	»HARNESS EXTRA	2.00	QMA	9	98	94	95	99	0	93
B	»BAL FLEXX 2L	3.00	ZMA	9						
C	»CAPRENO 3.45 S	3.00	ZMA	12						
D	»ACTIVATOR 90	0.25	PMV	12						
E	»LIQUID AMS	2.50	PMV	12						
15A	»HARNESS EXTRA	1.60	QMA	9	98	90	92	99	0	96
B	»IMPACTZ 4.26SC	10.70	ZMA	12						
C	»MSO	0.50	PMV	12						
D	»LIQUID AMS	2.50	PMV	12						
16A	»ACURON XR 3.54	1.75	QMA	9	98	98	98	99	0	94
B	»ACURON XR 3.54	1.75	QMA	12						
C	»RNDUP POWERMAX	32.00	ZMA	12						
D	»LIQUID AMS	2.50	PMV	12						
17A	CHECK	0.00	NA	0	0	0	0	0	0	0
18A	»ANTHEM MAXX 4.	4.00	ZMA	11	93	96	91	99	0	88
B	»CALLISTO 4SC	3.00	ZMA	11						
C	AATREX 4L	3.00	PMA	11						
D	»RNDUP POWERMAX	32.00	ZMA	11						
E	»LIQUID AMS	2.50	PMV	11						
19A	»RESICORE 3.29S	2.00	QMA	11	98	97	98	99	0	96
B	AATREX 4L	2.00	PMA	11						
C	»ENLIST DUO 3.3	3.50	PMA	11						
D	»LIQUID AMS	2.50	PMV	11						
20A	»HALEX GT 4.38L	4.00	PMA	11	94	93	96	99	0	85
B	AATREX 4L	1.00	PMA	11						
C	»ACTIVATOR 90	0.25	PMV	11						
D	»LIQUID AMS	2.50	PMV	11						
21A	»HARNESS MAX 3.	40.00	ZMA	11	98	95	95	99	0	92
B	AATREX 4L	1.00	PMA	11						
C	»RNDUP POWERMAX	28.00	ZMA	11						
D	»LIQUID AMS	2.50	PMV	11						
22A	»LEXAR EZ 3.7SC	3.25	QMA	9	92	75	92	98	0	78
23A	»RESICORE 3.29S	2.50	QMA	9	91	79	83	99	0	78
24A	»BICEP II MAGNU	1.67	QMA	9	88	78	80	98	0	72
	LSD (0.05)				3.3	4.2	6.3	1.3	0.0	5.2
	STANDARD DEVIATION				1.7	2.1	3.2	0.7	0.0	2.6

TITLE: Weed Control Systems in RR/LL Corn. R-3N
CREATED: 04/27/2020 **REVISED:** 10/20/2020 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 30.00 FT **LONG**
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	PHBPU CON % 07/30/20	ANVCR CON % 07/30/20	AMAPA CON % 07/30/20	ZEAMD BU/A 10/15/20
1A	»BICEP II MAGNU	1.50	QMA	9	83	85	99	154.2
B	»HALEX GT 4.38L	3.60	PMA	12				
C	AATREX 4L	1.00	PMA	12				
D	»ACTIVATOR 90	0.25	PMV	12				
E	»LIQUID AMS	2.50	PMV	12				
2A	»LEXAR EZ 3.7SC	1.75	QMA	9	83	83	99	132.0
B	»HALEX GT 4.38L	3.60	PMA	12				
C	AATREX 4L	1.00	PMA	12				
D	»ACTIVATOR 90	0.25	PMV	12				
E	»LIQUID AMS	2.50	PMV	12				
3A	»RESICORE 3.29S	1.25	QMA	9	80	83	99	137.9
B	AATREX 4L	2.00	PMA	9				
C	»RESICORE 3.29S	1.25	QMA	12				
D	AATREX 4L	2.00	PMA	12				
E	»DURANGO 4AE	32.00	ZMA	12				
F	»LIQUID AMS	2.50	PMV	12				
4A	»KEYSTONE NXT 5	1.50	QMA	9	87	89	99	149.1
B	»RESICORE 3.29S	1.50	QMA	12				
C	AATREX 4L	2.00	PMA	12				
D	»DURANGO 4AE	32.00	ZMA	12				
E	»LIQUID AMS	2.50	PMV	12				
5A	»SURESTART II 4	2.00	PMA	9	87	90	99	143.7
B	AATREX 4L	2.00	PMA	9				
C	»RESICORE 3.29S	1.50	QMA	12				
D	AATREX 4L	2.00	PMA	12				
E	»DURANGO 4AE	32.00	ZMA	12				
F	»LIQUID AMS	2.50	PMV	12				
6A	»RESICORE 3.29S	1.25	QMA	9	88	92	99	141.9
B	AATREX 4L	2.00	PMA	9				
C	»REALM Q	4.00	OMA	0				
D	»RESOLVE 25DF	0.0188	LAA	12				
E	»MESOTRIONE 50W	0.0781	LAA	12				
F	»ISOXADIFEN-ETH	0.01	LAA	12				
G	AATREX 4L	2.00	PMA	12				
H	»DURANGO 4AE	32.00	ZMA	12				
I	»LIQUID AMS	2.50	PMV	12				
7A	»KEYSTONE NXT 5	1.50	QMA	9	87	83	99	140.3
B	»REALM Q	4.00	OMA	0				
C	»RESOLVE 25DF	0.0188	LAA	12				
D	»MESOTRIONE 50W	0.0781	LAA	12				
E	»ISOXADIFEN-ETH	0.01	LAA	12				
F	AATREX 4L	2.00	PMA	12				
G	»DURANGO 4AE	32.00	ZMA	12				
H	»LIQUID AMS	2.50	PMV	12				
8A	»RESICORE 3.29S	2.75	QMA	9	92	85	99	118.5
B	AATREX 4L	2.00	PMA	9				
C	»ENLIST DUO 3.3	4.67	PMA	12				
D	»LIQUID AMS	2.50	PMV	12				
9A	»ANTHEM MAXX 4.	4.00	ZMA	9	90	88	98	154.2
B	»CALLISTO 4SC	6.00	ZMA	9				
C	AATREX 4L	3.00	PMA	9				
D	»STATUS 56DG	3.00	OMA	12				
E	»RNDUP POWERMAX	32.00	ZMA	12				
F	»LIQUID AMS	2.50	PMV	12				
10A	»BICEP II MAGNU	1.67	QMA	9	82	83	98	135.7
B	»SHIELDEX 3.33S	1.00	ZMA	12				
C	AATREX 4L	1.00	PMA	12				
D	»COC	1.00	PMV	12				

TITLE: Weed Control Systems in RR/LL Corn. R-3N

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	PHBPU CON % 07/30/20	ANVCR CON % 07/30/20	AMAPA CON % 07/30/20	ZEAMD BU/A 10/15/20
11A	»BICEP II MAGNU	1.67	QMA	9	85	82	99	149.9
B	»IMPACT 2.8SC	1.00	ZMA	12				
C	AATREX 4L	1.00	PMA	12				
D	»COC	1.00	PMV	12				
12A	»BICEP II MAGNU	1.67	QMA	9	85	90	99	150.8
B	»LAUDIS 3.5SC	3.00	ZMA	12				
C	AATREX 4L	1.00	PMA	12				
D	»COC	1.00	PMV	12				
13A	»HARNESS MAX 3.	64.00	ZMA	9	87	78	99	146.4
B	AATREX 4L	2.00	PMA	9				
C	»DIFLEXX DUO 1.	24.00	ZMA	12				
D	»MSO	1.00	PMV	12				
E	»LIQUID AMS	2.50	PMV	12				
14A	»HARNESS EXTRA	2.00	QMA	9	84	78	99	122.7
B	»BAL FLEXX 2L	3.00	ZMA	9				
C	»CAPRENO 3.45 S	3.00	ZMA	12				
D	»ACTIVATOR 90	0.25	PMV	12				
E	»LIQUID AMS	2.50	PMV	12				
15A	»HARNESS EXTRA	1.60	QMA	9	78	77	99	144.5
B	»IMPACTZ 4.26SC	10.70	ZMA	12				
C	»MSO	0.50	PMV	12				
D	»LIQUID AMS	2.50	PMV	12				
16A	»ACURON XR 3.54	1.75	QMA	9	85	86	99	139.0
B	»ACURON XR 3.54	1.75	QMA	12				
C	»RNDUP POWERMAX	32.00	ZMA	12				
D	»LIQUID AMS	2.50	PMV	12				
17A	CHECK	0.00	NA	0	0	0	0	111.4
18A	»ANTHEM MAXX 4.	4.00	ZMA	11	88	80	99	126.6
B	»CALLISTO 4SC	3.00	ZMA	11				
C	AATREX 4L	3.00	PMA	11				
D	»RNDUP POWERMAX	32.00	ZMA	11				
E	»LIQUID AMS	2.50	PMV	11				
19A	»RESICORE 3.29S	2.00	QMA	11	92	87	99	138.1
B	AATREX 4L	2.00	PMA	11				
C	»ENLIST DUO 3.3	3.50	PMA	11				
D	»LIQUID AMS	2.50	PMV	11				
20A	»HALEX GT 4.38L	4.00	PMA	11	85	87	99	152.4
B	AATREX 4L	1.00	PMA	11				
C	»ACTIVATOR 90	0.25	PMV	11				
D	»LIQUID AMS	2.50	PMV	11				
21A	»HARNESS MAX 3.	40.00	ZMA	11	88	90	99	147.8
B	AATREX 4L	1.00	PMA	11				
C	»RNDUP POWERMAX	28.00	ZMA	11				
D	»LIQUID AMS	2.50	PMV	11				
22A	»LEXAR EZ 3.7SC	3.25	QMA	9	68	80	98	142.0
23A	»RESICORE 3.29S	2.50	QMA	9	77	78	99	149.6
24A	»BICEP II MAGNU	1.67	QMA	9	68	72	98	133.6
	LSD (0.05)				7.0	11.7	1.5	26.18
	STANDARD DEVIATION				3.5	5.8	0.8	13.09

» **= SUPPLEMENTAL CHEMICAL**

*** TIMING CODES**
00 = --- / UNTREATED TIMING
09 = --- / PREEMERGENCE 06/12/2020(1)
11 = --- / EPOST 06/24/2020(2)
12 = --- / POST 06/30/2020(3)

TITLE: Weed Control Systems in RR/LL Corn. R-3N

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	CON %	06/30/2020	01	P	ZEAMD	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	06/30/2020	02	P	SETFA	12	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	PHBPU	CON %	06/30/2020	03	P	PHBPU	11	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	ANVCR	CON %	06/30/2020	04	P	ANVCR	11	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	AMAPA	CON %	06/30/2020	05	P	AMAPA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	ZEAMD	CON %	07/09/2020	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	SETFA	CON %	07/09/2020	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	PHBPU	CON %	07/09/2020	03	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	ANVCR	CON %	07/09/2020	04	P	ANVCR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	AMAPA	CON %	07/09/2020	05	P	AMAPA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ZEAMD	CON %	07/30/2020	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	CON %	07/30/2020	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	PHBPU	CON %	07/30/2020	03	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	ANVCR	CON %	07/30/2020	04	P	ANVCR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	AMAPA	CON %	07/30/2020	05	P	AMAPA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	ZEAMD	BU/A	10/15/2020	01	P	ZEAMD		RAW	ALL	YLD	BU	---	1.00 A	NO	0001	0	N

*** SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)**
01 = NK1082-5222A-EZ1

*** STAGE CODE**
11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED
12 = 2 LEAVES UNFOLDED
14 = 4 LEAVES UNFOLDED